

Food and Drug Administration Total Diet Study

Summary of Residues Found
Ordered by Food
Market Baskets 91-3—97-1

June, 1999

This document displays summary values for each pesticide or other organic residue found in FDA's Total Diet Study, Market Baskets 91-3—97-1 (18 baskets). Note that only positive values were used; i.e., levels of 0.0 were not included in the calculations, except in cases where the laboratory indicated the presence of a trace level but did not enter a value.

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
001 whole milk, fluid		chloroform	2	0.0185	0.015	0.022
		DDE, p,p'	13	0.0019	0.0001	0.011
		dieldrin	6	0.0002	0.0001	0.0002
		endosulfan sulfate	1	0.0004	0.0004	0.0004
			22			
002 lowfat (2% fat) milk, fluid		DDE, p,p'	10	0.0013	0.0002	0.005
		dieldrin	3	0.0001	0.0001	0.0002
		endosulfan sulfate	1	0.0003	0.0003	0.0003
			14			
003 chocolate milk, fluid		DDE, p,p'	5	0.0014	0.0004	0.004
			5			
004 skim milk, fluid		DDE, p,p'	3	0.0002	0.0002	0.0002
			3			
006 plain yogurt, lowfat		DDE, p,p'	2	0.0005	0.0004	0.0006
			2			
007 chocolate milk shake, fast-food		chlorpyrifos	1	0.002	0.002	0.002
		DDE, p,p'	5	0.0009	0.0003	0.002
			6			
008 evaporated milk, canned		BHC, alpha	1	0.0004	0.0004	0.0004
		chlordane, cis	1	0.0009	0.0009	0.0009
		DDE, p,p'	14	0.0011	0.0003	0.002
		dieldrin	4	0.001	0.0004	0.002
		endrin	1	0.001	0.001	0.001
		heptachlor epoxide	1	0.0006	0.0006	0.0006
		lindane	1	0.0008	0.0008	0.0008
		toluene	2	0.0115	0.01	0.013
			25			
010 American, processed cheese		1,1,1-trichloroethane	1	0.025	0.025	0.025
		chloroform	6	0.0287	0.012	0.054
		DDE, p,p'	18	0.007	0.0009	0.048
		dieldrin	14	0.0009	0.0006	0.002
		endosulfan sulfate	2	0.0009	0.0007	0.001
		heptachlor epoxide	5	0.0006	0.0002	0.0009
		hexachlorobenzene	3	0.0006	0.0005	0.0007
		toluene	5	0.038	0.013	0.094
		xylene, m- and/or p-	2	0.0225	0.016	0.029
			56			
	011 cottage cheese, 4% milkfat		DDE, p,p'	8	0.0017	0.0003
		dieldrin	2	0.0005	0.0004	0.0005
			10			
012 cheddar cheese		1,1,1-trichloroethane	3	0.015	0.007	0.028
		chloroform	5	0.0244	0.013	0.037
		DDE, p,p'	15	0.0063	0.0007	0.03
		dieldrin	15	0.0015	0.0006	0.005
		endosulfan sulfate	1	0.002	0.002	0.002

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		heptachlor epoxide	8	0.0008	0.0004	0.002
		hexachlorobenzene	4	0.0005	0.0004	0.0006
		toluene	6	0.4867	0.013	1.73
		xylene, m- and/or p-	3	0.025	0.016	0.036
			60			
013	ground beef, pan-cooked					
		benzene	5	0.051	0.011	0.19
		BHC, alpha	1	0.0004	0.0004	0.0004
		chloroform	1	0.017	0.017	0.017
		DDE, p,p'	16	0.0025	0.0005	0.007
		DDT, p,p'	2	0.0003	0.0003	0.0003
		dieldrin	11	0.0006	0.0004	0.0009
		heptachlor epoxide	5	0.0004	0.0002	0.0009
		hexachlorobenzene	4	0.0003	0.0002	0.0004
		lindane	1	0.0005	0.0005	0.0005
		octachlor epoxide	1	0.0003	0.0003	0.0003
		toluene	6	0.0187	0.012	0.026
		xylene, m- and/or p-	1	0.011	0.011	0.011
			54			
014	beef chuck roast, baked					
		1,1,1-trichloroethane	1	0.014	0.014	0.014
		benzene	5	0.0462	0.016	0.078
		chloroform	2	0.013	0.013	0.013
		chlorpropham	1	0.007	0.007	0.007
		DDE, p,p'	8	0.0016	0.0005	0.004
		dieldrin	3	0.0006	0.0003	0.001
		ethyl benzene	1	0.014	0.014	0.014
		heptachlor epoxide	1	0.0005	0.0005	0.0005
		hexachlorobenzene	1	0.0003	0.0003	0.0003
		polychlorinated biphenyls	1	0.01	0.01	0.01
		styrene	1	0.011	0.011	0.011
		toluene	5	0.0398	0.013	0.077
		xylene, m- and/or p-	2	0.042	0.023	0.061
		xylene, o-	1	0.026	0.026	0.026
			33			
016	beef steak, loin, pan-cooked					
		chloroform	1	0.013	0.013	0.013
		DDE, p,p'	13	0.0016	0.0003	0.004
		DDT, p,p'	1	0.0002	0.0002	0.0002
		diazinon	1	0.0009	0.0009	0.0009
		dieldrin	4	0.001	0.0003	0.002
		heptachlor epoxide	1	0.0002	0.0002	0.0002
		polychlorinated biphenyls	1	0.022	0.022	0.022
		toluene	2	0.017	0.01	0.024
			24			
017	ham, baked					
		DDE, p,p'	1	0.0007	0.0007	0.0007
		pentachlorophenol	1	0.029	0.029	0.029
		permethrin, cis	1	0.001	0.001	0.001
		permethrin, trans	1	0.001	0.001	0.001
		toluene	2	0.012	0.012	0.012
			6			
018	pork chop, pan-cooked					
		chlordan, cis	1	0.0008	0.0008	0.0008
		chlordan, trans	1	0.0008	0.0008	0.0008
		chlorpyrifos	1	0.002	0.002	0.002
		DDE, p,p'	4	0.0039	0.0005	0.012
		DDT, o,p'	1	0.002	0.002	0.002
		DDT, p,p'	4	0.0037	0.0007	0.007

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		diazinon	1	0.0008	0.0008	0.0008
		dieldrin	1	0.0003	0.0003	0.0003
		lindane	1	0.001	0.001	0.001
		nonachlor, trans	1	0.001	0.001	0.001
		polychlorinated biphenyls	1	0.021	0.021	0.021
		TDE, p,p'	1	0.006	0.006	0.006
		toluene	2	0.0185	0.011	0.026
			20			
019	pork sausage, pan-cooked					
		2-chloroethyl linoleate	11	0.1299	0.006	0.413
		2-chloroethyl myristate	2	0.0265	0.007	0.046
		2-chloroethyl palmitate	8	0.0554	0.003	0.136
		BHC, alpha	3	0.0006	0.0003	0.001
		DDE, p,p'	15	0.0049	0.0007	0.03
		DDT, p,p'	8	0.0049	0.0006	0.019
		dieldrin	1	0.0004	0.0004	0.0004
		octachlor epoxide	1	0.0006	0.0006	0.0006
		styrene	1	0.018	0.018	0.018
		TDE, p,p'	3	0.0022	0.0007	0.004
		toluene	2	0.0405	0.03	0.051
		xylene, m- and/or p-	1	0.013	0.013	0.013
			56			
020	pork bacon, pan-cooked					
		1,1,1-trichloroethane	1	0.024	0.024	0.024
		1,2,4-trimethylbenzene	1	0.011	0.011	0.011
		benzene	1	0.017	0.017	0.017
		chloroform	1	0.012	0.012	0.012
		DDE, p,p'	9	0.0014	0.0004	0.002
		DDT, p,p'	6	0.0018	0.001	0.003
		dieldrin	2	0.0005	0.0003	0.0007
		ethyl benzene	1	0.016	0.016	0.016
		nonachlor, trans	1	0.0006	0.0006	0.0006
		styrene	2	0.0155	0.014	0.017
		TDE, p,p'	1	0.0004	0.0004	0.0004
		tetrachloroethylene	1	0.022	0.022	0.022
		toluene	6	0.1225	0.015	0.23
		xylene, m- and/or p-	3	0.0273	0.022	0.035
			36			
021	pork roast, baked					
		benzene	2	0.039	0.03	0.048
		butylbenzene, n-	1	0.169	0.169	0.169
		chloroform	1	0.03	0.03	0.03
		DDE, p,p'	2	0.0021	0.0002	0.004
		dicloran	3	0.0027	0.002	0.004
		heptachlor epoxide	1	0.0003	0.0003	0.0003
		lindane	1	0.002	0.002	0.002
		polychlorinated biphenyls	1	0.018	0.018	0.018
		toluene	2	0.037	0.034	0.04
			14			
022	lamb chop, pan-cooked					
		chloroform	1	0.017	0.017	0.017
		chlorpyrifos	1	0.006	0.006	0.006
		DDE, p,p'	17	0.0084	0.0004	0.03
		diazinon	2	0.0055	0.002	0.009
		dieldrin	3	0.0012	0.0007	0.002
		heptachlor epoxide	1	0.0004	0.0004	0.0004
		hexachlorobenzene	12	0.0009	0.0002	0.002
		octachlor epoxide	3	0.0003	0.0003	0.0004
		polychlorinated biphenyls	1	0.018	0.018	0.018
		propetamphos	1	0.021	0.021	0.021

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		styrene	1	0.01	0.01	0.01
		TDE, p,p'	1	0.0004	0.0004	0.0004
		toluene	2	0.0115	0.011	0.012
			46			
024	chicken, fried (breast, leg, and thigh) homemade					
		chloroform	1	0.028	0.028	0.028
		DDE, p,p'	5	0.0007	0.0004	0.001
		dieldrin	1	0.0002	0.0002	0.0002
		lindane	1	0.0007	0.0007	0.0007
		polychlorinated biphenyls	1	0.009	0.009	0.009
		toluene	1	0.012	0.012	0.012
		xylene, m- and/or p-	1	0.01	0.01	0.01
			11			
026	turkey breast, roasted					
		benzene	1	0.034	0.034	0.034
		chloroform	1	0.02	0.02	0.02
		DDE, p,p'	3	0.0007	0.0005	0.0008
		dicloran	2	0.0014	0.0007	0.002
		dieldrin	1	0.001	0.001	0.001
		styrene	1	0.013	0.013	0.013
		toluene	2	0.0205	0.02	0.021
			11			
027	liver, beef, fried					
		1,2,4-trimethylbenzene	1	0.025	0.025	0.025
		chloroform	1	0.015	0.015	0.015
		DDE, p,p'	3	0.0006	0.0004	0.0007
		dieldrin	6	0.0008	0.0003	0.002
		ethyl benzene	1	0.021	0.021	0.021
		toluene	2	0.0125	0.01	0.015
		xylene, m- and/or p-	1	0.065	0.065	0.065
		xylene, o-	1	0.032	0.032	0.032
			16			
028	frankfurters, beef, boiled					
		2-chloroethyl linoleate	8	0.2698	0.016	0.932
		2-chloroethyl myristate	3	0.005	0.003	0.007
		2-chloroethyl palmitate	7	0.0434	0.003	0.111
		butylbenzene, n-	1	0.012	0.012	0.012
		carbon tetrachloride	1	0.011	0.011	0.011
		chloroform	1	0.01	0.01	0.01
		DDE, p,p'	16	0.0039	0.001	0.017
		dieldrin	8	0.0011	0.0006	0.002
		heptachlor epoxide	2	0.0009	0.0007	0.001
		hexachlorobenzene	1	0.0005	0.0005	0.0005
		lindane	2	0.001	0.0009	0.001
		tetrachloroethylene	1	0.06	0.06	0.06
		toluene	6	0.0445	0.012	0.082
		trichloroethylene	1	0.01	0.01	0.01
		xylene, m- and/or p-	2	0.0135	0.011	0.016
			60			
029	bologna, sliced					
		1,1,1-trichloroethane	1	0.01	0.01	0.01
		2-chloroethyl linoleate	4	0.0303	0.015	0.047
		2-chloroethyl myristate	1	0.045	0.045	0.045
		2-chloroethyl palmitate	2	0.009	0.006	0.012
		benzene	2	0.031	0.012	0.05
		bromodichloromethane	1	0.016	0.016	0.016
		carbon tetrachloride	1	0.011	0.011	0.011
		chloroform	2	0.016	0.01	0.022
		DDE, p,p'	10	0.0013	0.0004	0.003

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		dieldrin	2	0.0008	0.0005	0.001
		ethyl benzene	1	0.02	0.02	0.02
		lindane	1	0.0007	0.0007	0.0007
		styrene	1	0.078	0.078	0.078
		tetrachloroethylene	2	0.0175	0.017	0.018
		toluene	5	0.0348	0.01	0.075
		trichloroethylene	1	0.02	0.02	0.02
		xylene, m- and/or p-	1	0.061	0.061	0.061
		xylene, o-	1	0.019	0.019	0.019
			39			
030	salami, sliced					
		1,1,1-trichloroethane	1	0.012	0.012	0.012
		2-chloroethyl linoleate	2	0.0345	0.022	0.047
		2-chloroethyl myristate	3	0.023	0.015	0.035
		2-chloroethyl palmitate	3	0.0163	0.004	0.029
		benzene	3	0.0183	0.018	0.019
		chloroform	1	0.016	0.016	0.016
		DDE, p,p'	12	0.0009	0.0005	0.002
		dieldrin	2	0.0008	0.0007	0.0008
		propylbenzene, n-	1	0.011	0.011	0.011
		styrene	1	0.013	0.013	0.013
		tetrachloroethylene	2	0.038	0.01	0.066
		toluene	6	0.0388	0.016	0.077
		xylene, m- and/or p-	3	0.0283	0.023	0.034
		xylene, o-	1	0.01	0.01	0.01
			41			
032	tuna, canned in oil					
		benzene	2	0.0085	0.005	0.012
		BHC, alpha	1	0.001	0.001	0.001
		chloroform	1	0.021	0.021	0.021
		DDE, p,p'	7	0.001	0.0003	0.003
		dieldrin	2	0.0005	0.0004	0.0005
		hexachlorobenzene	1	0.0005	0.0005	0.0005
		polychlorinated biphenyls	1	0.045	0.045	0.045
		toluene	5	0.3108	0.028	0.79
		xylene, m- and/or p-	1	0.017	0.017	0.017
			21			
034	fish sticks, frozen, heated					
		1,1,1-trichloroethane	1	0.012	0.012	0.012
		1,2,4-trimethylbenzene	3	0.0333	0.024	0.039
		benzene	1	0.021	0.021	0.021
		butylbenzene, n-	1	0.034	0.034	0.034
		chloroform	4	0.0173	0.012	0.025
		chlorpyrifos	2	0.001	0.0009	0.001
		chlorpyrifos-methyl	18	0.0021	0.0006	0.006
		DDE, p,p'	1	0.0002	0.0002	0.0002
		DDT, p,p'	1	0.0003	0.0003	0.0003
		ethyl benzene	2	0.016	0.013	0.019
		malathion	17	0.0037	0.001	0.011
		styrene	1	0.014	0.014	0.014
		toluene	5	0.022	0.014	0.034
		xylene, m- and/or p-	3	0.0463	0.025	0.081
		xylene, o-	1	0.016	0.016	0.016
			61			
035	eggs, scrambled					
		benzene	2	0.028	0.016	0.04
		chloroform	1	0.013	0.013	0.013
		chlorpropham	1	0.011	0.011	0.011
		DDE, p,p'	6	0.001	0.0004	0.002
		dieldrin	1	0.0002	0.0002	0.0002
		toluene	2	0.0125	0.012	0.013
			13			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
036	eggs, fried	bromodichloromethane	1	0.013	0.013	0.013
		chloroform	1	0.021	0.021	0.021
		DDE, p,p'	6	0.0009	0.0004	0.002
		dieldrin	3	0.0004	0.0002	0.0007
		permethrin, cis	1	0.001	0.001	0.001
		permethrin, trans	1	0.0006	0.0006	0.0006
			13			
037	eggs, boiled	chloroform	1	0.023	0.023	0.023
		DDE, p,p'	8	0.0009	0.0002	0.003
		dieldrin	3	0.0003	0.0002	0.0005
		toluene	1	0.01	0.01	0.01
			13			
038	pinto beans, dry, boiled		0			
039	pork and beans, canned	2-chloroethyl linoleate	3	0.009	0.005	0.017
		bromodichloromethane	1	0.011	0.011	0.011
		chloroform	1	0.016	0.016	0.016
		toluene	1	0.09	0.09	0.09
		xylene, m- and/or p-	1	0.013	0.013	0.013
		7				
042	lima beans, immature, frozen, boiled	acephate	15	0.0135	0.002	0.039
		chloroform	1	0.018	0.018	0.018
		DCPA	1	0.0008	0.0008	0.0008
		DDE, p,p'	1	0.0003	0.0003	0.0003
		dicofol, p,p'	1	0.004	0.004	0.004
		dieldrin	1	0.0003	0.0003	0.0003
		dimethoate	5	0.0032	0.001	0.011
		endosulfan sulfate	1	0.002	0.002	0.002
		iprodione	1	0.0005	0.0005	0.0005
		iprodione metabolite isomer	1	0.009	0.009	0.009
		lindane	1	0.001	0.001	0.001
		methamidophos	15	0.0095	0.002	0.045
		omethoate	2	0.0013	0.0005	0.002
			46			
046	green peas, fresh/frozen, boiled	chloroform	1	0.011	0.011	0.011
		DDE, p,p'	1	0.001	0.001	0.001
		diazinon	2	0.002	0.001	0.003
		dimethoate	10	0.0024	0.0009	0.005
		omethoate	1	0.001	0.001	0.001
		parathion	1	0.001	0.001	0.001
			16			
047	peanut butter, smooth	1,1,1-trichloroethane	2	0.0285	0.022	0.035
		1,2,4-trimethylbenzene	2	0.095	0.04	0.15
		benzene	1	0.003	0.003	0.003
		BHC, beta	1	0.001	0.001	0.001
		bromodichloromethane	1	0.01	0.01	0.01
		carbon tetrachloride	1	0.031	0.031	0.031
		chloroform	1	0.081	0.081	0.081
		chlorpyrifos	17	0.0047	0.003	0.007
		DDE, p,p'	14	0.0029	0.001	0.004
		dicloran	1	0.001	0.001	0.001
		dieldrin	15	0.0015	0.0006	0.003

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		endosulfan sulfate	4	0.0007	0.0005	0.001
		ethyl benzene	1	0.01	0.01	0.01
		fenitrothion	1	0.007	0.007	0.007
		hexachlorobenzene	1	0.0002	0.0002	0.0002
		malathion	8	0.0091	0.002	0.024
		methoxychlor, p,p'-	2	0.003	0.003	0.003
		pentachloroaniline	17	0.0049	0.0005	0.023
		pentachlorobenzene	15	0.0019	0.0004	0.007
		pentachlorophenyl methyl ether	12	0.0021	0.0005	0.008
		pentachlorophenyl methyl sulfide	10	0.0015	0.0006	0.004
		pirimiphos-methyl	2	0.006	0.001	0.011
		quintozene	10	0.0017	0.0006	0.006
		styrene	5	0.0162	0.011	0.02
		toluene	6	0.0515	0.028	0.097
		toxaphene	13	0.0401	0.003	0.07
		trichloroethylene	1	0.07	0.07	0.07
		xylene, m- and/or p-	2	0.0245	0.021	0.028
			166			
048	peanuts, dry roasted					
		1,1,1-trichloroethane	1	0.012	0.012	0.012
		2-chloroethyl linoleate	2	0.0125	0.01	0.015
		BHC, beta	1	0.001	0.001	0.001
		carbon tetrachloride	1	0.017	0.017	0.017
		chloroform	1	0.011	0.011	0.011
		chlorpropham	1	0.004	0.004	0.004
		chlorpyrifos	17	0.0045	0.002	0.011
		DDE, p,p'	11	0.0031	0.001	0.007
		dieldrin	11	0.0018	0.0007	0.005
		endosulfan sulfate	4	0.0015	0.0009	0.002
		fonofos	1	0.065	0.065	0.065
		hexachlorobenzene	1	0.0002	0.0002	0.0002
		lindane	1	0.002	0.002	0.002
		malathion	3	0.0027	0.002	0.003
		pentachloroaniline	14	0.0039	0.0005	0.011
		pentachlorobenzene	15	0.0017	0.0003	0.006
		pentachlorophenyl methyl ether	10	0.0017	0.0007	0.005
		pentachlorophenyl methyl sulfide	10	0.0014	0.0005	0.004
		permethrin, cis	1	0.006	0.006	0.006
		permethrin, trans	1	0.009	0.009	0.009
		pirimiphos-methyl	1	0.017	0.017	0.017
		quintozene	9	0.0016	0.0003	0.006
		styrene	1	0.011	0.011	0.011
		toluene	2	0.035	0.029	0.041
		toxaphene	17	0.0443	0.003	0.105
		xylene, m- and/or p-	1	0.017	0.017	0.017
			138			
050	white rice, cooked					
		2,4,5-T	1	0.004	0.004	0.004
		malathion	1	0.002	0.002	0.002
		methoxychlor, p,p'-	1	0.0005	0.0005	0.0005
		tributyl phosphate	1	0.005	0.005	0.005
			4			
051	oatmeal, quick (1-3 min), cooked					
		1,2,4-trimethylbenzene	1	0.011	0.011	0.011
		chlorpyrifos	4	0.0063	0.002	0.014
		chlorpyrifos-methyl	7	0.0015	0.0004	0.004
		malathion	9	0.0023	0.001	0.004
		tributyl phosphate	1	0.006	0.006	0.006
		tris(2-butoxyethyl)phosphate	1	0.116	0.116	0.116
		tris(beta-chloroethyl) phosphate	1	0.001	0.001	0.001
		xylene, m- and/or p-	1	0.03	0.03	0.03
			25			

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
052	wheat cereal, farina, quick (1-3min), cooked					
		chloroform	1	0.012	0.012	0.012
		chlorpyrifos-methyl	2	0.001	0.001	0.001
		dicloran	1	0.005	0.005	0.005
		malathion	1	0.001	0.001	0.001
		tributyl phosphate	5	0.0186	0.008	0.032
			10			
053	corngrits, regular, cooked					
		benzene	1	0.018	0.018	0.018
		dicloran	1	0.001	0.001	0.001
		malathion	4	0.002	0.001	0.003
		pirimiphos-methyl	1	0.004	0.004	0.004
		polychlorinated biphenyls	1	0.016	0.016	0.016
			8			
054	corn, fresh/frozen, boiled					
		chloroform	1	0.029	0.029	0.029
		diazinon	2	0.0007	0.0003	0.001
			3			
056	cream style corn, canned					
		acephate	1	0.001	0.001	0.001
		chloroform	1	0.024	0.024	0.024
		dimethoate	1	0.002	0.002	0.002
		toluene	4	0.0263	0.011	0.055
			7			
057	popcorn, popped in oil					
		1,1,1,2-tetrachloroethane	1	0.016	0.016	0.016
		1,1,1-trichloroethane	2	0.021	0.015	0.027
		butylbenzene, sec-	1	0.01	0.01	0.01
		chlordane	2	0.054	0.021	0.087
		chlordane, cis	4	0.0013	0.001	0.002
		chlordane, trans	4	0.0023	0.002	0.003
		chloroform	1	0.015	0.015	0.015
		chlorpyrifos	2	0.01	0.002	0.018
		diazinon	2	0.008	0.001	0.015
		dieldrin	2	0.002	0.002	0.002
		lindane	2	0.0015	0.0009	0.002
		malathion	7	0.0231	0.001	0.117
		methoxychlor, p,p'-	5	0.0202	0.001	0.044
		pirimiphos-methyl	8	0.1046	0.001	0.243
		toluene	4	0.0355	0.016	0.074
		xylene, m- and/or p-	1	0.033	0.033	0.033
			48			
058	white bread					
		1,2,4-trimethylbenzene	1	0.01	0.01	0.01
		2,4-D	2	0.0085	0.008	0.009
		benzene	1	0.025	0.025	0.025
		chlorpropham	3	0.0037	0.002	0.006
		chlorpyrifos	4	0.0011	0.0005	0.002
		chlorpyrifos-methyl	17	0.0081	0.001	0.029
		diazinon	2	0.0025	0.001	0.004
		dicamba	2	0.0065	0.004	0.009
		diphenyl 2-ethylhexyl phosphate	4	0.1815	0.094	0.289
		ethylenethiourea	1	0.003	0.003	0.003
		malathion	17	0.0175	0.002	0.047
		pirimiphos-methyl	2	0.002	0.001	0.003
		toluene	1	0.041	0.041	0.041
		xylene, m- and/or p-	1	0.016	0.016	0.016
			58			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
059	white roll					
		1,1,2-trichloroethane	1	0.011	0.011	0.011
		1,2,4-trimethylbenzene	1	0.012	0.012	0.012
		chlorpyrifos	5	0.0014	0.0009	0.003
		chlorpyrifos-methyl	18	0.0084	0.001	0.024
		diazinon	2	0.002	0.002	0.002
		fenitrothion	1	0.0005	0.0005	0.0005
		malathion	18	0.0168	0.001	0.072
		pirimiphos-methyl	3	0.0053	0.002	0.008
		toluene	1	0.025	0.025	0.025
		tris(beta-chloroethyl) phosphate	1	0.003	0.003	0.003
			51			
060	cornbread, homemade					
		1,1,1,2-tetrachloroethane	1	0.025	0.025	0.025
		1,1,1-trichloroethane	1	0.028	0.028	0.028
		benzene	1	0.022	0.022	0.022
		bromodichloromethane	1	0.013	0.013	0.013
		chlorpyrifos	2	0.0004	0.0002	0.0005
		chlorpyrifos-methyl	10	0.0023	0.0006	0.005
		DDE, p,p'	4	0.0008	0.0006	0.001
		diazinon	3	0.0007	0.0006	0.001
		dieldrin	1	0.001	0.001	0.001
		heptachlor	1	0.002	0.002	0.002
		malathion	16	0.0051	0.001	0.018
		pirimiphos-methyl	3	0.0417	0.001	0.123
		polychlorinated biphenyls	1	0.011	0.011	0.011
		toluene	1	0.061	0.061	0.061
		xylene, m- and/or p-	1	0.01	0.01	0.01
			47			
061	biscuit, from refrigerated dough, baked					
		1,1,1,2-tetrachloroethane	1	0.012	0.012	0.012
		chloroform	1	0.014	0.014	0.014
		chlorpyrifos	3	0.0009	0.0007	0.001
		chlorpyrifos-methyl	15	0.0032	0.001	0.009
		diazinon	3	0.0016	0.0008	0.002
		malathion	14	0.0031	0.0006	0.008
		pirimiphos-methyl	2	0.004	0.001	0.007
		polychlorinated biphenyls	1	0.016	0.016	0.016
		toluene	1	0.017	0.017	0.017
			41			
062	whole wheat bread					
		1,1,1-trichloroethane	1	0.014	0.014	0.014
		1,2,4-trimethylbenzene	1	0.023	0.023	0.023
		chlorpyrifos	9	0.0014	0.0006	0.002
		chlorpyrifos-methyl	18	0.0322	0.008	0.14
		diazinon	1	0.003	0.003	0.003
		diphenyl 2-ethylhexyl phosphate	3	0.1023	0.052	0.193
		lindane	1	0.005	0.005	0.005
		malathion	18	0.0297	0.007	0.064
		pirimiphos-methyl	8	0.0055	0.002	0.011
		toluene	1	0.014	0.014	0.014
		xylene, m- and/or p-	1	0.022	0.022	0.022
			62			
063	tortilla, flour					
		chlorpyrifos	4	0.0007	0.0005	0.001
		chlorpyrifos-methyl	18	0.006	0.0008	0.025
		diphenyl 2-ethylhexyl phosphate	2	0.112	0.059	0.165
		malathion	18	0.0156	0.002	0.054
		methoxychlor, p,p'-	3	0.0015	0.0004	0.002

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		pirimiphos-methyl	1	0.0009	0.0009	0.0009
		toluene	2	0.012	0.01	0.014
		xylene, m- and/or p-	1	0.02	0.02	0.02
			49			
064	rye bread					
		2-chloroethyl linoleate	2	0.05	0	0.1
		2-chloroethyl palmitate	1	0.004	0.004	0.004
		benzene	1	0.021	0.021	0.021
		BHC, alpha	2	0.0005	0.0004	0.0005
		bromophos-ethyl	1	0.002	0.002	0.002
		chlorpyrifos	6	0.001	0.001	0.001
		chlorpyrifos-methyl	18	0.0113	0.001	0.073
		diazinon	1	0.003	0.003	0.003
		hexachlorobenzene	1	0.0003	0.0003	0.0003
		lindane	1	0.0004	0.0004	0.0004
		malathion	17	0.0159	0.002	0.032
		methoxychlor, p,p'-	1	0.0008	0.0008	0.0008
		parathion	1	0.001	0.001	0.001
		permethrin, cis	2	0.0099	0.0008	0.019
		permethrin, trans	2	0.0109	0.0007	0.021
		pirimiphos-methyl	7	0.0033	0.001	0.008
		toluene	2	0.0175	0.016	0.019
		xylene, m- and/or p-	1	0.016	0.016	0.016
			67			
065	blueberry muffin, commercial					
		1,2,4-trimethylbenzene	2	0.0185	0.013	0.024
		chloroform	1	0.015	0.015	0.015
		chlorpyrifos	2	0.0055	0.001	0.01
		chlorpyrifos-methyl	16	0.0066	0.0007	0.025
		DDE, p,p'	1	0.0004	0.0004	0.0004
		diazinon	1	0.004	0.004	0.004
		ethyl benzene	2	0.0125	0.011	0.014
		malathion	18	0.0099	0.001	0.054
		methoxychlor, p,p'-	2	0.0314	0.0007	0.062
		pirimiphos-methyl	2	0.004	0.001	0.007
		styrene	3	0.029	0.018	0.038
		toluene	6	0.0222	0.01	0.041
		xylene, m- and/or p-	2	0.0495	0.033	0.066
		xylene, o-	1	0.019	0.019	0.019
			59			
066	saltine crackers					
		1,2,4-trimethylbenzene	1	0.048	0.048	0.048
		chlorpyrifos	5	0.001	0.0006	0.002
		chlorpyrifos-methyl	17	0.0166	0.001	0.047
		diazinon	1	0.005	0.005	0.005
		malathion	18	0.0178	0.004	0.05
		methoxychlor, p,p'-	6	0.0024	0.0005	0.005
		toluene	1	0.019	0.019	0.019
		xylene, m- and/or p-	1	0.024	0.024	0.024
			50			
067	corn chips					
		1,1,1-trichloroethane	2	0.0215	0.019	0.024
		1,2,4-trimethylbenzene	2	0.012	0.011	0.013
		benzene	2	0.019	0.013	0.025
		carbon tetrachloride	1	0.026	0.026	0.026
		chlorpyrifos	1	0.003	0.003	0.003
		malathion	5	0.016	0.0008	0.069
		methoxychlor olefin	1	0.001	0.001	0.001
		methoxychlor, o,p'-	1	0.002	0.002	0.002
		methoxychlor, p,p'-	3	0.0017	0.001	0.002

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		pirimiphos-methyl	4	0.0745	0.003	0.136
		toluene	5	0.0514	0.014	0.098
		xylene, m- and/or p-	2	0.022	0.018	0.026
			29			
068	pancake from mix					
		benzene	1	0.011	0.011	0.011
		chlorpropham	1	0.005	0.005	0.005
		chlorpyrifos	3	0.0008	0.0005	0.001
		chlorpyrifos-methyl	15	0.0076	0.001	0.024
		DDE, p,p'	4	0.0018	0.0005	0.004
		diazinon	1	0.003	0.003	0.003
		malathion	17	0.0082	0.001	0.024
		methoxychlor, p,p'-	2	0.0013	0.0006	0.002
		polychlorinated biphenyls	1	0.024	0.024	0.024
		toluene	2	0.1185	0.019	0.218
		xylene, m- and/or p-	1	0.014	0.014	0.014
			48			
069	egg noodles, boiled					
		chlorpyrifos	6	0.002	0.001	0.005
		chlorpyrifos-methyl	16	0.0034	0.001	0.009
		diazinon	1	0.001	0.001	0.001
		malathion	12	0.0043	0.001	0.009
		toluene	1	0.013	0.013	0.013
		xylene, m- and/or p-	1	0.015	0.015	0.015
			37			
070	macaroni, boiled					
		chlorpyrifos	2	0.001	0.001	0.001
		chlorpyrifos-methyl	11	0.0024	0.001	0.006
		malathion	9	0.0021	0.0003	0.006
		methoxychlor, p,p'-	1	0.001	0.001	0.001
		pirimiphos-methyl	1	0.003	0.003	0.003
			24			
071	corn flakes					
		benzene	1	0.012	0.012	0.012
		xylene, m- and/or p-	1	0.011	0.011	0.011
			2			
072	fruit-flavored, sweetened cereal (e.g., Cap'n Crunch, Fruit Loops)					
		benzene	3	0.04	0.011	0.088
		chlorotoluene, o-	1	0.011	0.011	0.011
		chlorpyrifos	5	0.0014	0.001	0.002
		chlorpyrifos-methyl	4	0.0012	0.0009	0.002
		diazinon	1	0.001	0.001	0.001
		dicamba	1	0.002	0.002	0.002
		dicofol, p,p'-	2	0.0045	0.004	0.005
		ethion	3	0.0019	0.0006	0.004
		ethion oxygen analog	1	0.001	0.001	0.001
		ethylene dichloride	3	0.0403	0.016	0.069
		malathion	11	0.0023	0.001	0.008
		mecarbam	1	0.002	0.002	0.002
		methidathion	3	0.0023	0.001	0.003
		toluene	3	0.072	0.014	0.14
		tributyl phosphate	1	0.008	0.008	0.008
		xylene, m- and/or p-	1	0.02	0.02	0.02
			44			
073	shredded wheat cereal					
		1,2,4-trimethylbenzene	2	0.011	0.01	0.012
		chlorpyrifos	6	0.0014	0.0006	0.004
		chlorpyrifos-methyl	8	0.0141	0.001	0.033

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		diazinon	1	0.001	0.001	0.001
		malathion	17	0.0231	0.001	0.112
		methoxychlor, p,p'-	5	0.0164	0.002	0.04
		toluene	2	0.043	0.013	0.073
		xylene, m- and/or p-	1	0.017	0.017	0.017
			42			
074	raisin bran cereal					
		1,2,4-trimethylbenzene	1	0.02	0.02	0.02
		2,4-D	1	0.004	0.004	0.004
		captan	2	0.004	0.001	0.007
		chlorpyrifos	4	0.0015	0.0009	0.002
		chlorpyrifos-methyl	11	0.0054	0.001	0.015
		DDE, p,p'	1	0.0008	0.0008	0.0008
		dicofol, p,p'-	6	0.0347	0.002	0.086
		dimethoate	1	0.002	0.002	0.002
		endosulfan I	1	0.003	0.003	0.003
		endosulfan II	7	0.0019	0.0004	0.008
		endosulfan sulfate	3	0.0006	0.0002	0.001
		iprodione	2	0.0045	0.002	0.007
		iprodione metabolite isomer	1	0.002	0.002	0.002
		malathion	13	0.0122	0.001	0.124
		pirimiphos-methyl	2	0.001	0.001	0.001
		propargite	10	0.0638	0.012	0.215
			66			
075	crisped rice cereal (e.g., Rice Krispies)					
		malathion	1	0.002	0.002	0.002
		toluene	1	0.016	0.016	0.016
			2			
076	granola cereal (e.g., 100% Natural, Mueslix, Nature Valley)					
		1,1,1-trichloroethane	1	0.011	0.011	0.011
		chlorpyrifos	8	0.0013	0.0003	0.002
		chlorpyrifos-methyl	13	0.0322	0.0006	0.137
		DDE, p,p'	1	0.0004	0.0004	0.0004
		diazinon	4	0.0011	0.0005	0.002
		dicofol, p,p'-	5	0.004	0.002	0.007
		malathion	12	0.0084	0.0007	0.034
		methoxychlor, p,p'-	1	0.002	0.002	0.002
		styrene	1	0.021	0.021	0.021
		tecnazene	1	0.0008	0.0008	0.0008
		toluene	2	0.029	0.017	0.041
		xylene, m- and/or p-	2	0.017	0.013	0.021
			51			
077	oat ring cereal (e.g., Cheerios)					
		1,2,4-trimethylbenzene	1	0.024	0.024	0.024
		chlorpyrifos	4	0.0685	0.001	0.128
		chlorpyrifos-methyl	3	0.0103	0.001	0.018
		dicamba	6	0.009	0.005	0.013
		malathion	3	0.0087	0.003	0.013
		toluene	1	0.09	0.09	0.09
			18			
078	apple, red, raw					
		azinphos-methyl	16	0.0407	0.004	0.12
		benomyl	3	0.098	0.08	0.132
		benzene	2	0.02	0.012	0.028
		captan	4	0.0115	0.002	0.04
		carbaryl	11	0.0401	0.005	0.15
		chlorpyrifos	14	0.012	0.001	0.103
		DDE, p,p'	1	0.0004	0.0004	0.0004
		diazinon	3	0.0012	0.0005	0.002

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		dicloran	1	0.0009	0.0009	0.0009
		dicofol, o,p'-	1	0.001	0.001	0.001
		dicofol, p,p'-	5	0.039	0.008	0.082
		dimethoate	6	0.0085	0.002	0.015
		endosulfan I	10	0.0016	0.0006	0.005
		endosulfan II	12	0.0023	0.0005	0.005
		endosulfan sulfate	12	0.0038	0.0007	0.016
		ethion	2	0.08	0.065	0.095
		ethion oxygen analog	2	0.0025	0.002	0.003
		methomyl	1	0.008	0.008	0.008
		methoxychlor olefin	1	0.006	0.006	0.006
		methoxychlor, o,p'-	2	0.003	0.002	0.004
		methoxychlor, p,p'-	12	0.0513	0.002	0.228
		omethoate	6	0.0097	0.002	0.02
		parathion	1	0.001	0.001	0.001
		parathion-methyl	3	0.0043	0.002	0.006
		phosalone	2	0.039	0.027	0.051
		phosmet	4	0.0123	0.004	0.033
		phosphamidon	11	0.0079	0.003	0.024
		propargite	11	0.2189	0.047	0.616
		thiabendazole	18	0.5364	0.024	1.288
		toluene	1	0.021	0.021	0.021
		tris(chloropropyl) phosphate	4	0.009	0.002	0.02
		xylene, m- and/or p-	4	0.028	0.016	0.048
			186			
079	orange, raw					
		bromodichloromethane	1	0.014	0.014	0.014
		captan	1	0.002	0.002	0.002
		carbaryl	7	0.0121	0.004	0.044
		chlorpyrifos	7	0.002	0.0009	0.003
		dicloran	1	0.001	0.001	0.001
		dicofol, p,p'-	2	0.0055	0.004	0.007
		endosulfan I	1	0.004	0.004	0.004
		endosulfan sulfate	3	0.0004	0.0004	0.0005
		ethion	2	0.0035	0.001	0.006
		methidathion	7	0.0038	0.0008	0.007
		thiabendazole	17	0.2225	0.037	0.581
		toluene	2	0.045	0.019	0.071
		xylene, m- and/or p-	1	0.014	0.014	0.014
			52			
080	banana, raw					
		benzene	5	0.0816	0.016	0.132
		thiabendazole	16	0.0549	0.018	0.095
		toluene	2	0.026	0.016	0.036
			23			
081	watermelon, raw					
		acephate	1	0.001	0.001	0.001
		carbaryl	1	0.019	0.019	0.019
		dicloran	1	0.003	0.003	0.003
		dimethoate	1	0.0008	0.0008	0.0008
		endosulfan II	1	0.0004	0.0004	0.0004
		endosulfan sulfate	4	0.0006	0.0004	0.0009
		hexachlorobenzene	1	0.0007	0.0007	0.0007
		methamidophos	3	0.024	0.008	0.048
		methomyl	2	0.009	0.003	0.015
		omethoate	1	0.002	0.002	0.002
		pentachloroaniline	1	0.001	0.001	0.001
			17			

Total Diet Study Summary by Food

<u>Food</u> Item #	<u>Description</u>	<u>Residue</u>	n	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
083	peach, raw					
		2,4-dichloro-6-nitrobenzenamine	2	0.0075	0.003	0.012
		azinphos-methyl	8	0.0383	0.004	0.126
		benomyl	7	0.2213	0.059	0.575
		benzene	1	0.027	0.027	0.027
		captan	5	0.0434	0.002	0.176
		carbaryl	6	0.0488	0.002	0.163
		chlorpyrifos	9	0.0056	0.0007	0.018
		DDE, p,p'	1	0.0005	0.0005	0.0005
		diazinon	7	0.003	0.0009	0.009
		dicloran	14	0.4791	0.002	2.33
		dicofol, p,p'	2	0.0495	0.03	0.069
		dieldrin	1	0.0002	0.0002	0.0002
		dimethoate	3	0.0023	0.002	0.003
		endosulfan I	6	0.0027	0.0002	0.011
		endosulfan II	4	0.0125	0.0004	0.044
		endosulfan sulfate	3	0.0063	0.001	0.01
		fenvalerate	1	0.007	0.007	0.007
		iprodione	16	0.7078	0.041	5.67
		iprodione metabolite isomer	15	0.0877	0.003	0.31
		methamidophos	1	0.005	0.005	0.005
		parathion	1	0.002	0.002	0.002
		parathion-methyl	10	0.0329	0.002	0.077
		permethrin, cis	2	0.012	0.006	0.018
		permethrin, trans	2	0.0165	0.007	0.026
		phosalone	1	0.005	0.005	0.005
		phosmet	7	0.0207	0.012	0.03
		propargite	6	0.2012	0.082	0.579
		toluene	1	0.026	0.026	0.026
		xylene, m- and/or p-	1	0.015	0.015	0.015
			143			
084	applesauce, bottled					
		acephate	1	0.003	0.003	0.003
		benomyl	1	0.044	0.044	0.044
		carbaryl	7	0.0133	0.004	0.052
		chloroform	1	0.011	0.011	0.011
		chlorpyrifos	3	0.0008	0.0007	0.001
		dimethoate	12	0.0047	0.001	0.01
		endosulfan I	1	0.0002	0.0002	0.0002
		endosulfan II	1	0.0001	0.0001	0.0001
		endosulfan sulfate	5	0.001	0.0005	0.002
		ethylenethiourea	1	0.003	0.003	0.003
		methamidophos	1	0.001	0.001	0.001
		omethoate	7	0.0024	0.0009	0.005
		parathion	1	0.0006	0.0006	0.0006
		parathion-methyl	2	0.003	0.001	0.005
		phosphamidon	1	0.012	0.012	0.012
		propargite	1	0.01	0.01	0.01
		thiabendazole	4	0.0575	0.018	0.115
		tributyl phosphate	8	0.016	0.009	0.026
		xylene, m- and/or p-	1	0.012	0.012	0.012
			59			
085	pear, raw					
		azinphos-methyl	18	0.0573	0.013	0.227
		benomyl	1	0.04	0.04	0.04
		benzene	1	0.018	0.018	0.018
		captan	3	0.0087	0.003	0.016
		carbaryl	2	0.0045	0.004	0.005
		chloroform	1	0.01	0.01	0.01
		chlorpyrifos	1	0.001	0.001	0.001
		diazinon	4	0.001	0.001	0.001
		dicloran	4	0.0013	0.0004	0.003

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		dicofol, o,p'-	3	0.0107	0.001	0.028
		dicofol, p,p'-	5	0.2012	0.039	0.618
		endosulfan I	3	0.0126	0.0009	0.022
		endosulfan II	6	0.0125	0.0008	0.039
		endosulfan sulfate	7	0.0062	0.0005	0.022
		parathion-methyl	7	0.0037	0.001	0.011
		pentachlorophenyl methyl ether	1	0.0003	0.0003	0.0003
		phosmet	13	0.0225	0.003	0.069
		thiabendazole	16	0.4324	0.059	1.045
		toluene	1	0.012	0.012	0.012
		tris(chloropropyl) phosphate	1	0.004	0.004	0.004
		xylene, m- and/or p-	1	0.029	0.029	0.029
			99			
086	strawberries, raw					
		anilazine	2	0.6075	0.205	1.01
		azinphos-methyl	2	0.0085	0.008	0.009
		benomyl	6	0.1783	0.041	0.563
		BHC, beta	1	0.0009	0.0009	0.0009
		captan	11	0.1797	0.002	1.33
		carbaryl	13	0.1162	0.004	0.53
		carbofuran	1	0.008	0.008	0.008
		DDE, p,p'	1	0.001	0.001	0.001
		diazinon	2	0.0035	0.003	0.004
		dicofol, p,p'-	2	0.0715	0.036	0.107
		dieldrin	1	0.001	0.001	0.001
		dimethoate	1	0.492	0.492	0.492
		endosulfan I	4	0.008	0.001	0.026
		endosulfan II	4	0.0133	0.003	0.038
		endosulfan sulfate	5	0.0114	0.002	0.041
		folpet	5	0.0586	0.002	0.167
		iprodione	12	0.2712	0.0003	1.277
		iprodione metabolite isomer	3	0.0077	0.005	0.011
		malathion	9	0.0157	0.004	0.042
		methamidophos	1	0.001	0.001	0.001
		methiocarb	1	0.04	0.04	0.04
		methomyl	3	0.017	0.013	0.025
		mevinphos, (e)-	4	0.04	0.001	0.085
		mevinphos, (z)-	4	0.0145	0.003	0.03
		omethoate	1	0.026	0.026	0.026
		parathion-methyl	1	0.002	0.002	0.002
		styrene	4	0.229	0.186	0.35
		toxaphene	1	0.015	0.015	0.015
		vinclozolin	8	0.2945	0.022	0.97
			113			
087	fruit cocktail, canned in heavy syrup					
		carbaryl	9	0.0132	0.005	0.035
		chlorpyrifos	1	0.001	0.001	0.001
		dicofol, p,p'-	4	0.0088	0.008	0.01
		endosulfan II	1	0.0005	0.0005	0.0005
		endosulfan sulfate	1	0.0004	0.0004	0.0004
		iprodione	6	0.0043	0.002	0.011
		iprodione metabolite isomer	4	0.0045	0.002	0.009
		propargite	1	0.01	0.01	0.01
		toluene	1	0.038	0.038	0.038
		xylene, m- and/or p-	1	0.02	0.02	0.02
			29			
088	grapes, red/green, seedless, raw					
		azinphos-methyl	1	0.007	0.007	0.007
		benomyl	3	0.0917	0.032	0.146
		benzene	1	0.01	0.01	0.01
		captan	8	0.0294	0.005	0.104

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		carbaryl	1	0.101	0.101	0.101
		chlorpyrifos	5	0.0115	0.0007	0.053
		DDE, p,p'	2	0.0006	0.0004	0.0007
		dicloran	4	0.0817	0.0008	0.313
		dicofol, o,p'-	1	0.044	0.044	0.044
		dicofol, p,p'-	5	0.0478	0.002	0.14
		dimethoate	6	0.017	0.001	0.065
		endosulfan I	2	0.0014	0.0007	0.002
		endosulfan II	4	0.006	0.0009	0.016
		endosulfan sulfate	4	0.0019	0.0006	0.005
		fenarimol	2	0.0015	0.0009	0.002
		fenvalerate	1	0.006	0.006	0.006
		folpet	4	0.0123	0.006	0.017
		iprodione	10	0.0974	0.006	0.267
		iprodione metabolite isomer	6	0.0492	0.002	0.112
		methomyl	7	0.067	0.015	0.154
		omethoate	7	0.017	0.001	0.062
		phosmet	1	0.026	0.026	0.026
		propargite	2	1.0125	0.361	1.664
		vinclozolin	5	0.0828	0.001	0.187
			92			
089	cantaloupe, raw					
		acephate	1	0.005	0.005	0.005
		benomyl	1	0.035	0.035	0.035
		benzene	1	0.013	0.013	0.013
		carbaryl	2	0.04	0.003	0.077
		chlorpyrifos	1	0.001	0.001	0.001
		DCPA	1	0.001	0.001	0.001
		DDE, p,p'	1	0.0006	0.0006	0.0006
		dicofol, p,p'-	2	0.007	0.005	0.009
		dieldrin	3	0.0012	0.0002	0.003
		endosulfan I	5	0.0003	0.0002	0.0006
		endosulfan II	9	0.0006	0.0003	0.001
		endosulfan sulfate	16	0.0164	0.0009	0.039
		heptachlor epoxide	1	0.0005	0.0005	0.0005
		methamidophos	8	0.0484	0.002	0.219
		methomyl	3	0.016	0.003	0.04
		permethrin, cis	1	0.005	0.005	0.005
		thiabendazole	4	0.063	0.038	0.09
		toxaphene	4	0.0435	0.025	0.075
			64			
091	plums, raw					
		2,4-dichloro-6-nitrobenzenamine	2	0.0025	0.001	0.004
		benomyl	5	0.076	0.03	0.139
		benzene	1	0.013	0.013	0.013
		captan	1	0.005	0.005	0.005
		carbaryl	2	0.0125	0.008	0.017
		chlorpyrifos	9	0.0015	0.0004	0.004
		diazinon	1	0.002	0.002	0.002
		dicloran	15	0.1369	0.002	1.02
		dicofol, p,p'-	1	0.011	0.011	0.011
		endosulfan I	3	0.0006	0.0005	0.0007
		endosulfan sulfate	5	0.0007	0.0003	0.001
		iprodione	15	0.1949	0.008	0.706
		iprodione metabolite isomer	14	0.0765	0.006	0.322
		parathion-methyl	7	0.003	0.001	0.006
		phosmet	1	0.008	0.008	0.008
		propargite	5	0.0408	0.008	0.069
		thiabendazole	1	0.069	0.069	0.069
			88			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
092	grapefruit, raw					
		diazinon	1	0.006	0.006	0.006
		dicofol, p,p'-ethion	2	0.0135	0.008	0.019
		methidathion	5	0.0028	0.001	0.008
		thiabendazole	2	0.001	0.001	0.001
			17	0.2047	0.026	0.713
			27			
093	pineapple, canned in juice					
		bromodichloromethane	1	0.014	0.014	0.014
		endosulfan I	1	0.0003	0.0003	0.0003
		iprodione	1	0.008	0.008	0.008
		methoxychlor, p,p'-toluene	1	0.003	0.003	0.003
			1	0.017	0.017	0.017
			5			
094	sweet cherries, raw					
		azinphos-methyl	8	0.0576	0.007	0.141
		benomyl	2	0.0405	0.037	0.044
		benzene	1	0.016	0.016	0.016
		captan	1	0.053	0.053	0.053
		carbaryl	7	0.0616	0.007	0.24
		chloroform	1	0.011	0.011	0.011
		chlorpyrifos	2	0.002	0.0009	0.003
		DDE, p,p'	1	0.0003	0.0003	0.0003
		diazinon	2	0.003	0.001	0.005
		dimethoate	1	0.001	0.001	0.001
		endosulfan I	2	0.0007	0.0003	0.001
		endosulfan II	4	0.0019	0.0006	0.004
		endosulfan sulfate	5	0.002	0.0004	0.004
		fenarimol	7	0.0247	0.003	0.059
		iprodione	12	0.6742	0.067	1.31
		iprodione metabolite isomer	10	0.0184	0.005	0.031
		malathion	9	0.0042	0.001	0.016
		methoxychlor, p,p'-omethoate	3	0.0163	0.001	0.046
		omethoate	3	0.0127	0.008	0.018
		parathion-methyl	2	0.0025	0.002	0.003
		toluene	1	0.015	0.015	0.015
			84			
095	raisins, dried					
		benzene	2	0.016	0.014	0.018
		carbaryl	8	0.0581	0.008	0.2
		chlorpyrifos	4	0.0013	0.001	0.002
		DDE, p,p'	15	0.0012	0.0007	0.002
		DDT, p,p'	1	0.0007	0.0007	0.0007
		diazinon	1	0.0004	0.0004	0.0004
		dicofol, o,p'-dicofol, p,p'-dimethoate	3	0.029	0.002	0.079
		dicofol, p,p'-dimethoate	12	0.0798	0.004	0.483
		dimethoate	1	0.001	0.001	0.001
		endosulfan I	6	0.0027	0.0005	0.009
		endosulfan II	11	0.0062	0.0005	0.026
		endosulfan sulfate	8	0.0029	0.0006	0.014
		fenarimol	1	0.002	0.002	0.002
		malathion	1	0.002	0.002	0.002
		parathion-methyl	1	0.005	0.005	0.005
		propargite	18	0.2782	0.02	0.772
		toluene	2	0.0205	0.011	0.03
			95			
096	prunes, dried					
		azinphos-methyl	1	0.007	0.007	0.007
		carbaryl	2	0.015	0.008	0.022
		chlorpyrifos	3	0.001	0.001	0.001

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		DDE, p,p'	2	0.0003	0.0002	0.0003
		dicloran	1	0.016	0.016	0.016
		dicofol, p,p'	7	0.0038	0.0008	0.006
		endosulfan I	4	0.0005	0.0003	0.0009
		endosulfan II	7	0.0007	0.0004	0.001
		endosulfan sulfate	11	0.0014	0.0008	0.003
		iprodione	4	0.0388	0.019	0.064
		iprodione metabolite isomer	4	0.02	0.012	0.037
		malathion	1	0.001	0.001	0.001
		permethrin, cis	1	0.002	0.002	0.002
		permethrin, trans	1	0.002	0.002	0.002
		propargite	13	0.1099	0.021	0.569
		toluene	1	0.012	0.012	0.012
		tris(chloropropyl) phosphate	2	0.003	0.002	0.004
			65			
097	avocado, raw					
		1,1,1-trichloroethane	1	0.06	0.06	0.06
		benzene	4	0.0218	0.011	0.034
		chloroform	3	0.0197	0.014	0.03
		malathion	1	0.001	0.001	0.001
		styrene	4	0.1765	0.011	0.55
		toluene	1	0.016	0.016	0.016
		trichloroethylene	4	0.1068	0.023	0.3
			18			
098	orange juice, from frozen concentrate					
		carbaryl	1	0.009	0.009	0.009
		chlorpyrifos	2	0.001	0.001	0.001
		dicofol, p,p'	4	0.0017	0.0007	0.003
		ethion	15	0.0016	0.0009	0.003
		ethion oxygen analog	3	0.0009	0.0006	0.001
		methidathion	7	0.0015	0.0007	0.002
		toluene	2	0.0535	0.017	0.09
		tributyl phosphate	1	0.028	0.028	0.028
		xylene, m- and/or p-	1	0.016	0.016	0.016
			36			
099	apple juice, bottled					
		acephate	1	0.0006	0.0006	0.0006
		benzene	1	0.016	0.016	0.016
		bromodichloromethane	1	0.033	0.033	0.033
		carbaryl	10	0.0183	0.003	0.035
		chloroform	1	0.012	0.012	0.012
		dimethoate	10	0.003	0.0005	0.01
		ethylenethiourea	1	0.012	0.012	0.012
		methamidophos	1	0.001	0.001	0.001
		omethoate	4	0.0025	0.001	0.006
		phosphamidon	1	0.006	0.006	0.006
		thiabendazole	7	0.1546	0.029	0.271
		toluene	1	0.036	0.036	0.036
		tris(chloropropyl) phosphate	1	0.002	0.002	0.002
			40			
100	grapefruit juice, from frozen concentrate					
		1,1,2-trichloroethane	1	0.011	0.011	0.011
		benzene	1	0.019	0.019	0.019
		dicofol, p,p'	1	0.001	0.001	0.001
		ethion	18	0.0018	0.0009	0.004
		ethion oxygen analog	6	0.0008	0.0005	0.001
		thiabendazole	5	0.0302	0.016	0.046
		toluene	1	0.021	0.021	0.021
		tributyl phosphate	1	0.043	0.043	0.043
			34			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
103	prune juice, bottled					
		benzene	1	0.011	0.011	0.011
		dicloran	2	0.0018	0.0005	0.003
		iprodione	8	0.0054	0.002	0.01
		iprodione metabolite isomer	6	0.0042	0.0009	0.011
		propargite	1	0.009	0.009	0.009
		toluene	1	0.018	0.018	0.018
		tributyl phosphate	1	0.033	0.033	0.033
		xylene, m- and/or p-	1	0.018	0.018	0.018
			21			
105	lemonade, from frozen concentrate					
		chloroform	1	0.01	0.01	0.01
		ethion	3	0.0006	0.0004	0.0009
		methidathion	1	0.002	0.002	0.002
		toluene	1	0.049	0.049	0.049
			6			
107	spinach, fresh/frozen, boiled					
		acephate	1	0.006	0.006	0.006
		chlordan, cis	1	0.0005	0.0005	0.0005
		chlordan, trans	1	0.0006	0.0006	0.0006
		chloroform	2	0.0185	0.01	0.027
		chlorpyrifos	10	0.0019	0.0009	0.004
		DCPA	4	0.0125	0.002	0.037
		DDE, p,p'	18	0.0122	0.002	0.037
		DDT, o,p'	3	0.0012	0.0005	0.002
		DDT, p,p'	12	0.0022	0.0003	0.008
		diazinon	3	0.0013	0.001	0.002
		dicloran	4	0.0033	0.0003	0.01
		dieldrin	6	0.0028	0.0004	0.01
		dimethoate	1	0.001	0.001	0.001
		endosulfan I	4	0.0032	0.0008	0.01
		endosulfan II	4	0.006	0.001	0.02
		endosulfan sulfate	9	0.0308	0.0002	0.187
		ethylenethiourea	6	0.0612	0.004	0.276
		heptachlor epoxide	1	0.002	0.002	0.002
		nonachlor, trans	1	0.0007	0.0007	0.0007
		omethoate	2	0.0035	0.002	0.005
		pentachloroaniline	1	0.002	0.002	0.002
		permethrin, cis	14	0.6384	0.022	2.31
		permethrin, trans	14	0.6559	0.02	2.74
		TDE, p,p'	4	0.0013	0.0005	0.003
		toxaphene	1	0.006	0.006	0.006
			127			
108	collards, fresh/frozen, boiled					
		bromodichloromethane	1	0.014	0.014	0.014
		chloroform	1	0.025	0.025	0.025
		chlorpyrifos	3	0.0033	0.001	0.007
		DCPA	7	0.0203	0.003	0.064
		DDE, p,p'	17	0.0063	0.0007	0.029
		DDT, p,p'	2	0.0015	0.0009	0.002
		demeton-S sulfone	1	0.001	0.001	0.001
		diazinon	1	0.001	0.001	0.001
		dicloran	2	0.003	0.002	0.004
		dieldrin	8	0.0016	0.0004	0.004
		endosulfan I	3	0.0053	0.002	0.011
		endosulfan II	3	0.0025	0.0006	0.004
		endosulfan sulfate	8	0.0052	0.0005	0.02
		esfenvalerate	4	0.0535	0.021	0.099
		ethylenethiourea	3	0.0997	0.009	0.207
		fenvalerate	7	0.1173	0.015	0.366

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		iprodione	1	0.004	0.004	0.004
		iprodione metabolite isomer	1	0.046	0.046	0.046
		methamidophos	1	0.0006	0.0006	0.0006
		mevinphos, (e)-	1	0.003	0.003	0.003
		mevinphos, (z)-	3	0.0047	0.002	0.008
		pentachloroaniline	2	0.0006	0.0004	0.0008
		permethrin, cis	15	0.3075	0.002	1.33
		permethrin, trans	15	0.2651	0.002	0.853
		TDE, p,p'	2	0.0013	0.0006	0.002
		toluene	1	0.011	0.011	0.011
		toxaphene	2	0.0115	0.007	0.016
			115			
109	iceberg lettuce, raw					
		acephate	11	0.0059	0.001	0.022
		cypermethrin	1	0.013	0.013	0.013
		DDE, p,p'	1	0.002	0.002	0.002
		demeton-S sulfone	1	0.003	0.003	0.003
		dicloran	2	0.0005	0.0004	0.0005
		dieldrin	1	0.0007	0.0007	0.0007
		dimethoate	8	0.0024	0.001	0.004
		endosulfan I	5	0.0015	0.0005	0.003
		endosulfan II	6	0.0011	0.0004	0.002
		endosulfan sulfate	8	0.0038	0.0005	0.01
		methamidophos	8	0.0016	0.001	0.003
		methomyl	2	0.028	0.01	0.046
		mevinphos, (z)-	2	0.0018	0.0006	0.003
		omethoate	7	0.0021	0.0007	0.006
		permethrin, cis	2	0.019	0.002	0.036
		permethrin, trans	2	0.018	0.002	0.034
			67			
110	cabbage, fresh, boiled					
		1,1,2-trichloroethane	1	0.012	0.012	0.012
		acephate	2	0.016	0.014	0.018
		carbaryl	1	0.005	0.005	0.005
		demeton-S sulfone	3	0.008	0.001	0.021
		disulfoton sulfone	1	0.003	0.003	0.003
		endosulfan sulfate	8	0.0018	0.0005	0.004
		methamidophos	2	0.01	0.005	0.015
			18			
111	coleslaw with dressing, homemade					
		2-chloroethyl linoleate	6	0.009	0.002	0.019
		2-chloroethyl palmitate	2	0.002	0.0009	0.003
		benzene	6	0.05	0.018	0.102
		BHC, alpha	9	0.0014	0.0003	0.005
		chloroform	1	0.025	0.025	0.025
		chlorpropham	1	0.022	0.022	0.022
		chlorpyrifos	1	0.0004	0.0004	0.0004
		cumene (isopropyl benzene)	1	0.015	0.015	0.015
		DDT, o,p'	1	0.002	0.002	0.002
		DDT, p,p'	9	0.0012	0.0003	0.003
		diazinon	1	0.001	0.001	0.001
		dicloran	2	0.0015	0.001	0.002
		dieldrin	3	0.0005	0.0003	0.0008
		endosulfan sulfate	7	0.0018	0.0004	0.004
		lindane	5	0.0006	0.0002	0.001
		toluene	2	0.0165	0.014	0.019
			57			
112	sauerkraut, canned					
		benzene	1	0.019	0.019	0.019
		chloroform	1	0.016	0.016	0.016

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		dicloran	2	0.0045	0.001	0.008
		dieldrin	2	0.0004	0.0003	0.0005
		endosulfan sulfate	2	0.0009	0.0007	0.001
		heptachlor epoxide	1	0.0004	0.0004	0.0004
		permethrin, cis	1	0.0005	0.0005	0.0005
		permethrin, trans	1	0.0004	0.0004	0.0004
			11			
113	broccoli, fresh/frozen, boiled					
		chloroform	1	0.014	0.014	0.014
		chlorpyrifos	5	0.0035	0.0006	0.011
		DCPA	4	0.0035	0.0009	0.008
		DDE, p,p'	7	0.0009	0.0002	0.002
		diazinon	2	0.0015	0.001	0.002
		dieldrin	1	0.0003	0.0003	0.0003
		dimethoate	1	0.002	0.002	0.002
		endosulfan I	2	0.0013	0.0006	0.002
		endosulfan II	2	0.0008	0.0005	0.001
		endosulfan sulfate	2	0.002	0.001	0.003
		iprodione	1	0.026	0.026	0.026
		permethrin, cis	4	0.0058	0.002	0.014
		permethrin, trans	4	0.0037	0.0007	0.009
			36			
114	celery, raw					
		2,4-dichloro-6-nitrobenzenamine	3	0.0043	0.002	0.008
		acephate	14	0.0932	0.003	0.529
		azinphos-methyl	2	0.019	0.018	0.02
		captan	1	0.032	0.032	0.032
		chlorothalonil	5	0.0114	0.003	0.018
		chlorpropham	1	0.002	0.002	0.002
		DCPA	1	0.0007	0.0007	0.0007
		DDE, p,p'	11	0.0025	0.0006	0.005
		DDT, o,p'	1	0.0004	0.0004	0.0004
		DDT, p,p'	9	0.0012	0.0003	0.003
		diazinon	8	0.0339	0.001	0.226
		dicloran	14	0.057	0.005	0.148
		dieldrin	1	0.0007	0.0007	0.0007
		disulfoton sulfone	1	0.002	0.002	0.002
		endosulfan I	1	0.0002	0.0002	0.0002
		endosulfan II	1	0.001	0.001	0.001
		endosulfan sulfate	1	0.001	0.001	0.001
		iprodione	1	0.003	0.003	0.003
		malathion	1	0.001	0.001	0.001
		methamidophos	9	0.0064	0.001	0.018
		omethoate	1	0.003	0.003	0.003
		oxamyl	1	0.106	0.106	0.106
		parathion-methyl	2	0.016	0.006	0.026
		permethrin, cis	14	0.0124	0.003	0.031
		permethrin, trans	14	0.0109	0.003	0.023
		propylbenzene, n-	1	0.015	0.015	0.015
		TDE, p,p'	2	0.0008	0.0005	0.001
		toluene	1	0.014	0.014	0.014
		xylene, m- and/or p-	1	0.014	0.014	0.014
			123			
115	asparagus, fresh/frozen, boiled					
		1,1,2-trichloroethane	1	0.016	0.016	0.016
		chlorpyrifos	1	0.001	0.001	0.001
		DDE, p,p'	2	0.0005	0.0004	0.0005
		neburon	1	0.012	0.012	0.012
		permethrin, cis	1	0.172	0.172	0.172
		permethrin, trans	1	0.217	0.217	0.217
		toluene	1	0.03	0.03	0.03
			8			

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
116	cauliflower, fresh/frozen, boiled					
		chloroform	1	0.015	0.015	0.015
		DCPA	1	0.001	0.001	0.001
		diazinon	2	0.01	0.001	0.019
		dimethoate	1	0.002	0.002	0.002
		methamidophos	1	0.003	0.003	0.003
			6			
117	tomato, red, raw					
		1,1,2-trichloroethane	1	0.013	0.013	0.013
		acephate	1	0.029	0.029	0.029
		benzene	1	0.024	0.024	0.024
		bromodichloromethane	1	0.011	0.011	0.011
		chloroform	1	0.03	0.03	0.03
		chlorothalonil	1	0.013	0.013	0.013
		chlorpyrifos	8	0.0036	0.001	0.007
		dicloran	3	0.0053	0.001	0.009
		dicofol, p,p'	1	0.001	0.001	0.001
		endosulfan I	11	0.0024	0.0006	0.008
		endosulfan II	13	0.0039	0.0004	0.013
		endosulfan sulfate	13	0.0039	0.0005	0.012
		esfenvalerate	4	0.017	0.013	0.02
		fenvalerate	4	0.0418	0.004	0.134
		methamidophos	15	0.0441	0.005	0.101
		omethoate	5	0.0036	0.002	0.005
		permethrin, cis	11	0.0067	0.0006	0.015
		permethrin, trans	11	0.0066	0.0005	0.015
		xylene, m- and/or p-	1	0.01	0.01	0.01
			106			
119	tomato sauce, plain, bottled					
		2-chloroethyl linoleate	3	0.0087	0.006	0.012
		2-chloroethyl palmitate	2	0.002	0.002	0.002
		2-chloroethyl stearate	2	0.02	0.016	0.024
		acephate	1	0.004	0.004	0.004
		benzene	1	0.022	0.022	0.022
		DDE, p,p'	1	0.0006	0.0006	0.0006
		dieldrin	1	0.0003	0.0003	0.0003
		endosulfan I	3	0.0009	0.0004	0.002
		endosulfan II	4	0.0012	0.0004	0.003
		endosulfan sulfate	4	0.0006	0.0004	0.0009
		methamidophos	13	0.0085	0.001	0.072
		toluene	1	0.218	0.218	0.218
		xylene, m- and/or p-	1	0.026	0.026	0.026
			37			
121	green beans, fresh/frozen, boiled					
		1,2,3-trichloropropane	1	0.018	0.018	0.018
		acephate	14	0.0576	0.002	0.357
		benomyl	1	0.167	0.167	0.167
		carbaryl	3	0.0053	0.004	0.008
		chloroform	1	0.011	0.011	0.011
		DCPA	1	0.032	0.032	0.032
		DDE, p,p'	1	0.003	0.003	0.003
		demeton-S sulfone	1	0.006	0.006	0.006
		diazinon	1	0.001	0.001	0.001
		dicloran	1	0.003	0.003	0.003
		dieldrin	1	0.0002	0.0002	0.0002
		dimethoate	4	0.004	0.001	0.012
		endosulfan I	5	0.0074	0.0003	0.027
		endosulfan II	3	0.0093	0.002	0.021
		endosulfan sulfate	6	0.0238	0.001	0.101
		fenvalerate	2	0.017	0.015	0.019

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		iprodione	1	0.005	0.005	0.005
		iprodione metabolite isomer	1	0.028	0.028	0.028
		methamidophos	15	0.0213	0.002	0.096
		neburon	2	0.2135	0.057	0.37
		omethoate	1	0.004	0.004	0.004
		parathion	1	0.008	0.008	0.008
		pentachloroaniline	3	0.0007	0.0003	0.001
		permethrin, cis	1	0.005	0.005	0.005
		permethrin, trans	1	0.003	0.003	0.003
		vinclozolin	5	0.007	0.003	0.01
			77			
123	cucumber, raw					
		acephate	2	0.0035	0.003	0.004
		benzene	1	0.013	0.013	0.013
		BHC, beta	1	0.0007	0.0007	0.0007
		butylbenzene, n-	1	0.029	0.029	0.029
		chlordane, cis	3	0.0011	0.0004	0.002
		chlordane, trans	2	0.0015	0.0009	0.002
		DDE, p,p'	1	0.003	0.003	0.003
		dicloran	2	0.0014	0.0008	0.002
		dieldrin	13	0.0051	0.0006	0.026
		endosulfan I	14	0.0047	0.0006	0.014
		endosulfan II	16	0.002	0.0004	0.007
		endosulfan sulfate	18	0.0097	0.001	0.024
		heptachlor epoxide	1	0.002	0.002	0.002
		methamidophos	6	0.1265	0.022	0.285
		nonachlor, cis	1	0.0004	0.0004	0.0004
		nonachlor, trans	2	0.0013	0.0006	0.002
		toxaphene	7	0.0277	0.003	0.056
			91			
124	summer squash, fresh/frozen, boiled					
		acephate	2	0.0035	0.001	0.006
		benzene	1	0.014	0.014	0.014
		chlordane, cis	2	0.0006	0.0001	0.001
		chlordane, trans	2	0.0003	0.0002	0.0004
		DCPA	1	0.002	0.002	0.002
		DDE, p,p'	3	0.0013	0.001	0.002
		dieldrin	14	0.0175	0.0003	0.076
		endosulfan I	12	0.0085	0.001	0.028
		endosulfan II	10	0.0025	0.0005	0.007
		endosulfan sulfate	14	0.0221	0.005	0.052
		endrin	1	0.0004	0.0004	0.0004
		heptachlor epoxide	1	0.002	0.002	0.002
		hexachlorobenzene	1	0.0007	0.0007	0.0007
		methamidophos	4	0.0013	0.001	0.002
		nonachlor, cis	1	0.001	0.001	0.001
		nonachlor, trans	2	0.0022	0.0003	0.004
		octachlor epoxide	1	0.0004	0.0004	0.0004
		pentachloroaniline	4	0.0028	0.002	0.004
		toxaphene	2	0.026	0.021	0.031
			78			
125	green pepper, raw					
		acephate	17	0.2764	0.008	1.34
		bromodichloromethane	1	0.014	0.014	0.014
		carbaryl	2	0.0445	0.005	0.084
		chlorpropham	3	0.0033	0.001	0.007
		chlorpyrifos	5	0.0154	0.001	0.041
		DCPA	1	0.006	0.006	0.006
		DDE, p,p'	6	0.0014	0.0006	0.003
		diazinon	1	0.026	0.026	0.026
		dicofol, o,p'-	2	0.024	0.007	0.041

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		dicofol, p,p'-dimethoate	4	0.212	0.015	0.681
		endosulfan I	8	0.0185	0.0008	0.074
		endosulfan II	15	0.013	0.0002	0.13
		endosulfan sulfate	15	0.0152	0.0004	0.129
		esfenvalerate	14	0.0122	0.0003	0.091
		methamidophos	2	0.0165	0.009	0.024
		methomyl	18	0.0861	0.002	0.295
		omethoate	4	0.049	0.007	0.128
		oxydemeton-methyl	9	0.0107	0.002	0.024
		permethrin, cis	1	0.032	0.032	0.032
		permethrin, trans	11	0.0332	0.005	0.081
			11	0.0411	0.006	0.079
			150			
126	winter squash, fresh/frozen, baked, mashed					
		acephate	1	0.001	0.001	0.001
		chlordane	1	0.058	0.058	0.058
		chlordane, cis	4	0.0043	0.002	0.007
		chlordane, trans	4	0.0025	0.0008	0.005
		chloroform	1	0.03	0.03	0.03
		chlorpyrifos	1	0.002	0.002	0.002
		DDE, p,p'	1	0.006	0.006	0.006
		diazinon	2	0.0007	0.0003	0.001
		dieldrin	13	0.0099	0.0009	0.025
		endosulfan II	1	0	0	0
		endosulfan sulfate	10	0.0037	0.002	0.009
		heptachlor epoxide	7	0.0012	0.0002	0.003
		hexachlorobenzene	1	0.0009	0.0009	0.0009
		lindane	1	0.0006	0.0006	0.0006
		methamidophos	1	0.002	0.002	0.002
		nonachlor, cis	1	0.0006	0.0006	0.0006
		nonachlor, trans	4	0.0017	0.0003	0.003
		toluene	1	0.074	0.074	0.074
		toxaphene	2	0.024	0.01	0.038
			57			
128	onion, mature, raw					
		iprodione metabolite isomer	1	0.004	0.004	0.004
			1			
132	radish, raw					
		benzene	1	0.023	0.023	0.023
		chlordane, cis	1	0.0005	0.0005	0.0005
		chlordane, trans	2	0.0004	0.0003	0.0004
		chlorpyrifos	3	0.004	0.003	0.005
		DCPA	5	0.012	0.004	0.038
		DDE, p,p'	9	0.0025	0.0002	0.008
		DDT, o,p'	1	0.0005	0.0005	0.0005
		DDT, p,p'	5	0.0012	0.0002	0.002
		dicloran	1	0.001	0.001	0.001
		dieldrin	6	0.0014	0.0004	0.004
		endosulfan I	1	0.0009	0.0009	0.0009
		endosulfan II	1	0.001	0.001	0.001
		endosulfan sulfate	5	0.0029	0.0003	0.006
		endrin	2	0.0013	0.0006	0.002
		heptachlor epoxide	1	0.001	0.001	0.001
		TDE, p,p'	1	0.0007	0.0007	0.0007
		toxaphene	1	0.021	0.021	0.021
			46			
134	French fries, frozen, heated					
		2-chloroethyl linoleate	1	0.099	0.099	0.099
		2-chloroethyl palmitate	1	0.006	0.006	0.006
		benzene	1	0.01	0.01	0.01

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		chlorpropham	16	0.285	0.035	0.658
		DDE, p,p'	3	0.0009	0.0003	0.002
		dicloran	1	0.006	0.006	0.006
		dieldrin	6	0.0009	0.0004	0.002
		endosulfan II	1	0.001	0.001	0.001
		endosulfan sulfate	14	0.0038	0.0006	0.01
		ethylenethiourea	7	0.0084	0.003	0.021
		iprodione	1	0.035	0.035	0.035
		isopropyl(3-chloro-4-methoxy= phenyl)carbamate	6	0.0082	0.002	0.025
		malathion	1	0.002	0.002	0.002
			59			
135	mashed potatoes, from flakes					
		chlorpropham	18	0.0503	0.002	0.114
		chlorpyrifos	1	0.001	0.001	0.001
		DDE, p,p'	5	0.0013	0.0005	0.002
		dicloran	1	0.0008	0.0008	0.0008
		dieldrin	1	0.0003	0.0003	0.0003
		diphenyl 2-ethylhexyl phosphate	3	0.1037	0.05	0.177
		endosulfan sulfate	3	0.0006	0.0004	0.001
		isopropyl(3-chloro-4-methoxy= phenyl)carbamate	5	0.004	0.002	0.007
			37			
136	white potato, boiled without skin					
		chlorpropham	13	0.1427	0.0006	0.704
		DDE, p,p'	2	0.0005	0.0004	0.0005
		demeton-S sulfone	1	0.003	0.003	0.003
		dicloran	1	0.002	0.002	0.002
		dieldrin	1	0.0005	0.0005	0.0005
		endosulfan sulfate	8	0.0012	0.0002	0.002
		ethylenethiourea	3	0.0113	0.008	0.013
		isopropyl(3-chloro-4-methoxy= phenyl)carbamate	5	0.0082	0.0008	0.02
		methamidophos	1	0.003	0.003	0.003
		thiabendazole	2	0.061	0.004	0.118
			37			
137	white potato, baked with skin					
		benzene	1	0.014	0.014	0.014
		chloroform	1	0.012	0.012	0.012
		chlorpropham	16	0.7099	0.001	3.85
		DDE, p,p'	13	0.0018	0.0003	0.005
		DDT, o,p'	1	0.0003	0.0003	0.0003
		DDT, p,p'	7	0.0019	0.0006	0.005
		demeton-S sulfone	3	0.0023	0.001	0.005
		dicloran	1	0.002	0.002	0.002
		dieldrin	3	0.0016	0.0003	0.004
		endosulfan II	2	0.0005	0.0005	0.0005
		endosulfan sulfate	12	0.0033	0.0004	0.014
		endrin ketone	1	0.0004	0.0004	0.0004
		ethylenethiourea	5	0.0138	0.005	0.021
		iprodione metabolite isomer	3	0.0013	0.0002	0.003
		isopropyl(3-chloro-4-methoxy= phenyl)carbamate	6	0.018	0.003	0.033
		methamidophos	1	0.004	0.004	0.004
		pentachloroaniline	1	0.001	0.001	0.001
		phorate sulfone	1	0.005	0.005	0.005
		phorate sulfoxide	1	0.004	0.004	0.004
		thiabendazole	10	0.2297	0.043	0.674
			89			

Total Diet Study Summary by Food

<u>Food</u> Item #	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
138	potato chips					
		1,1,1,2-tetrachloroethane	1	0.01	0.01	0.01
		1,1,1-trichloroethane	2	0.011	0.01	0.012
		1,2,4-trimethylbenzene	3	0.0367	0.023	0.044
		benzene	1	0.011	0.011	0.011
		chlordane, cis	1	0.0004	0.0004	0.0004
		chloroform	1	0.047	0.047	0.047
		chlorpropham	13	1.0672	0.002	2.929
		chlorpyrifos	1	0.001	0.001	0.001
		DDE, p,p'	7	0.0018	0.0005	0.004
		DDT, p,p'	3	0.001	0.0009	0.001
		dieldrin	5	0.0014	0.0006	0.004
		endosulfan II	1	0.0006	0.0006	0.0006
		endosulfan sulfate	8	0.0033	0.001	0.009
		ethyl benzene	1	0.011	0.011	0.011
		heptachlor epoxide	1	0.0006	0.0006	0.0006
		iprodione	1	0.001	0.001	0.001
		isopropyl(3-chloro-4-methoxy= phenyl)carbamate	6	0.0153	0.003	0.024
		pentachloroaniline	4	0.001	0.001	0.001
		pentachlorobenzene	1	0.0006	0.0006	0.0006
		pentachlorophenyl methyl sulfide	2	0.0015	0.001	0.002
		quintozene	1	0.003	0.003	0.003
		toluene	5	0.084	0.016	0.2
		tribufos	1	0.002	0.002	0.002
		xylene, m- and/or p-	2	0.044	0.023	0.065
		xylene, o-	1	0.018	0.018	0.018
			73			
139	scalloped potatoes, homemade					
		1,1,1,2-tetrachloroethane	1	0.027	0.027	0.027
		chlorpropham	12	0.0933	0.003	0.28
		chlorpyrifos	1	0.001	0.001	0.001
		DDE, p,p'	5	0.0009	0.0003	0.002
		diphenyl 2-ethylhexyl phosphate	2	0.0885	0.022	0.155
		endosulfan sulfate	9	0.0009	0.0004	0.002
		isopropyl(3-chloro-4-methoxy= phenyl)carbamate	6	0.0065	0.002	0.014
		toluene	1	0.012	0.012	0.012
		xylene, m- and/or p-	1	0.023	0.023	0.023
			38			
140	sweet potato, fresh, baked					
		chloroform	1	0.027	0.027	0.027
		dicloran	15	0.1339	0.022	0.58
		dieldrin	1	0.0005	0.0005	0.0005
		pentachloroaniline	1	0.0007	0.0007	0.0007
		toluene	1	0.01	0.01	0.01
			19			
142	spaghetti with tomato sauce and meatballs, homemade					
		benzene	2	0.0175	0.013	0.022
		chlorpyrifos-methyl	3	0.002	0.002	0.002
		DDE, p,p'	7	0.0007	0.0004	0.001
		malathion	2	0.002	0.001	0.003
		toluene	2	0.023	0.014	0.032
		xylene, m- and/or p-	1	0.012	0.012	0.012
			17			
143	beef stew with potatoes, carrots, and onion, homemade					
		chlorpropham	11	0.0415	0.002	0.072
		DDE, p,p'	5	0.0011	0.0006	0.002
		dieldrin	2	0.0004	0.0003	0.0004
		endosulfan sulfate	5	0.0009	0.0004	0.002

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		iprodione metabolite isomer	1	0.014	0.014	0.014
		isopropyl(3-chloro-4-methoxy-phenyl)carbamate	4	0.0035	0.002	0.006
		linuron	1	0.006	0.006	0.006
		pentachloroaniline	1	0.0005	0.0005	0.0005
		toluene	1	0.017	0.017	0.017
			31			
146	macaroni and cheese, from box mix					
		chlorpyrifos	1	0.0007	0.0007	0.0007
		chlorpyrifos-methyl	14	0.0022	0.0007	0.006
		DDE, p,p'	7	0.001	0.0004	0.002
		diphenyl 2-ethylhexyl phosphate	1	0.147	0.147	0.147
		ethyl benzene	1	0.015	0.015	0.015
		malathion	12	0.0015	0.0006	0.002
		xylene, m- and/or p-	2	0.014	0.011	0.017
			38			
147	quarter-pound hamburger on bun, fast-food					
		1,1,1-trichloroethane	1	0.019	0.019	0.019
		benzene	5	0.0238	0.011	0.047
		BHC, alpha	1	0.0006	0.0006	0.0006
		BHC, beta	1	0.0003	0.0003	0.0003
		bromodichloromethane	1	0.037	0.037	0.037
		butylbenzene, n-	1	0.078	0.078	0.078
		chloroform	1	0.014	0.014	0.014
		chlorpyrifos	4	0.0011	0.0006	0.002
		chlorpyrifos-methyl	16	0.0026	0.0004	0.007
		DDE, p,p'	17	0.0024	0.0004	0.007
		diazinon	1	0.0005	0.0005	0.0005
		dieldrin	8	0.0005	0.0003	0.0009
		endosulfan I	1	0.0001	0.0001	0.0001
		endosulfan II	1	0.0003	0.0003	0.0003
		endosulfan sulfate	2	0.0006	0.0005	0.0007
		ethyl benzene	1	0.038	0.038	0.038
		heptachlor epoxide	1	0.0003	0.0003	0.0003
		lindane	2	0.0006	0.0005	0.0007
		malathion	17	0.0044	0.0008	0.018
		pirimiphos-methyl	1	0.004	0.004	0.004
		styrene	2	0.0125	0.012	0.013
		toluene	6	0.0462	0.01	0.18
		xylene, m- and/or p-	2	0.0355	0.018	0.053
			93			
148	meatloaf, homemade					
		2-chloroethyl linoleate	2	0.022	0.016	0.028
		2-chloroethyl myristate	1	0.002	0.002	0.002
		2-chloroethyl palmitate	2	0.0055	0.003	0.008
		benzene	2	0.039	0.022	0.056
		chlorpropham	1	0.017	0.017	0.017
		chlorpyrifos	4	0.0009	0.0007	0.001
		DCPA	2	0.003	0.002	0.004
		DDE, p,p'	18	0.003	0.0006	0.01
		dieldrin	12	0.0006	0.0004	0.0009
		heptachlor epoxide	3	0.0003	0.0002	0.0004
		hexachlorobenzene	2	0.0002	0.0001	0.0003
		permethrin, cis	1	0.0005	0.0005	0.0005
		permethrin, trans	1	0.0005	0.0005	0.0005
		polychlorinated biphenyls	1	0.023	0.023	0.023
		toluene	1	0.01	0.01	0.01
		xylene, m- and/or p-	1	0.013	0.013	0.013
			54			

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
149	spaghetti with tomato sauce, canned					
		chlorpyrifos	1	0.001	0.001	0.001
		chlorpyrifos-methyl	4	0.0015	0.001	0.002
		endosulfan II	1	0.0009	0.0009	0.0009
		endosulfan sulfate	1	0.0004	0.0004	0.0004
		malathion	2	0.0025	0.002	0.003
		methamidophos	5	0.0018	0.001	0.003
		xylene, m- and/or p-	2	0.0145	0.012	0.017
			16			
151	lasagna with meat, homemade					
		2-chloroethyl linoleate	2	0.0165	0.004	0.029
		2-chloroethyl palmitate	1	0.004	0.004	0.004
		benzene	1	0.019	0.019	0.019
		chlorpropham	1	0.001	0.001	0.001
		chlorpyrifos	3	0.0008	0.0006	0.001
		chlorpyrifos-methyl	3	0.0011	0.0004	0.002
		DDE, p,p'	13	0.0015	0.0003	0.007
		diazinon	1	0.003	0.003	0.003
		dieldrin	2	0.0006	0.0005	0.0006
		endosulfan II	1	0.001	0.001	0.001
		malathion	2	0.0008	0.0005	0.001
		xylene, m- and/or p-	1	0.011	0.011	0.011
			31			
152	chicken potpie, frozen, heated					
		2-chloroethyl linoleate	1	0.005	0.005	0.005
		chlorpropham	13	0.0092	0.002	0.023
		chlorpyrifos	1	0.0006	0.0006	0.0006
		chlorpyrifos-methyl	16	0.006	0.0006	0.018
		DDE, p,p'	1	0.0003	0.0003	0.0003
		diazinon	1	0.0005	0.0005	0.0005
		dicloran	1	0.001	0.001	0.001
		malathion	18	0.0097	0.002	0.052
		methoxychlor, p,p'-	1	0.001	0.001	0.001
		xylene, m- and/or p-	1	0.023	0.023	0.023
			54			
155	chicken noodle soup, canned, condensed, prepared with water					
		malathion	1	0.002	0.002	0.002
		methamidophos	1	0.001	0.001	0.001
			2			
156	tomato soup, canned, condensed, prepared with water					
		chlorpyrifos-methyl	4	0.0012	0.0009	0.002
		malathion	8	0.0016	0.0008	0.003
		methamidophos	6	0.0018	0.001	0.003
			18			
157	vegetable beef soup, canned, condensed, prepared with water					
		chlorpropham	8	0.0138	0.008	0.028
		chlorpyrifos	1	0.001	0.001	0.001
		methamidophos	3	0.001	0.001	0.001
			12			
160	white sauce, homemade					
		chlorpyrifos	1	0.001	0.001	0.001
		chlorpyrifos-methyl	3	0.0026	0.0008	0.004
		DDE, p,p'	5	0.0025	0.0006	0.007
		diphenyl 2-ethylhexyl phosphate	5	0.086	0.057	0.11
		malathion	9	0.0026	0.001	0.005
		toluene	1	0.027	0.027	0.027
			24			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
161	dill cucumber pickles					
		acephate	3	0.0133	0.001	0.037
		carbaryl	4	0.008	0.004	0.012
		chlordane, cis	2	0.0013	0.0006	0.002
		chlordane, trans	2	0.0007	0.0003	0.001
		DDE, p,p'	1	0.0003	0.0003	0.0003
		dieldrin	16	0.0077	0.0007	0.018
		endosulfan I	15	0.0038	0.0009	0.022
		endosulfan II	14	0.0028	0.0008	0.016
		endosulfan sulfate	18	0.0061	0.0006	0.024
		heptachlor epoxide	1	0.002	0.002	0.002
		lindane	5	0.0118	0.003	0.026
		methamidophos	1	0.002	0.002	0.002
		nonachlor, trans	1	0.002	0.002	0.002
		toluene	2	0.014	0.013	0.015
		toxaphene	6	0.0245	0.003	0.049
			91			
162	margarine, stick, regular (salted)					
		1,1,1-trichloroethane	1	0.014	0.014	0.014
		1,2,4-trimethylbenzene	1	0.026	0.026	0.026
		chloroform	1	0.014	0.014	0.014
		dichlorobenzene, p-	1	0.011	0.011	0.011
		diphenyl 2-ethylhexyl phosphate	6	1.3852	0.128	4.36
		styrene	3	0.0137	0.01	0.02
		toluene	6	0.0612	0.011	0.2
		triphenyl phosphate	3	0.09	0.065	0.14
		xylene, m- and/or p-	3	0.023	0.017	0.031
			25			
164	butter, regular (salted)					
		1,1,1-trichloroethane	3	0.0203	0.018	0.023
		1,2,4-trimethylbenzene	2	0.026	0.024	0.028
		BHC, alpha	6	0.0008	0.0004	0.002
		chlordane	1	0.013	0.013	0.013
		chloroform	6	0.0437	0.015	0.064
		DDE, p,p'	18	0.0281	0.003	0.102
		dieldrin	18	0.0028	0.001	0.008
		endosulfan sulfate	9	0.0032	0.001	0.01
		ethyl benzene	3	0.012	0.01	0.014
		heptachlor epoxide	8	0.0007	0.0003	0.001
		hexachlorobenzene	16	0.0012	0.0005	0.002
		lindane	6	0.001	0.0005	0.002
		methoxychlor, p,p'-	2	0.005	0.001	0.009
		nonachlor, trans	2	0.0007	0.0004	0.001
		octachlor epoxide	7	0.0008	0.0005	0.001
		styrene	4	0.0185	0.011	0.024
		tetrachloroethylene	2	0.0385	0.03	0.047
		toluene	6	0.0695	0.035	0.13
		xylene, m- and/or p-	5	0.0344	0.014	0.059
		xylene, o-	2	0.013	0.012	0.014
			126			
166	mayonnaise, regular, bottled					
		benzene	1	0.028	0.028	0.028
		dieldrin	12	0.0013	0.0005	0.003
		diphenyl 2-ethylhexyl phosphate	1	0.36	0.36	0.36
		endosulfan sulfate	2	0.0008	0.0007	0.0009
		methoxychlor, p,p'-	1	0.002	0.002	0.002
			17			
167	half & half cream					
		chloroform	1	0.012	0.012	0.012
		DDE, p,p'	16	0.0036	0.0004	0.021

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		dieldrin	3	0.0004	0.0002	0.0006
		heptachlor epoxide	1	0.0002	0.0002	0.0002
		xylene, m- and/or p-	1	0.012	0.012	0.012
			22			
168	cream substitute, frozen		0			
169	white sugar, granulated		0			
170	pancake syrup					
		chloroform	1	0.011	0.011	0.011
			1			
172	honey					
		dicloran	1	0.002	0.002	0.002
			1			
173	tomato catsup					
		2-chloroethyl linoleate	5	0.0136	0.003	0.032
		2-chloroethyl palmitate	2	0.0055	0.004	0.007
		acephate	3	0.002	0.001	0.004
		chlorpyrifos	1	0.001	0.001	0.001
		DCPA	1	0.003	0.003	0.003
		DDE, p,p'	3	0.0009	0.0002	0.002
		endosulfan I	3	0.0011	0.0002	0.002
		endosulfan II	5	0.0019	0.0007	0.004
		endosulfan sulfate	4	0.0006	0.0003	0.0009
		esfenvalerate	1	0.002	0.002	0.002
		ethylenethiourea	1	0.004	0.004	0.004
		methamidophos	9	0.0055	0.0009	0.014
		tris(chloropropyl) phosphate	2	0.0065	0.004	0.009
			40			
175	chocolate pudding, from instant mix					
		chlorpropham	1	0.007	0.007	0.007
		DDE, p,p'	5	0.0021	0.0007	0.004
		toluene	1	0.012	0.012	0.012
			7			
177	vanilla flavored light ice cream					
		chloroform	3	0.033	0.011	0.05
		DDE, p,p'	7	0.0016	0.0005	0.003
		dieldrin	1	0.0003	0.0003	0.0003
			11			
178	chocolate cake with chocolate icing, commercial					
		1,2,4-trimethylbenzene	2	0.1265	0.103	0.15
		butylbenzene, n-	1	0.014	0.014	0.014
		chlorpyrifos	5	0.0011	0.0007	0.002
		chlorpyrifos-methyl	11	0.0024	0.001	0.005
		DDE, p,p'	1	0.0005	0.0005	0.0005
		dichlorobenzene, p-	2	0.026	0.02	0.032
		lindane	1	0.0004	0.0004	0.0004
		malathion	8	0.0018	0.001	0.003
		styrene	5	0.0222	0.011	0.041
		tetrachloroethylene	1	0.021	0.021	0.021
		toluene	6	0.0252	0.01	0.044
		xylene, m- and/or p-	4	0.028	0.022	0.038
		xylene, o-	2	0.0125	0.009	0.016
			49			
179	yellow cake with white icing, prepared from cake and icing mixes					
		chlorpyrifos-methyl	11	0.0023	0.0007	0.005
		malathion	16	0.0025	0.0006	0.008
		xylene, m- and/or p-	1	0.02	0.02	0.02
			28			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
182	sweet roll/Danish, commercial					
		1,2,4-trimethylbenzene	2	0.0305	0.016	0.045
		2-chloroethyl linoleate	1	0.009	0.009	0.009
		2-chloroethyl palmitate	1	0.002	0.002	0.002
		chlorpyrifos	6	0.0016	0.0007	0.004
		chlorpyrifos-methyl	15	0.0047	0.001	0.018
		diazinon	2	0.003	0.003	0.003
		malathion	18	0.006	0.002	0.012
		methoxychlor, p,p'-	2	0.0008	0.0007	0.0008
		pirimiphos-methyl	1	0.001	0.001	0.001
		styrene	5	0.0398	0.025	0.052
		tetrachloroethylene	1	0.024	0.024	0.024
		toluene	3	0.0417	0.01	0.099
		xylene, m- and/or p-	2	0.0195	0.017	0.022
			59			
183	chocolate chip cookies, commercial					
		1,2,4-trimethylbenzene	4	0.035	0.013	0.081
		BHC, alpha	8	0.0007	0.0002	0.002
		chlorpyrifos	2	0.0013	0.0006	0.002
		chlorpyrifos-methyl	11	0.009	0.0008	0.03
		cumene (isopropyl benzene)	1	0.015	0.015	0.015
		DDT, p,p'	4	0.0008	0.0003	0.001
		diazinon	1	0.004	0.004	0.004
		dichlorobenzene, p-	1	0.027	0.027	0.027
		lindane	10	0.0017	0.0002	0.009
		malathion	18	0.0147	0.002	0.051
		methoxychlor, p,p'-	1	0.0008	0.0008	0.0008
		pirimiphos-methyl	1	0.0008	0.0008	0.0008
		styrene	6	0.0498	0.015	0.085
		TDE, p,p'	1	0.0009	0.0009	0.0009
		toluene	5	0.033	0.012	0.071
		xylene, m- and/or p-	2	0.018	0.011	0.025
		xylene, o-	1	0.012	0.012	0.012
			77			
184	sandwich cookies with creme filling, commercial					
		1,2,4-trimethylbenzene	1	0.17	0.17	0.17
		benzene	1	0.019	0.019	0.019
		carbon tetrachloride	1	0.011	0.011	0.011
		chloroform	1	0.028	0.028	0.028
		chlorpyrifos-methyl	14	0.0069	0.0006	0.018
		malathion	17	0.0187	0.003	0.06
		pirimiphos-methyl	2	0.005	0.002	0.008
		styrene	5	0.0612	0.016	0.11
		toluene	1	0.13	0.13	0.13
		xylene, m- and/or p-	2	0.0265	0.016	0.037
			45			
185	apple pie, fresh/frozen, commercial					
		1,2,4-trimethylbenzene	3	0.042	0.032	0.06
		butylbenzene, n-	1	0.011	0.011	0.011
		chloroform	1	0.019	0.019	0.019
		chlorpyrifos	1	0.002	0.002	0.002
		chlorpyrifos-methyl	17	0.0085	0.003	0.018
		dichlorobenzene, p-	2	0.023	0.011	0.035
		endosulfan sulfate	3	0.0006	0.0003	0.001
		ethyl benzene	1	0.014	0.014	0.014
		malathion	18	0.0147	0.001	0.083
		methoxychlor, p,p'-	3	0.0013	0.001	0.002
		styrene	3	0.0263	0.011	0.049
		tetrachloroethylene	1	0.037	0.037	0.037
		toluene	3	0.0163	0.01	0.021

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		xylene, m- and/or p-	2	0.0495	0.022	0.077
		xylene, o-	1	0.021	0.021	0.021
			60			
186	pumpkin pie, fresh/frozen, commercial					
		2-chloroethyl laurate	5	0.002	0.001	0.004
		2-chloroethyl linoleate	9	0.016	0.002	0.058
		2-chloroethyl myristate	16	0.026	0.004	0.085
		2-chloroethyl palmitate	10	0.0044	0.002	0.009
		BHC, alpha	2	0.0004	0.0002	0.0006
		chlordane, cis	1	0.0002	0.0002	0.0002
		chloroform	1	0.017	0.017	0.017
		chlorpyrifos-methyl	17	0.0044	0.001	0.013
		DDE, p,p'	1	0.0002	0.0002	0.0002
		diazinon	1	0.001	0.001	0.001
		dieldrin	16	0.0035	0.0006	0.009
		endosulfan sulfate	2	0.0006	0.0003	0.0009
		ethyl benzene	1	0.029	0.029	0.029
		malathion	18	0.0074	0.001	0.016
		nonachlor, trans	1	0.0005	0.0005	0.0005
		permethrin, cis	4	0.0025	0.001	0.006
		permethrin, trans	4	0.0033	0.001	0.008
		styrene	2	0.0285	0.02	0.037
		tetrachloroethylene	1	0.107	0.107	0.107
		toluene	2	0.0305	0.013	0.048
		xylene, m- and/or p-	2	0.0125	0.01	0.015
			116			
187	milk chocolate candy bar, plain					
		1,2,4-trimethylbenzene	3	0.0283	0.016	0.039
		BHC, alpha	17	0.0013	0.0002	0.005
		chloroform	2	0.024	0.012	0.036
		chlorpyrifos	1	0.003	0.003	0.003
		DDE, p,p'	15	0.0014	0.0007	0.003
		DDT, p,p'	14	0.0028	0.001	0.009
		dichlorobenzene, p-	1	0.012	0.012	0.012
		diphenyl 2-ethylhexyl phosphate	1	0.763	0.763	0.763
		endosulfan sulfate	1	0.001	0.001	0.001
		ethyl benzene	1	0.012	0.012	0.012
		lindane	18	0.0027	0.0009	0.006
		malathion	1	0.006	0.006	0.006
		styrene	3	0.0357	0.01	0.076
		TDE, p,p'	12	0.0012	0.0007	0.003
		tetrachloroethylene	4	0.0305	0.01	0.07
		toluene	4	0.0275	0.019	0.038
		xylene, m- and/or p-	4	0.03	0.017	0.038
		xylene, o-	2	0.011	0.01	0.012
			104			
188	caramel candy					
		chloroform	2	0.041	0.018	0.064
		dieldrin	1	0.0002	0.0002	0.0002
		diphenyl 2-ethylhexyl phosphate	16	4.2358	0.354	23.5
		polychlorinated biphenyls	1	0.006	0.006	0.006
		toluene	2	0.0225	0.01	0.035
		triphenyl phosphate	11	0.0888	0.012	0.215
		tris(2-butoxyethyl)phosphate	1	0.035	0.035	0.035
		xylene, m- and/or p-	1	0.014	0.014	0.014
			35			
190	gelatin dessert, any flavor					
		chloroform	1	0.059	0.059	0.059
		toluene	1	0.015	0.015	0.015
			2			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
191	cola carbonated beverage	chloroform	4	0.019	0.01	0.039
		toluene	1	0.019	0.019	0.019
			5			
193	fruit drink, from powder (e.g., Kool-Aid)	benzene	1	0.095	0.095	0.095
		chlorobenzene	1	0.015	0.015	0.015
		chloroform	1	0.022	0.022	0.022
		ethion	1	0.001	0.001	0.001
		toluene	1	0.027	0.027	0.027
		5				
194	low-calorie cola carbonated beverage	benzene	3	0.0257	0.018	0.037
		methomyl	1	0.024	0.024	0.024
			4			
196	coffee, decaffeinated, from instant	chloroform	1	0.037	0.037	0.037
			1			
197	tea, from tea bag	aldoxycarb	1	0.007	0.007	0.007
		carbaryl	1	0.003	0.003	0.003
		chloroform	1	0.015	0.015	0.015
		methamidophos	1	0.001	0.001	0.001
		4				
198	beer		0			
199	dry table wine	carbaryl	17	0.0322	0.006	0.11
		dicloran	1	0.001	0.001	0.001
		dimethoate	18	0.0108	0.002	0.025
		ethylenethiourea	2	0.004	0.003	0.005
		iprodione	14	0.0221	0.002	0.057
		iprodione metabolite isomer	1	0.003	0.003	0.003
		omethoate	15	0.0063	0.001	0.013
		procymidone	1	0.002	0.002	0.002
		thiabendazole	1	0.053	0.053	0.053
		70				
200	whiskey		0			
201	tap water	bromodichloromethane	2	0.0225	0.015	0.03
		chloroform	3	0.0437	0.037	0.047
			5			
202	milk-based infant formula, high iron, ready-to-feed		0			
203	milk-based infant formula, low iron, ready-to-feed	chloroform	1	0.025	0.025	0.025
			1			
205	beef, strained/junior	chloroform	1	0.01	0.01	0.01
		DDE, p,p'	10	0.0027	0.0003	0.017
		toluene	4	0.018	0.011	0.03
			15			

Total Diet Study Summary by Food

<u>Food Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
207	chicken, strained/junior	DDE, p,p'	4	0.0004	0.0002	0.0005
		toluene	1	0.011	0.011	0.011
			5			
208	high (lean) meat (chicken/turkey) and vegetables, strained/junior		0			
209	high (lean) meat beef and vegetables, strained/junior	DDE, p,p'	1	0.002	0.002	0.002
			1			
210	high (lean) meat ham and vegetables, strained/junior		0			
211	vegetables and beef, strained/junior	chlorpropham	9	0.0143	0.003	0.059
		DDE, p,p'	4	0.0007	0.0004	0.0008
		dieldrin	2	0.0005	0.0003	0.0006
		xylene, m- and/or p-	1	0.016	0.016	0.016
			16			
212	vegetables and chicken, strained/junior	chlorpropham	12	0.0097	0.002	0.03
		dieldrin	2	0.0007	0.0005	0.0008
		polychlorinated biphenyls	1	0.03	0.03	0.03
			15			
213	vegetables and ham, strained/junior	chlorpropham	11	0.0099	0.001	0.028
		dieldrin	1	0.0004	0.0004	0.0004
		iprodione metabolite isomer	1	0.006	0.006	0.006
			13			
214	chicken noodle dinner, strained/junior	chlorpropham	11	0.0062	0.001	0.015
			11			
215	macaroni, tomatoes, and beef, strained/junior	chlorpropham	2	0.012	0.011	0.013
		DDE, p,p'	2	0.0005	0.0003	0.0007
		dieldrin	3	0.0004	0.0003	0.0005
		methamidophos	1	0.001	0.001	0.001
			8			
216	turkey and rice, strained/junior	benzene	1	0.012	0.012	0.012
		chloroform	1	0.01	0.01	0.01
		chlorpropham	7	0.0039	0.001	0.006
		DDE, p,p'	1	0.0004	0.0004	0.0004
		dieldrin	3	0.0003	0.0002	0.0003
		xylene, m- and/or p-	1	0.015	0.015	0.015
			14			
218	carrots, strained/junior	DDE, p,p'	1	0.0001	0.0001	0.0001
		dicloran	1	0.004	0.004	0.004
		iprodione metabolite isomer	2	0.002	0.002	0.002
		toluene	1	0.012	0.012	0.012
			5			
219	green beans, strained/junior	acephate	13	0.0051	0.001	0.013
		demeton-S sulfone	1	0.001	0.001	0.001
		dicloran	2	0.137	0.002	0.272

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		endosulfan I	3	0.0079	0.0006	0.02
		endosulfan II	2	0.005	0.0009	0.009
		endosulfan sulfate	3	0.0063	0.0009	0.014
		methamidophos	16	0.0128	0.003	0.043
		neburon	1	0.516	0.516	0.516
		permethrin, cis	2	0.0035	0.002	0.005
		permethrin, trans	2	0.0035	0.002	0.005
		vinclozolin	1	0.002	0.002	0.002
			46			
220	mixed vegetables, strained/junior					
		acephate	1	0.001	0.001	0.001
		chlorpropham	12	0.0108	0.001	0.028
		DDE, p,p'	1	0.0002	0.0002	0.0002
		iprodione metabolite isomer	1	0.002	0.002	0.002
		methamidophos	1	0.001	0.001	0.001
		xylene, m- and/or p-	1	0.01	0.01	0.01
			17			
221	sweet potatoes, strained/junior					
		dicloran	17	0.0135	0.002	0.041
			17			
222	creamed corn, strained/junior					
			0			
223	peas, strained/junior					
		butylbenzene, n-	1	0.016	0.016	0.016
		tris(beta-chloroethyl) phosphate	1	0.001	0.001	0.001
		xylene, m- and/or p-	1	0.017	0.017	0.017
			3			
224	creamed spinach, strained/junior					
		DDE, p,p'	8	0.0008	0.0004	0.002
		permethrin, cis	3	0.0349	0.0006	0.087
		permethrin, trans	3	0.0346	0.0007	0.095
		xylene, m- and/or p-	1	0.015	0.015	0.015
			15			
225	applesauce, strained/junior					
		benomyl	4	0.0565	0.033	0.113
		carbaryl	6	0.0145	0.005	0.047
		chlorpropham	1	0.002	0.002	0.002
		chlorpyrifos	15	0.0041	0.001	0.01
		diazinon	1	0.003	0.003	0.003
		dicloran	1	0.001	0.001	0.001
		dicofol, p,p'-	1	0.002	0.002	0.002
		dimethoate	15	0.008	0.001	0.016
		endosulfan I	2	0.0019	0.0008	0.003
		endosulfan II	6	0.0014	0.0004	0.004
		endosulfan sulfate	8	0.0015	0.0002	0.005
		ethion	1	0.005	0.005	0.005
		ethylenethiourea	2	0.005	0.004	0.006
		methamidophos	1	0.001	0.001	0.001
		methoxychlor, p,p'-	1	0.002	0.002	0.002
		omethoate	11	0.0041	0.001	0.012
		parathion	1	0.003	0.003	0.003
		parathion-methyl	1	0.002	0.002	0.002
		phosmet	1	0.004	0.004	0.004
		propargite	4	0.0623	0.039	0.11
		thiabendazole	4	0.1155	0.047	0.188
		toluene	1	0.013	0.013	0.013
		xylene, m- and/or p-	1	0.02	0.02	0.02
			89			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
226	peaches, strained/junior					
		1,1,1-trichloroethane	1	0.016	0.016	0.016
		carbaryl	8	0.0183	0.003	0.049
		chloroform	1	0.017	0.017	0.017
		chlorpyrifos	6	0.0012	0.001	0.002
		dicloran	1	0.012	0.012	0.012
		endosulfan I	1	0.0006	0.0006	0.0006
		endosulfan II	2	0.0006	0.0004	0.0008
		endosulfan sulfate	2	0.0009	0.0007	0.001
		esfenvalerate	2	0.0065	0.005	0.008
		fenvalerate	1	0.011	0.011	0.011
		iprodione	7	0.0146	0.002	0.045
		iprodione metabolite isomer	5	0.0082	0.002	0.023
		parathion-methyl	5	0.0014	0.0008	0.002
		permethrin, cis	8	0.02	0.0006	0.078
		permethrin, trans	8	0.0233	0.0007	0.099
		propargite	2	0.057	0.015	0.099
		toluene	1	0.019	0.019	0.019
		xylene, m- and/or p-	1	0.025	0.025	0.025
			62			
227	pears, strained/junior					
		azinphos-methyl	9	0.0094	0.005	0.015
		carbaryl	1	0.01	0.01	0.01
		chlorpyrifos	2	0.001	0.001	0.001
		dicofol, p,p'-	1	0.006	0.006	0.006
		dimethoate	4	0.013	0.001	0.03
		endosulfan I	7	0.0015	0.0003	0.003
		endosulfan II	9	0.0046	0.0005	0.013
		endosulfan sulfate	11	0.008	0.0009	0.024
		ethylenethiourea	9	0.0069	0.004	0.013
		omethoate	3	0.003	0.002	0.004
		parathion-methyl	7	0.0048	0.0007	0.02
		phosmet	5	0.0116	0.004	0.02
		thiabendazole	2	0.061	0.061	0.061
		toluene	1	0.012	0.012	0.012
		vinclozolin	1	0.002	0.002	0.002
		xylene, m- and/or p-	1	0.012	0.012	0.012
			73			
230	apple juice, strained					
		benzene	2	0.018	0.012	0.024
		carbaryl	8	0.0083	0.003	0.013
		dimethoate	17	0.0116	0.001	0.037
		omethoate	13	0.0051	0.0004	0.01
		thiabendazole	11	0.0965	0.022	0.258
			51			
231	orange juice, strained					
		carbaryl	1	0.004	0.004	0.004
		ethion	14	0.0016	0.001	0.004
		ethion oxygen analog	3	0.0004	0.0003	0.0004
		thiabendazole	1	0.021	0.021	0.021
		xylene, m- and/or p-	1	0.017	0.017	0.017
			20			
232	custard pudding, strained/junior		0			
233	fruit dessert/pudding, strained/junior					
		chlorpyrifos	5	0.0034	0.001	0.008
		dicloran	5	0.0176	0.001	0.029
		dimethoate	4	0.0023	0.001	0.003
		endosulfan I	1	0.003	0.003	0.003
		endosulfan II	3	0.0017	0.0002	0.003

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		endosulfan sulfate	5	0.0013	0.0001	0.002
		esfenvalerate	2	0.0025	0.002	0.003
		iprodione	11	0.0276	0.002	0.152
		iprodione metabolite isomer	6	0.007	0.0008	0.016
		omethoate	2	0.0025	0.001	0.004
		parathion-methyl	1	0.0009	0.0009	0.0009
		permethrin, cis	12	0.0049	0.0006	0.013
		permethrin, trans	12	0.0061	0.0006	0.019
		propargite	2	0.038	0.024	0.052
			71			
235	fruit-flavored yogurt, lowfat (fruit mixed in)					
		DDE, p,p'	5	0.0007	0.0003	0.001
		dicloran	1	0.01	0.01	0.01
		endosulfan I	1	0.0003	0.0003	0.0003
		endosulfan II	1	0.0004	0.0004	0.0004
		endosulfan sulfate	1	0.0003	0.0003	0.0003
		iprodione	2	0.01	0.007	0.013
		iprodione metabolite isomer	1	0.007	0.007	0.007
		malathion	3	0.0017	0.001	0.002
		vinclozolin	1	0.001	0.001	0.001
			16			
236	Swiss cheese					
		benzene	1	0.02	0.02	0.02
		chlorobenzene	1	0.011	0.011	0.011
		chloroform	4	0.029	0.01	0.046
		DDE, p,p'	15	0.0014	0.0004	0.003
		dieldrin	13	0.0013	0.0004	0.003
		heptachlor epoxide	6	0.0008	0.0004	0.001
		hexachlorobenzene	5	0.0005	0.0004	0.0005
		methoxychlor, p,p'-	1	0.001	0.001	0.001
		octachlor epoxide	1	0.0003	0.0003	0.0003
		tetrachloroethylene	1	0.051	0.051	0.051
		toluene	2	0.0485	0.011	0.086
			50			
237	cream cheese					
		chloroform	4	0.068	0.043	0.088
		DDE, p,p'	18	0.0037	0.0007	0.009
		dieldrin	18	0.0013	0.0004	0.003
		endosulfan sulfate	1	0.0007	0.0007	0.0007
		heptachlor epoxide	8	0.001	0.0004	0.002
		hexachlorobenzene	4	0.0004	0.0003	0.0005
		lindane	1	0.0004	0.0004	0.0004
		methoxychlor, p,p'-	2	0.0025	0.002	0.003
		octachlor epoxide	2	0.0005	0.0004	0.0005
		tetrachloroethylene	1	0.023	0.023	0.023
		toluene	2	0.032	0.022	0.042
		xylene, m- and/or p-	1	0.02	0.02	0.02
			62			
238	veal cutlet, pan-cooked					
		malathion	1	0.001	0.001	0.001
		polychlorinated biphenyls	1	0.013	0.013	0.013
			2			
239	ham luncheon meat, sliced					
		2-chloroethyl linoleate	1	0.006	0.006	0.006
		DDT, p,p'	1	0.0005	0.0005	0.0005
			2			

Total Diet Study Summary by Food

<u>Food Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
240	chicken breast, roasted					
		benzene	1	0.036	0.036	0.036
		chlorpropham	2	0.005	0.004	0.006
		DDE, p,p'	3	0.0007	0.0007	0.0008
		pentachlorophenol	1	0.01	0.01	0.01
		polychlorinated biphenyls	2	0.0315	0.03	0.033
		toluene	1	0.02	0.02	0.02
			10			
241	chicken nuggets, fast-food					
		2-chloroethyl linoleate	4	0.0888	0.012	0.271
		2-chloroethyl myristate	1	0.003	0.003	0.003
		2-chloroethyl palmitate	2	0.025	0.007	0.043
		benzene	1	0.1	0.1	0.1
		chlorobenzene	1	0.01	0.01	0.01
		chlorotoluene, o-	1	0.013	0.013	0.013
		chlorpropham	5	0.004	0.002	0.006
		chlorpyrifos	1	0.001	0.001	0.001
		chlorpyrifos-methyl	5	0.0016	0.0005	0.005
		cumene (isopropyl benzene)	1	0.016	0.016	0.016
		diazinon	1	0.001	0.001	0.001
		dichlorooctadecenoic acids	1	0.62	0.62	0.62
		endosulfan I	1	0.001	0.001	0.001
		malathion	11	0.0017	0.001	0.002
		styrene	2	0.013	0.01	0.016
		toluene	5	0.0646	0.01	0.23
		xylene, m- and/or p-	1	0.022	0.022	0.022
			44			
242	chicken, fried (breast, leg, and thigh), fast-food					
		1,1,1-trichloroethane	1	0.01	0.01	0.01
		2-chloroethyl linoleate	3	0.034	0.008	0.06
		2-chloroethyl palmitate	2	0.006	0.004	0.008
		benzene	1	0.014	0.014	0.014
		chloroform	1	0.01	0.01	0.01
		chlorpyrifos-methyl	1	0.0009	0.0009	0.0009
		DDE, p,p'	4	0.0004	0.0003	0.0006
		diazinon	1	0.002	0.002	0.002
		dichlorooctadecanoic acid	1	0.5	0.5	0.5
		dichlorooctadecenoic acids	1	0.18	0.18	0.18
		dieldrin	4	0.0006	0.0003	0.0008
		malathion	5	0.0011	0.0004	0.002
		styrene	1	0.053	0.053	0.053
		toluene	5	0.029	0.016	0.052
		xylene, m- and/or p-	2	0.014	0.012	0.016
			33			
243	haddock, pan-cooked					
		BHC, alpha	1	0.0003	0.0003	0.0003
		DDE, p,p'	3	0.0008	0.0005	0.001
		dieldrin	2	0.0003	0.0002	0.0003
		hexachlorobenzene	5	0.0003	0.0003	0.0003
			11			
244	shrimp, boiled					
		BHC, alpha	2	0.0003	0.0002	0.0003
		BHC, beta	1	0.0008	0.0008	0.0008
		chlorpropham	1	0.014	0.014	0.014
		DDE, p,p'	9	0.0013	0.0003	0.005
			13			
245	kidney beans, dry, boiled					
		pirimiphos-methyl	1	0.005	0.005	0.005
			1			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
246	peas, mature, dry, boiled	acephate	2	0.003	0.002	0.004
		diazinon	1	0.014	0.014	0.014
		methamidophos	1	0.002	0.002	0.002
		toluene	1	0.01	0.01	0.01
			5			
247	mixed nuts, no peanuts, dry roasted	1,2,4-trimethylbenzene	2	0.0305	0.011	0.05
		BHC, alpha	13	0.0036	0.0005	0.012
		BHC, beta	5	0.0012	0.0005	0.003
		BHC, delta	6	0.0016	0.0005	0.004
		chlorpyrifos	2	0.002	0.001	0.003
		chlorpyrifos-methyl	1	0.002	0.002	0.002
		DDE, p,p'	1	0.0008	0.0008	0.0008
		DDT, o,p'	4	0.0014	0.0007	0.002
		DDT, p,p'	13	0.0032	0.001	0.009
		diazinon	1	0.001	0.001	0.001
		dieldrin	1	0.0005	0.0005	0.0005
		lindane	6	0.0009	0.0001	0.002
		malathion	6	0.0052	0.002	0.019
		pentachloroaniline	1	0.0007	0.0007	0.0007
		pentachlorobenzene	1	0.0003	0.0003	0.0003
		styrene	5	0.0506	0.021	0.082
		tetrachloroethylene	1	0.036	0.036	0.036
		toluene	6	0.0688	0.038	0.098
		xylene, m- and/or p-	2	0.032	0.03	0.034
		xylene, o-	1	0.011	0.011	0.011
	78					
248	cracked wheat bread	chlorpyrifos	6	0.0015	0.0009	0.003
		chlorpyrifos-methyl	18	0.0178	0.007	0.039
		diazinon	2	0.0025	0.001	0.004
		dicamba	1	0.003	0.003	0.003
		diphenyl 2-ethylhexyl phosphate	1	0.09	0.09	0.09
		fenitrothion	1	0.004	0.004	0.004
		heptachlor	1	0.0005	0.0005	0.0005
		malathion	18	0.0244	0.008	0.065
		permethrin, cis	1	0.0009	0.0009	0.0009
		permethrin, trans	1	0.0009	0.0009	0.0009
		pirimiphos-methyl	2	0.0045	0.001	0.008
		tris(beta-chloroethyl) phosphate	1	0.001	0.001	0.001
			53			
		249	bagel, plain	chlorpyrifos	4	0.0013
chlorpyrifos-methyl	17			0.0094	0.001	0.037
diazinon	1			0.001	0.001	0.001
diphenyl 2-ethylhexyl phosphate	1			0.047	0.047	0.047
fenitrothion	1			0.003	0.003	0.003
heptachlor	1			0.0006	0.0006	0.0006
malathion	17			0.0081	0.001	0.02
phosalone	1			0.007	0.007	0.007
pirimiphos-methyl	2			0.002	0.001	0.003
	45					
250	English muffin, plain, toasted	chlorpyrifos	1	0.001	0.001	0.001
		chlorpyrifos-methyl	18	0.0064	0.001	0.019
		diazinon	1	0.009	0.009	0.009
		diphenyl 2-ethylhexyl phosphate	1	0.032	0.032	0.032
		heptachlor	1	0.0007	0.0007	0.0007

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		malathion	18	0.0114	0.004	0.021
		pirimiphos-methyl	1	0.003	0.003	0.003
			41			
251	graham crackers					
		1,2,4-trimethylbenzene	2	0.0665	0.036	0.097
		2-chloroethyl palmitate	1	0.006	0.006	0.006
		chlorpyrifos	4	0.0007	0.0004	0.001
		chlorpyrifos-methyl	17	0.0122	0.002	0.052
		diazinon	1	0.001	0.001	0.001
		ethyl benzene	1	0.023	0.023	0.023
		malathion	18	0.0238	0.004	0.051
		methoxychlor, p,p'-	7	0.0015	0.0008	0.003
		pirimiphos-methyl	2	0.0007	0.0004	0.001
		toluene	3	0.027	0.012	0.044
		xylene, m- and/or p-	3	0.0327	0.011	0.05
			59			
252	butter-type crackers (e.g., Ritz, Hi-Ho)					
		1,2,4-trimethylbenzene	1	0.049	0.049	0.049
		chlorobenzene	1	0.016	0.016	0.016
		chlorpyrifos-methyl	18	0.0099	0.001	0.056
		diazinon	1	0.006	0.006	0.006
		malathion	18	0.0186	0.002	0.077
		methoxychlor, p,p'-	3	0.0013	0.001	0.002
		toluene	3	0.011	0.01	0.012
		xylene, m- and/or p-	1	0.037	0.037	0.037
		xylene, o-	1	0.017	0.017	0.017
			47			
253	apricot, raw					
		azinphos-methyl	7	0.148	0.034	0.312
		benomyl	4	0.1803	0.094	0.277
		captan	4	0.0874	0.0007	0.247
		carbaryl	5	0.4156	0.014	1.95
		chlorpyrifos	3	0.0033	0.001	0.006
		diazinon	3	0.0017	0.001	0.003
		endosulfan I	5	0.0013	0.0004	0.003
		endosulfan II	6	0.0043	0.0007	0.007
		endosulfan sulfate	6	0.0125	0.001	0.027
		esfenvalerate	1	0.06	0.06	0.06
		fenvalerate	1	0.024	0.024	0.024
		iprodione	10	0.1316	0.004	0.595
		iprodione metabolite isomer	4	0.0047	0.0009	0.01
		parathion	1	0.001	0.001	0.001
		parathion-methyl	4	0.0156	0.0005	0.06
		phosmet	7	0.2737	0.006	0.662
		propargite	1	0.822	0.822	0.822
		vinclozolin	1	0.054	0.054	0.054
			73			
254	peach, canned in light/medium syrup					
		acephate	1	0.002	0.002	0.002
		carbaryl	12	0.0363	0.008	0.106
		dicloran	1	0.001	0.001	0.001
		endosulfan I	1	0.0005	0.0005	0.0005
		iprodione	2	0.004	0.003	0.005
		iprodione metabolite isomer	1	0.004	0.004	0.004
		methamidophos	1	0.002	0.002	0.002
		toluene	2	0.0285	0.021	0.036
			21			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
255	pear, canned in light syrup	dimethoate	1	0.001	0.001	0.001
		endosulfan sulfate	2	0.002	0.002	0.002
		toluene	1	0.013	0.013	0.013
			4			
256	pineapple juice, from frozen concentrate	endosulfan sulfate	5	0.0008	0.0004	0.002
			5			
257	grape juice, from frozen concentrate	captan	3	0.0073	0.003	0.015
		carbaryl	13	0.0141	0.005	0.025
		dimethoate	5	0.0015	0.0007	0.003
		folpet	2	0.009	0.004	0.014
		iprodione	2	0.0015	0.001	0.002
		omethoate	1	0.001	0.001	0.001
			26			
258	French fries, fast-food	1,2,4-trimethylbenzene	1	0.047	0.047	0.047
		2-chloroethyl linoleate	1	0.028	0.028	0.028
		2-chloroethyl palmitate	1	0.005	0.005	0.005
		chlordane, cis	1	0.0007	0.0007	0.0007
		chlorpropham	12	0.3795	0.002	0.933
		chlorpyrifos	4	0.0011	0.0007	0.002
		DDE, p,p'	5	0.001	0.0002	0.002
		DDT, p,p'	1	0.0004	0.0004	0.0004
		diazinon	1	0.002	0.002	0.002
		dicloran	4	0.0035	0.001	0.006
		dieldrin	1	0.0004	0.0004	0.0004
		endosulfan sulfate	13	0.0026	0.0007	0.009
		ethyl benzene	1	0.011	0.011	0.011
		isopropyl(3-chloro-4-methoxy=phenyl)carbamate	5	0.0048	0.002	0.006
		malathion	1	0.0006	0.0006	0.0006
		phorate sulfone	1	0.005	0.005	0.005
		styrene	4	0.041	0.011	0.094
		toluene	4	0.099	0.012	0.165
		xylene, m- and/or p-	2	0.0215	0.015	0.028
			63			
259	carrot, fresh, boiled	DDE, p,p'	7	0.0026	0.0007	0.007
		DDT, p,p'	1	0.0007	0.0007	0.0007
		diazinon	1	0.01	0.01	0.01
		dicloran	2	0.0035	0.003	0.004
		iprodione	4	0.004	0.002	0.009
		iprodione metabolite isomer	7	0.0129	0.007	0.02
		linuron	2	0.0125	0.011	0.014
		pentachloroaniline	2	0.0013	0.0005	0.002
			26			
260	tomato, stewed, canned	1,1,2-trichloroethane	1	0.018	0.018	0.018
		2-chloroethyl linoleate	1	0.026	0.026	0.026
		2-chloroethyl palmitate	1	0.007	0.007	0.007
		benzene	1	0.01	0.01	0.01
		endosulfan II	1	0.0006	0.0006	0.0006
		ethylenethiourea	1	0.003	0.003	0.003
		methamidophos	7	0.0034	0.001	0.013
		parathion	1	0.001	0.001	0.001
		permethrin, cis	1	0.0004	0.0004	0.0004
		permethrin, trans	1	0.0007	0.0007	0.0007
		toluene	1	0.018	0.018	0.018
			17			

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
261	tomato juice, bottled					
		carbaryl	1	0.003	0.003	0.003
		endosulfan II	1	0.0005	0.0005	0.0005
		endosulfan sulfate	1	0.001	0.001	0.001
		iprodione	1	0.005	0.005	0.005
		methamidophos	10	0.0037	0.001	0.014
		tributyl phosphate	1	0.008	0.008	0.008
		tris(chloropropyl) phosphate	2	0.0095	0.004	0.015
			17			
262	beets, fresh/frozen, boiled					
		acephate	1	0.001	0.001	0.001
		DCPA	2	0.0006	0.0005	0.0007
		DDE, p,p'	6	0.0012	0.0007	0.002
		dieldrin	8	0.0014	0.0002	0.006
		endosulfan I	1	0.0008	0.0008	0.0008
		endosulfan II	1	0.0007	0.0007	0.0007
		endosulfan sulfate	6	0.0015	0.0004	0.003
		iprodione metabolite isomer	1	0.002	0.002	0.002
		methamidophos	1	0.001	0.001	0.001
			27			
263	Brussels sprouts, fresh/frozen, boiled					
		chlorpyrifos	15	0.0152	0.001	0.148
		DDE, p,p'	9	0.0006	0.0002	0.002
		demeton-S sulfone	2	0.0045	0.004	0.005
		diazinon	5	0.0044	0.001	0.016
		endosulfan I	1	0.006	0.006	0.006
		endosulfan II	2	0.0035	0.001	0.006
		endosulfan sulfate	3	0.0018	0.0005	0.004
		methamidophos	7	0.0021	0.0009	0.004
		omethoate	1	0.008	0.008	0.008
		pentachloroaniline	2	0.0006	0.0004	0.0008
		permethrin, cis	7	0.0047	0.002	0.009
		permethrin, trans	7	0.0039	0.002	0.007
			61			
264	mushrooms, raw					
		benomyl	10	0.1207	0.039	0.231
		chlorpropham	1	0.002	0.002	0.002
		diazinon	10	0.0056	0.001	0.028
		esfenvalerate	1	0.019	0.019	0.019
		lindane	1	0.016	0.016	0.016
		permethrin, cis	3	0.056	0.002	0.159
		permethrin, trans	3	0.0433	0.0009	0.125
		thiabendazole	15	0.4495	0.019	1.356
			44			
265	eggplant, fresh, boiled					
		acephate	5	0.0266	0.002	0.094
		carbaryl	1	0.03	0.03	0.03
		dimethoate	1	0.001	0.001	0.001
		diphenyl 2-ethylhexyl phosphate	1	0.036	0.036	0.036
		endosulfan sulfate	1	0.0006	0.0006	0.0006
		methamidophos	12	0.0276	0.002	0.104
		methomyl	1	0.015	0.015	0.015
		omethoate	1	0.001	0.001	0.001
			23			
266	turnip, fresh/frozen, boiled					
		chlorpyrifos	9	0.0459	0.003	0.126
		DCPA	7	0.013	0.001	0.023
		DDE, p,p'	10	0.0031	0.0004	0.015

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		dieldrin	3	0.0016	0.0003	0.004
		endosulfan II	2	0.0005	0.0005	0.0005
		endosulfan sulfate	5	0.0012	0.0004	0.002
		pentachloroaniline	2	0.0013	0.0005	0.002
		TDE, p,p'	2	0.0005	0.0004	0.0006
			40			
267	okra, fresh/frozen, boiled					
		acephate	1	0.002	0.002	0.002
		chloroform	1	0.011	0.011	0.011
		dicloran	1	0.008	0.008	0.008
		endosulfan I	2	0.002	0.001	0.003
		endosulfan II	3	0.0058	0.0003	0.014
		endosulfan sulfate	3	0.0071	0.0003	0.018
		fenvalerate	1	0.032	0.032	0.032
		methamidophos	1	0.004	0.004	0.004
		parathion	1	0.004	0.004	0.004
		permethrin, cis	1	0.002	0.002	0.002
		permethrin, trans	1	0.002	0.002	0.002
			16			
268	mixed vegetables, frozen, boiled					
		acephate	10	0.0095	0.002	0.031
		carbaryl	2	0.0035	0.003	0.004
		dieldrin	1	0.002	0.002	0.002
		dimethoate	2	0.0009	0.0008	0.001
		endosulfan I	1	0.0004	0.0004	0.0004
		endosulfan II	1	0.0005	0.0005	0.0005
		endosulfan sulfate	1	0.004	0.004	0.004
		methamidophos	10	0.0028	0.001	0.006
		methoxychlor, p,p'-	1	0.011	0.011	0.011
		neburon	1	0.015	0.015	0.015
		parathion-methyl	1	0.0006	0.0006	0.0006
		TDE, p,p'	1	0.001	0.001	0.001
		vinclozolin	1	0.002	0.002	0.002
			33			
269	beef stroganoff, homemade					
		benzene	1	0.026	0.026	0.026
		chlorpyrifos	4	0.0011	0.0005	0.002
		chlorpyrifos-methyl	14	0.0017	0.0005	0.005
		DDE, p,p'	6	0.0012	0.0005	0.002
		DDT, p,p'	1	0.0009	0.0009	0.0009
		diazinon	5	0.0018	0.0003	0.006
		dieldrin	2	0.0003	0.0002	0.0003
		iprodione	1	0.003	0.003	0.003
		malathion	12	0.0019	0.0007	0.004
		methoxychlor, p,p'-	1	0.0008	0.0008	0.0008
		permethrin, cis	1	0.018	0.018	0.018
		permethrin, trans	1	0.01	0.01	0.01
		tetrachloroethylene	1	0.036	0.036	0.036
			50			
270	green peppers stuffed with beef and rice, homemade					
		BHC, alpha	4	0.0003	0.0002	0.0005
		chlorpropham	2	0.0015	0.001	0.002
		chlorpyrifos	4	0.0055	0.002	0.013
		DCPA	1	0.002	0.002	0.002
		DDE, p,p'	9	0.0008	0.0004	0.001
		DDT, p,p'	1	0.0005	0.0005	0.0005
		diazinon	1	0.002	0.002	0.002
		dicofol, o,p'-	4	0.0083	0.003	0.016
		dicofol, p,p'-	4	0.1065	0.071	0.172
		dieldrin	2	0.0006	0.0003	0.0008

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		endosulfan I	8	0.0048	0.0003	0.014
		endosulfan II	9	0.007	0.0004	0.025
		endosulfan sulfate	8	0.0051	0.0004	0.015
		esfenvalerate	1	0.007	0.007	0.007
		heptachlor epoxide	1	0.0005	0.0005	0.0005
		permethrin, cis	8	0.0148	0.0005	0.074
		permethrin, trans	8	0.0183	0.0007	0.093
			75			
271	chili con carne with beans, homemade					
		2-chloroethyl linoleate	10	0.0817	0.008	0.196
		2-chloroethyl palmitate	9	0.0084	0.002	0.021
		2-chloroethyl stearate	2	0.0195	0.011	0.028
		DCPA	1	0.001	0.001	0.001
		DDE, p,p'	12	0.001	0.0003	0.003
		dieldrin	2	0.0002	0.0002	0.0002
		ethion	1	0.0004	0.0004	0.0004
		malathion	1	0.002	0.002	0.002
		toluene	1	0.016	0.016	0.016
		xylene, m- and/or p-	1	0.01	0.01	0.01
			40			
272	tuna noodle casserole, homemade					
		chlorotoluene, p- (4-chlorotoluene)	1	0.03	0.03	0.03
		chlorpropham	2	0.0023	0.0005	0.004
		chlorpyrifos	4	0.001	0.0006	0.002
		chlorpyrifos-methyl	12	0.0011	0.0005	0.002
		DDE, p,p'	10	0.0011	0.0004	0.003
		diazinon	3	0.0026	0.0008	0.006
		dicloran	12	0.0076	0.001	0.028
		dicofol, p,p'-	1	0.011	0.011	0.011
		dieldrin	2	0.0003	0.0002	0.0004
		endosulfan I	3	0.0005	0.0003	0.0007
		endosulfan II	3	0.0009	0.0003	0.002
		endosulfan sulfate	2	0.0006	0.0005	0.0007
		malathion	9	0.0012	0.0008	0.002
		methoxychlor, p,p'-	1	0.0002	0.0002	0.0002
		parathion-methyl	2	0.002	0.001	0.003
		permethrin, cis	2	0.0015	0.001	0.002
		permethrin, trans	2	0.002	0.001	0.003
		procymidone	1	0.006	0.006	0.006
		toluene	2	0.0355	0.021	0.05
			74			
273	frozen meal - salisbury steak with gravy, potatoes, and vegetable, heated					
		2-chloroethyl linoleate	6	0.0088	0.003	0.021
		2-chloroethyl palmitate	1	0.003	0.003	0.003
		2-chloroethyl stearate	1	0.008	0.008	0.008
		chloroform	1	0.011	0.011	0.011
		chlorpropham	17	0.0201	0.002	0.058
		chlorpyrifos-methyl	4	0.0012	0.0009	0.002
		DDE, p,p'	10	0.0008	0.0005	0.001
		dieldrin	2	0.0003	0.0002	0.0003
		endosulfan sulfate	2	0.0005	0.0005	0.0005
		heptachlor epoxide	1	0.0003	0.0003	0.0003
		malathion	4	0.0019	0.0007	0.004
		toluene	1	0.014	0.014	0.014
		vinclozolin	1	0.002	0.002	0.002
		xylene, m- and/or p-	1	0.012	0.012	0.012
			52			
274	frozen meal - turkey with gravy, dressing, potatoes, and vegetable, heated					
		chloroform	1	0.014	0.014	0.014
		chlorpropham	16	0.0171	0.002	0.034

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		chlorpyrifos	2	0.0006	0.0005	0.0006
		chlorpyrifos-methyl	1	0.001	0.001	0.001
		diazinon	1	0.0007	0.0007	0.0007
		malathion	4	0.0015	0.001	0.002
		xylene, m- and/or p-	1	0.012	0.012	0.012
			26			
275	quarter-pound cheeseburger on bun, fast-food					
		2-chloroethyl linoleate	1	0.009	0.009	0.009
		2-chloroethyl palmitate	1	0.002	0.002	0.002
		benzene	4	0.0315	0.013	0.054
		BHC, alpha	1	0.0002	0.0002	0.0002
		chlorpyrifos	6	0.0008	0.0006	0.001
		chlorpyrifos-methyl	16	0.0031	0.0006	0.008
		DDE, p,p'	17	0.0056	0.002	0.015
		diazinon	1	0.0009	0.0009	0.0009
		dieldrin	13	0.0008	0.0004	0.003
		endosulfan sulfate	3	0.0005	0.0003	0.0007
		heptachlor epoxide	2	0.0005	0.0003	0.0007
		lindane	1	0.0008	0.0008	0.0008
		malathion	16	0.0042	0.0008	0.017
		pirimiphos-methyl	2	0.0015	0.001	0.002
		quintozene	1	0.001	0.001	0.001
		styrene	2	0.0145	0.011	0.018
		toluene	5	0.0516	0.012	0.19
		xylene, m- and/or p-	2	0.0145	0.014	0.015
			94			
276	fish sandwich on bun, fast-food					
		BHC, alpha	1	0.0002	0.0002	0.0002
		BHC, beta	1	0.0002	0.0002	0.0002
		chlorpropham	1	0.0008	0.0008	0.0008
		chlorpyrifos	7	0.0014	0.0007	0.003
		chlorpyrifos-methyl	18	0.0034	0.0008	0.007
		DDE, p,p'	15	0.0013	0.0006	0.002
		diazinon	2	0.0013	0.0005	0.002
		dieldrin	8	0.001	0.0003	0.002
		endosulfan I	2	0.0013	0.0005	0.002
		endosulfan II	3	0.0007	0.0004	0.001
		endosulfan sulfate	4	0.0018	0.0006	0.003
		ethyl benzene	1	0.01	0.01	0.01
		hexachlorobenzene	11	0.0006	0.0001	0.002
		malathion	18	0.0049	0.001	0.022
		pentachloroaniline	3	0.0004	0.0002	0.0006
		pentachlorophenyl methyl sulfide	1	0.0002	0.0002	0.0002
		pirimiphos-methyl	1	0.001	0.001	0.001
		styrene	1	0.016	0.016	0.016
		toluene	1	0.011	0.011	0.011
		xylene, m- and/or p-	2	0.0325	0.029	0.036
		xylene, o-	1	0.012	0.012	0.012
			102			
277	frankfurter on bun, fast-food					
		2-chloroethyl linoleate	7	0.1126	0.004	0.291
		2-chloroethyl myristate	1	0.011	0.011	0.011
		2-chloroethyl palmitate	5	0.0152	0.008	0.021
		2-chloroethyl stearate	1	0.015	0.015	0.015
		BHC, alpha	1	0.0001	0.0001	0.0001
		chlorpyrifos	6	0.001	0.0006	0.002
		chlorpyrifos-methyl	15	0.0035	0.0009	0.011
		DDE, p,p'	15	0.0008	0.0003	0.002
		DDT, p,p'	3	0.0007	0.0003	0.001
		diazinon	4	0.0007	0.0004	0.001
		dieldrin	2	0.0006	0.0005	0.0006

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		hexachlorobenzene	3	0.0008	0.0001	0.002
		lindane	1	0.0004	0.0004	0.0004
		malathion	15	0.0063	0.002	0.013
		styrene	1	0.011	0.011	0.011
		toluene	1	0.062	0.062	0.062
		xylene, m- and/or p-	1	0.025	0.025	0.025
			82			
278	egg, cheese, and ham on English muffin, fast-food					
		2-chloroethyl linoleate	1	0.005	0.005	0.005
		chlorpyrifos	1	0.001	0.001	0.001
		chlorpyrifos-methyl	16	0.0037	0.0008	0.017
		DDE, p,p'	15	0.0037	0.001	0.006
		diazinon	1	0.0005	0.0005	0.0005
		malathion	16	0.0038	0.001	0.011
		pirimiphos-methyl	1	0.0008	0.0008	0.0008
		xylene, m- and/or p-	2	0.0105	0.01	0.011
			53			
279	taco/tostada, from Mexican carry-out					
		2-chloroethyl caprate	1	0.0005	0.0005	0.0005
		2-chloroethyl laurate	1	0.0007	0.0007	0.0007
		2-chloroethyl linoleate	9	0.1241	0.007	0.669
		2-chloroethyl myristate	3	0.0147	0.002	0.026
		2-chloroethyl palmitate	6	0.0348	0.007	0.1
		chlorpyrifos	8	0.0016	0.0001	0.005
		chlorpyrifos-methyl	6	0.0011	0.0005	0.002
		cumene (isopropyl benzene)	1	0.015	0.015	0.015
		DDE, p,p'	15	0.0017	0.0006	0.004
		diazinon	2	0.0008	0.0006	0.001
		dieldrin	4	0.0015	0.0005	0.004
		endosulfan I	3	0.0008	0.0003	0.001
		endosulfan II	3	0.0032	0.0007	0.007
		endosulfan sulfate	4	0.0055	0.002	0.014
		ethion	1	0.0008	0.0008	0.0008
		hexachlorobenzene	1	0.0003	0.0003	0.0003
		malathion	14	0.0031	0.0007	0.006
		methoxychlor, p,p'-	1	0.001	0.001	0.001
		permethrin, cis	2	0.002	0.001	0.003
		permethrin, trans	2	0.0025	0.001	0.004
		styrene	2	0.016	0.011	0.021
		toluene	4	0.021	0.009	0.032
		xylene, m- and/or p-	2	0.02	0.017	0.023
			95			
280	cheese pizza, regular crust, from pizza carry-out					
		2-chloroethyl caprate	3	0.0047	0.002	0.007
		2-chloroethyl laurate	3	0.0037	0.002	0.005
		2-chloroethyl linoleate	10	0.034	0.007	0.067
		2-chloroethyl myristate	4	0.0073	0.004	0.011
		2-chloroethyl palmitate	7	0.01	0.004	0.021
		2-chloroethyl stearate	1	0.01	0.01	0.01
		chloroform	1	0.011	0.011	0.011
		chlorpyrifos	13	0.0013	0.0006	0.004
		chlorpyrifos-methyl	17	0.0062	0.001	0.02
		DDE, p,p'	17	0.0019	0.0005	0.007
		diazinon	4	0.0017	0.0006	0.003
		dieldrin	4	0.001	0.0003	0.003
		endosulfan I	1	0.0005	0.0005	0.0005
		endosulfan II	1	0.0007	0.0007	0.0007
		endosulfan sulfate	1	0.0006	0.0006	0.0006
		ethyl benzene	1	0.015	0.015	0.015
		heptachlor	1	0.0004	0.0004	0.0004
		lindane	1	0.0005	0.0005	0.0005

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		malathion	16	0.0056	0.001	0.011
		styrene	3	0.0173	0.011	0.025
		toluene	5	0.02	0.012	0.036
		xylene, m- and/or p-	2	0.016	0.011	0.021
			116			
281	cheese and pepperoni pizza, regular crust, from pizza carry-out					
		2-chloroethyl caprate	5	0.0034	0.001	0.006
		2-chloroethyl laurate	4	0.0032	0.0009	0.005
		2-chloroethyl linoleate	15	0.0649	0.007	0.323
		2-chloroethyl myristate	5	0.0074	0.002	0.016
		2-chloroethyl palmitate	14	0.0116	0.002	0.05
		2-chloroethyl stearate	1	0.023	0.023	0.023
		benzene	1	0.01	0.01	0.01
		chlorpyrifos	12	0.0015	0.0005	0.005
		chlorpyrifos-methyl	17	0.0052	0.001	0.019
		cumene (isopropyl benzene)	1	0.011	0.011	0.011
		DDE, p,p'	17	0.0016	0.0004	0.005
		diazinon	3	0.0023	0.0008	0.004
		dieldrin	5	0.0005	0.0003	0.0008
		endosulfan I	1	0.0005	0.0005	0.0005
		endosulfan II	1	0.0007	0.0007	0.0007
		ethion	1	0.001	0.001	0.001
		lindane	1	0.0003	0.0003	0.0003
		malathion	18	0.0043	0.001	0.01
		styrene	3	0.0143	0.011	0.02
		toluene	4	0.045	0.015	0.12
		xylene, m- and/or p-	4	0.0213	0.017	0.032
		xylene, o-	1	0.011	0.011	0.011
			134			
282	beef chow mein, from Chinese carry-out					
		chlorpyrifos	7	0.0019	0.0006	0.003
		chlorpyrifos-methyl	3	0.0027	0.002	0.004
		cyfluthrin	1	0.004	0.004	0.004
		DDE, p,p'	2	0.0005	0.0003	0.0006
		diazinon	5	0.0023	0.0006	0.004
		dicloran	8	0.021	0.001	0.124
		dieldrin	1	0.0002	0.0002	0.0002
		malathion	2	0.0009	0.0008	0.001
		permethrin, cis	3	0.0017	0.001	0.002
		permethrin, trans	3	0.0009	0.0008	0.001
		styrene	1	0.041	0.041	0.041
		toluene	1	0.017	0.017	0.017
			37			
283	bean with bacon/pork soup, canned, condensed, prepared with water					
		chlorpropham	1	0.002	0.002	0.002
			1			
284	mushroom soup, canned, condensed, prepared with whole milk					
		chlorpropham	1	0.01	0.01	0.01
		chlorpyrifos-methyl	1	0.001	0.001	0.001
		DDE, p,p'	1	0.002	0.002	0.002
		diazinon	2	0.002	0.001	0.003
		dieldrin	1	0.002	0.002	0.002
		lindane	1	0.0007	0.0007	0.0007
		malathion	1	0.002	0.002	0.002
		thiabendazole	6	0.0277	0.011	0.079
			14			
285	clam chowder, New England, canned, condensed, prepared with whole milk					
		benzene	1	0.013	0.013	0.013
		chlorpropham	11	0.0325	0.004	0.085

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		chlorpyrifos-methyl	2	0.0009	0.0008	0.001
		DDE, p,p'	2	0.0035	0.002	0.005
			16			
286	vanilla ice cream					
		chloroform	3	0.0177	0.013	0.024
		DDE, p,p'	14	0.003	0.0005	0.012
		dieldrin	5	0.0004	0.0003	0.0006
			22			
287	fruit flavor sherbet					
		benzene	1	0.061	0.061	0.061
		captan	2	0.1985	0.037	0.36
		chloroform	1	0.01	0.01	0.01
		cumene (isopropyl benzene)	1	0.039	0.039	0.039
		DDE, p,p'	6	0.0015	0.0005	0.003
		dieldrin	1	0.0003	0.0003	0.0003
		endosulfan sulfate	1	0.0003	0.0003	0.0003
		ethion	5	0.0018	0.001	0.003
		methidathion	2	0.003	0.003	0.003
		toluene	3	0.018	0.009	0.031
		xylene, m- and/or p-	4	0.045	0.023	0.065
			27			
288	popsicle, any flavor					
		1,1,2-trichloroethane	1	0.02	0.02	0.02
		1,2,4-trimethylbenzene	1	0.168	0.168	0.168
		carbaryl	1	0.033	0.033	0.033
		chloroform	1	0.016	0.016	0.016
		cumene (isopropyl benzene)	3	0.0247	0.012	0.045
		dicofol, p,p'-	5	0.0042	0.001	0.007
		ethion	2	0.0015	0.001	0.002
		iprodione	1	0.01	0.01	0.01
		methidathion	5	0.0014	0.001	0.002
		toluene	3	0.0627	0.036	0.1
		xylene, m- and/or p-	1	0.017	0.017	0.017
			24			
289	chocolate snack cake with chocolate icing (e.g., Ding Dongs)					
		1,2,4-trimethylbenzene	1	0.049	0.049	0.049
		chlorpyrifos-methyl	12	0.0034	0.001	0.006
		DDE, p,p'	1	0.004	0.004	0.004
		diazinon	2	0.0025	0.001	0.004
		lindane	1	0.0009	0.0009	0.0009
		malathion	7	0.0033	0.002	0.007
		pirimiphos-methyl	1	0.001	0.001	0.001
		styrene	1	0.017	0.017	0.017
		toluene	5	0.0212	0.01	0.048
		xylene, m- and/or p-	1	0.015	0.015	0.015
			32			
290	cake doughnuts with icing, any flavor, from doughnut store					
		1,2,4-trimethylbenzene	1	0.019	0.019	0.019
		2-chloroethyl myristate	4	0.0108	0.006	0.017
		2-chloroethyl palmitate	1	0.002	0.002	0.002
		chlorotoluene, o-	1	0.011	0.011	0.011
		chlorotoluene, p- (4-chlorotoluene)	1	0.01	0.01	0.01
		chlorpropham	1	0.002	0.002	0.002
		chlorpyrifos	9	0.002	0.0005	0.003
		chlorpyrifos-methyl	17	0.0066	0.001	0.032
		cumene (isopropyl benzene)	1	0.027	0.027	0.027
		diazinon	4	0.003	0.002	0.004
		ethyl benzene	1	0.016	0.016	0.016
		lindane	1	0.002	0.002	0.002

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		malathion	17	0.0086	0.002	0.038
		pirimiphos-methyl	2	0.0025	0.002	0.003
		styrene	3	0.0203	0.011	0.034
		tetrachloroethylene	1	0.04	0.04	0.04
		toluene	6	0.0508	0.013	0.08
		xylene, m- and/or p-	3	0.0263	0.022	0.033
		xylene, o-	2	0.013	0.011	0.015
			76			
291	brownies, commercial					
		1,2,4-trimethylbenzene	4	0.0288	0.012	0.07
		butylbenzene, n-	1	0.006	0.006	0.006
		chlorpyrifos	1	0.0009	0.0009	0.0009
		chlorpyrifos-methyl	13	0.0055	0.0008	0.016
		diazinon	4	0.0022	0.0006	0.004
		ethyl benzene	2	0.011	0.011	0.011
		lindane	1	0.002	0.002	0.002
		malathion	17	0.006	0.002	0.028
		methoxychlor, p,p'-	1	0.003	0.003	0.003
		styrene	3	0.0193	0.012	0.025
		tetrachloroethylene	1	0.013	0.013	0.013
		toluene	5	0.0292	0.013	0.047
		xylene, m- and/or p-	4	0.0245	0.014	0.034
		xylene, o-	1	0.011	0.011	0.011
			58			
292	sugar cookies, commercial					
		1,2,4-trimethylbenzene	1	0.021	0.021	0.021
		2-chloroethyl laurate	3	0.003	0.001	0.005
		2-chloroethyl myristate	5	0.033	0.021	0.05
		butylbenzene, n-	1	0.019	0.019	0.019
		chlorpyrifos	3	0.0008	0.0004	0.001
		chlorpyrifos-methyl	15	0.0129	0.001	0.045
		cumene (isopropyl benzene)	1	0.014	0.014	0.014
		DDE, p,p'	2	0.0017	0.0004	0.003
		DDT, p,p'	1	0.0007	0.0007	0.0007
		diazinon	1	0.004	0.004	0.004
		malathion	17	0.0143	0.004	0.045
		pirimiphos-methyl	1	0.009	0.009	0.009
		styrene	5	0.0558	0.025	0.129
		toluene	5	0.0186	0.009	0.037
		xylene, m- and/or p-	3	0.022	0.011	0.034
		xylene, o-	1	0.011	0.011	0.011
			65			
293	suckers, any flavor					
		benzene	1	0.012	0.012	0.012
		chlorpyrifos	1	0.002	0.002	0.002
		diphenyl 2-ethylhexyl phosphate	1	0.022	0.022	0.022
		ethion	2	0.0014	0.0008	0.002
		ethion oxygen analog	1	0.0007	0.0007	0.0007
		methidathion	3	0.001	0.001	0.001
		toluene	2	0.0325	0.032	0.033
		tris(beta-chloroethyl) phosphate	1	0.001	0.001	0.001
		xylene, m- and/or p-	1	0.016	0.016	0.016
			13			
294	pretzels, hard, salted, any shape					
		chlorpropham	1	0.003	0.003	0.003
		chlorpyrifos	6	0.001	0.0006	0.002
		chlorpyrifos-methyl	18	0.0236	0.0004	0.08
		malathion	17	0.0311	0.002	0.218
		methoxychlor, p,p'-	6	0.0015	0.0007	0.003
		pirimiphos-methyl	1	0.001	0.001	0.001
			49			

Total Diet Study Summary by Food

<u>Food</u> <u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>			
				<u>Mean</u>	<u>Min</u>	<u>Max</u>	
295	chocolate syrup dessert topping	2-chloroethyl palmitate	1	0.043	0.043	0.043	
		chlorpyrifos	1	0.0006	0.0006	0.0006	
			2				
296	jelly, any flavor	benzene	1	0.023	0.023	0.023	
		carbaryl	12	0.029	0.004	0.091	
		dicofol, p,p'-dimethoate	1	0.003	0.003	0.003	
		diphenyl 2-ethylhexyl phosphate	1	0.001	0.001	0.001	
		endosulfan I	1	0.02	0.02	0.02	
		endosulfan II	1	0.006	0.006	0.006	
		endosulfan sulfate	1	0.009	0.009	0.009	
		iprodione	1	0.004	0.004	0.004	
		iprodione	2	0.015	0.009	0.021	
		parathion-methyl	1	0.0009	0.0009	0.0009	
		thiabendazole	1	0.017	0.017	0.017	
		23					
297	sweet cucumber pickles	benzene	2	0.0185	0.011	0.026	
		BHC, alpha	1	0.0002	0.0002	0.0002	
		chlordane	1	0.0009	0.0009	0.0009	
		chlordane, cis	5	0.0006	0.0002	0.001	
		chlordane, trans	5	0.0004	0.0003	0.0006	
		chlorpropham	1	0.002	0.002	0.002	
		chlorpyrifos	6	0.0043	0.001	0.015	
		DDE, p,p'	1	0.001	0.001	0.001	
		dicofol, p,p'-dieldrin	1	0.007	0.007	0.007	
		dieldrin	18	0.0046	0.0009	0.009	
		endosulfan I	17	0.0024	0.0004	0.006	
		endosulfan II	16	0.0022	0.0004	0.007	
		endosulfan sulfate	18	0.0059	0.0008	0.019	
		ethylene dibromide	1	0.013	0.013	0.013	
		heptachlor epoxide	3	0.0007	0.0005	0.0009	
		lindane	4	0.0033	0.0003	0.008	
		nonachlor, trans	2	0.0007	0.0005	0.0009	
		TDE, p,p'	1	0.0005	0.0005	0.0005	
		toxaphene	6	0.025	0.014	0.034	
		triphenyl phosphate	1	0.019	0.019	0.019	
tris(beta-chloroethyl) phosphate	1	0.002	0.002	0.002			
		111					
298	yellow mustard	1,1,2-trichloroethane	1	0.065	0.065	0.065	
		2-chloroethyl linoleate	17	0.2917	0.008	0.833	
		2-chloroethyl myristate	9	0.0119	0.002	0.03	
		2-chloroethyl palmitate	15	0.0475	0.001	0.215	
		BHC, alpha	17	0.0021	0.0005	0.009	
		BHC, beta	5	0.0008	0.0003	0.002	
		BHC, delta	4	0.0004	0.0001	0.001	
		chlorpropham	1	0.002	0.002	0.002	
		DDT, p,p'	2	0.0006	0.0002	0.001	
		ethylene dichloride	1	0.027	0.027	0.027	
		lindane	16	0.0008	0.0002	0.004	
		malathion	1	0.001	0.001	0.001	
		toluene	2	0.0465	0.021	0.072	
				91			
		299	black olives	chloroform	1	0.011	0.011
chlorpyrifos	17			0.0022	0.0006	0.006	
DCPA	5			0.0009	0.0007	0.001	

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
		DDE, p,p'	8	0.0004	0.0002	0.0006
		dicofol, p,p'	6	0.0032	0.001	0.005
		endosulfan I	15	0.0008	0.0002	0.002
		endosulfan II	6	0.0005	0.0003	0.001
		endosulfan sulfate	18	0.0046	0.0006	0.012
		toluene	2	0.032	0.011	0.053
			78			
300	sour cream					
		1,1,1-trichloroethane	1	0.01	0.01	0.01
		chloroform	4	0.026	0.013	0.047
		DDE, p,p'	16	0.0038	0.0004	0.017
		dieldrin	12	0.0007	0.0003	0.002
		endosulfan sulfate	4	0.0006	0.0003	0.0009
		heptachlor epoxide	2	0.0003	0.0002	0.0004
		hexachlorobenzene	4	0.0003	0.0002	0.0004
		methoxychlor, p,p'	1	0.001	0.001	0.001
		toluene	1	0.028	0.028	0.028
			45			
301	brown gravy, homemade					
		chlorpropham	4	0.0108	0.006	0.016
		chlorpyrifos	1	0.001	0.001	0.001
		chlorpyrifos-methyl	5	0.0018	0.0009	0.003
		DDE, p,p'	4	0.0017	0.0009	0.004
		diazinon	1	0.002	0.002	0.002
		dieldrin	2	0.0004	0.0003	0.0004
		heptachlor epoxide	1	0.0002	0.0002	0.0002
		lindane	1	0.0004	0.0004	0.0004
		malathion	8	0.002	0.0008	0.004
		polychlorinated biphenyls	1	0.03	0.03	0.03
		toluene	1	0.013	0.013	0.013
			29			
302	French salad dressing, regular					
		2-chloroethyl linoleate	14	0.4849	0.006	1.345
		2-chloroethyl myristate	10	0.0113	0.002	0.022
		2-chloroethyl palmitate	12	0.1	0.004	0.239
		benzene	1	0.01	0.01	0.01
		chloroform	1	0.021	0.021	0.021
		dieldrin	2	0.0005	0.0004	0.0005
		xylene, m- and/or p-	1	0.021	0.021	0.021
			41			
303	Italian salad dressing, low-calorie					
		2-chloroethyl linoleate	4	0.0668	0.003	0.245
		2-chloroethyl palmitate	2	0.029	0.004	0.054
		chloroform	1	0.02	0.02	0.02
		DCPA	1	0.001	0.001	0.001
			8			
304	olive/safflower oil					
		1,1,1-trichloroethane	1	0.029	0.029	0.029
		benzene	1	0.011	0.011	0.011
		BHC, alpha	2	0.0012	0.0004	0.002
		carbon tetrachloride	1	0.01	0.01	0.01
		chlorpyrifos	1	0.001	0.001	0.001
		DDE, p,p'	6	0.001	0.0006	0.002
		endosulfan I	1	0.0007	0.0007	0.0007
		endosulfan II	2	0.0007	0.0004	0.0009
		endosulfan sulfate	11	0.0049	0.001	0.019
		ethyl benzene	1	0.023	0.023	0.023
		hexachlorobenzene	1	0.0008	0.0008	0.0008
		lindane	3	0.0006	0.0004	0.0009

Total Diet Study Summary by Food

<u>Food</u> Item #	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
		methidathion	2	0.004	0.002	0.006
		styrene	2	0.048	0.042	0.054
		TDE, p,p'	1	0.0009	0.0009	0.0009
		toluene	2	0.021	0.014	0.028
		xylene, m- and/or p-	2	0.065	0.02	0.11
		xylene, o-	1	0.02	0.02	0.02
			41			
305	coffee, from ground					
		carbaryl	1	0.009	0.009	0.009
		ethyl benzene	1	0.017	0.017	0.017
		toluene	1	0.012	0.012	0.012
			3			
306	fruit-flavored carbonated beverage					
		carbaryl	2	0.008	0.005	0.011
		chloroform	3	0.018	0.011	0.023
		ethion	1	0.0005	0.0005	0.0005
		toluene	1	0.018	0.018	0.018
			7			
307	fruit drink, canned (e.g., Hi-C)					
		carbaryl	3	0.0073	0.005	0.011
		ethion	2	0.001	0.001	0.001
		thiabendazole	1	0.042	0.042	0.042
		toluene	1	0.013	0.013	0.013
			7			
308	martini					
		dimethoate	1	0.0007	0.0007	0.0007
			1			
309	soy-based infant formula, ready-to-feed					
		chloroform	1	0.013	0.013	0.013
			1			
310	egg yolk, strained/junior					
		DDE, p,p'	1	0.0006	0.0006	0.0006
		dieldrin	5	0.0004	0.0003	0.0006
			6			
311	rice infant cereal, instant, prepared with whole milk					
		DDE, p,p'	5	0.0011	0.0004	0.003
		methoxychlor, p,p'-	1	0.0007	0.0007	0.0007
			6			
312	rice cereal, strained/junior					
		acephate	1	0.001	0.001	0.001
		chlorpyrifos	11	0.0013	0.0006	0.003
		dimethoate	3	0.0017	0.001	0.002
		endosulfan I	3	0.0011	0.0006	0.002
		endosulfan II	3	0.002	0.0009	0.003
		endosulfan sulfate	3	0.0019	0.0008	0.003
		malathion	1	0.001	0.001	0.001
		thiabendazole	2	0.043	0.026	0.06
			27			
313	bananas with tapioca, strained/junior					
		endosulfan I	1	0.0001	0.0001	0.0001
		endosulfan II	1	0.0005	0.0005	0.0005
		endosulfan sulfate	1	0.0002	0.0002	0.0002
			3			
314	beets, strained/junior					
			0			

Total Diet Study Summary by Food

Food Item #	Description	Residue	n	Level Found, ppm		
				Mean	Min	Max
316	split peas with vegetables and ham/bacon					
		benzene	1	0.024	0.024	0.024
		chlorpropham	8	0.0075	0.002	0.015
		diazinon	1	0.0002	0.0002	0.0002
		dieldrin	1	0.0003	0.0003	0.0003
		xylene, m- and/or p-	1	0.013	0.013	0.013
			12			
317	teething biscuits					
		1,2,4-trimethylbenzene	3	0.0143	0.012	0.018
		butylbenzene, n-	2	0.0165	0.014	0.019
		chlordane, cis	1	0.0008	0.0008	0.0008
		chlordane, trans	1	0.0008	0.0008	0.0008
		chloroform	1	0.334	0.334	0.334
		chlorpyrifos	3	0.0017	0.001	0.003
		chlorpyrifos-methyl	18	0.0272	0.001	0.265
		diazinon	1	0.001	0.001	0.001
		malathion	18	0.0208	0.001	0.277
		styrene	1	0.08	0.08	0.08
		toluene	2	0.0245	0.013	0.036
		tris(beta-chloroethyl) phosphate	2	0.0013	0.0006	0.002
		xylene, m- and/or p-	2	0.0235	0.02	0.027
			55			
320	squash, strained/junior					
		DCPA	1	0.001	0.001	0.001
		DDE, p,p'	2	0.001	0.0009	0.001
		dieldrin	10	0.0029	0.0003	0.01
		endosulfan I	2	0.0015	0.001	0.002
		endosulfan II	1	0.0008	0.0008	0.0008
		endosulfan sulfate	2	0.0025	0.002	0.003
		ethylenethiourea	1	0.005	0.005	0.005
		heptachlor epoxide	2	0.0004	0.0003	0.0005
		octachlor epoxide	1	0.0004	0.0004	0.0004
		permethrin, cis	1	0.0008	0.0008	0.0008
		permethrin, trans	1	0.0009	0.0009	0.0009
			24			

Total Diet Study Summary by Food

<u>Food</u>				<u>Level Found, ppm</u>		
<u>Item #</u>	<u>Description</u>	<u>Residue</u>	<u>n</u>	<u>Mean</u>	<u>Min</u>	<u>Max</u>