

Food and Drug Administration Total Diet Study

Summary of Residues Found
Ordered by Pesticide
Market Baskets 91-3—97-1

June, 1999

This document displays summary values for each pesticide or other organic residue found in FDA's Total Diet Study, Market Baskets 91-3—97-1 (18 baskets). Note that only positive values were used; i.e., levels of 0.0 were not included in the calculations, except in cases where the laboratory indicated the presence of a trace level but did not enter a value.

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
1,1,1,2-tetrachloroethane						
	057	popcorn, popped in oil	1	0.016	0.016	0.016
	060	cornbread, homemade	1	0.025	0.025	0.025
	061	biscuit, baked	1	0.012	0.012	0.012
	138	potato chips	1	0.01	0.01	0.01
	139	scaloped potatoes	1	0.027	0.027	0.027
			5			
1,1,1-trichloroethane						
	010	American cheese	1	0.025	0.025	0.025
	012	cheddar cheese	3	0.015	0.007	0.028
	014	beef chuck roast, baked	1	0.014	0.014	0.014
	020	pork bacon, pan-cooked	1	0.024	0.024	0.024
	029	bologna, sliced	1	0.01	0.01	0.01
	030	salami, sliced	1	0.012	0.012	0.012
	034	fish sticks, frozen, heated	1	0.012	0.012	0.012
	047	peanut butter, smooth	2	0.0285	0.022	0.035
	048	peanuts, dry roasted	1	0.012	0.012	0.012
	057	popcorn, popped in oil	2	0.021	0.015	0.027
	060	cornbread, homemade	1	0.028	0.028	0.028
	062	whole wheat bread	1	0.014	0.014	0.014
	067	corn chips	2	0.0215	0.019	0.024
	076	granola cereal	1	0.011	0.011	0.011
	097	avocado, raw	1	0.06	0.06	0.06
	138	potato chips	2	0.011	0.01	0.012
	147	hamburger, fast-food	1	0.019	0.019	0.019
	162	margarine, stick (salted)	1	0.014	0.014	0.014
	164	butter, regular (salted)	3	0.0203	0.018	0.023
	226	peaches, strained/junior	1	0.016	0.016	0.016
	242	chicken, fried fast-food	1	0.01	0.01	0.01
	300	sour cream	1	0.01	0.01	0.01
	304	olive or safflower oil	1	0.029	0.029	0.029
			31			
1,1,2-trichloroethane						
	059	white roll	1	0.011	0.011	0.011
	100	grapefruit juice, from conc.	1	0.011	0.011	0.011
	110	cabbage, fresh, boiled	1	0.012	0.012	0.012
	115	asparagus, boiled	1	0.016	0.016	0.016
	117	tomato, red, raw	1	0.013	0.013	0.013
	260	tomato, stewed, canned	1	0.018	0.018	0.018
	288	popsicle, any flavor	1	0.02	0.02	0.02
	298	yellow mustard	1	0.065	0.065	0.065
			8			
1,2,3-trichloropropane						
	121	green beans, boiled	1	0.018	0.018	0.018
			1			
1,2,4-trimethylbenzene						
	020	pork bacon, pan-cooked	1	0.011	0.011	0.011
	027	liver, beef, fried	1	0.025	0.025	0.025
	034	fish sticks, frozen, heated	3	0.0333	0.024	0.039
	047	peanut butter, smooth	2	0.095	0.04	0.15
	051	oatmeal, cooked	1	0.011	0.011	0.011
	058	white bread	1	0.01	0.01	0.01
	059	white roll	1	0.012	0.012	0.012
	062	whole wheat bread	1	0.023	0.023	0.023
	065	blueberry muffin	2	0.0185	0.013	0.024
	066	saltine crackers	1	0.048	0.048	0.048
	067	corn chips	2	0.012	0.011	0.013
	073	shredded wheat cereal	2	0.011	0.01	0.012
	074	raisin bran cereal	1	0.02	0.02	0.02
	077	oat ring cereal	1	0.024	0.024	0.024

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	138	potato chips	3	0.0367	0.023	0.044
	162	margarine, stick (salted)	1	0.026	0.026	0.026
	164	butter, regular (salted)	2	0.026	0.024	0.028
	178	chocolate cake and icing	2	0.1265	0.103	0.15
	182	sweet roll or Danish	2	0.0305	0.016	0.045
	183	chocolate chip cookies	4	0.035	0.013	0.081
	184	sandwich cookies creme fill	1	0.17	0.17	0.17
	185	apple pie	3	0.042	0.032	0.06
	187	milk chocolate candy bar	3	0.0283	0.016	0.039
	247	mixed nuts, no peanuts	2	0.0305	0.011	0.05
	251	graham crackers	2	0.0665	0.036	0.097
	252	butter-type crackers	1	0.049	0.049	0.049
	258	French fries, fast-food	1	0.047	0.047	0.047
	288	popsicle, any flavor	1	0.168	0.168	0.168
	289	chocolate snack cake	1	0.049	0.049	0.049
	290	cake doughnuts with icing	1	0.019	0.019	0.019
	291	brownies, commercial	4	0.0288	0.012	0.07
	292	sugar cookies, commercial	1	0.021	0.021	0.021
	317	teething biscuits	3	0.0143	0.012	0.018
			58			
2,4,5-T	050	white rice, cooked	1	0.004	0.004	0.004
			1			
2,4-D	058	white bread	2	0.0085	0.008	0.009
	074	raisin bran cereal	1	0.004	0.004	0.004
			3			
2,4-dichloro-6-nitrobenzenamine	083	peach, raw	2	0.0075	0.003	0.012
	091	plums, raw	2	0.0025	0.001	0.004
	114	celery, raw	3	0.0043	0.002	0.008
			7			
2-chloroethyl caprate	279	taco or tostada, carry-out	1	0.0005	0.0005	0.0005
	280	cheese pizza, carry-out	3	0.0047	0.002	0.007
	281	pepperoni pizza, carry-out	5	0.0034	0.001	0.006
			9			
2-chloroethyl laurate	186	pumpkin pie	5	0.002	0.001	0.004
	279	taco or tostada, carry-out	1	0.0007	0.0007	0.0007
	280	cheese pizza, carry-out	3	0.0037	0.002	0.005
	281	pepperoni pizza, carry-out	4	0.0032	0.0009	0.005
	292	sugar cookies, commercial	3	0.003	0.001	0.005
			16			
2-chloroethyl linoleate	019	pork sausage, pan-cooked	11	0.1299	0.006	0.413
	028	frankfurters, beef, boiled	8	0.2698	0.016	0.932
	029	bologna, sliced	4	0.0303	0.015	0.047
	030	salami, sliced	2	0.0345	0.022	0.047
	039	pork and beans, canned	3	0.009	0.005	0.017
	048	peanuts, dry roasted	2	0.0125	0.01	0.015
	064	rye bread	2	0.05	0	0.1
	111	coleslaw with dressing	6	0.009	0.002	0.019
	119	tomato sauce, bottled	3	0.0087	0.006	0.012
	134	French fries, frozen, heated	1	0.099	0.099	0.099
	148	meatloaf, homemade	2	0.022	0.016	0.028
	151	lasagna with meat	2	0.0165	0.004	0.029
	152	chicken potpie, frozen	1	0.005	0.005	0.005

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	173	tomato catsup	5	0.0136	0.003	0.032
	182	sweet roll or Danish	1	0.009	0.009	0.009
	186	pumpkin pie	9	0.016	0.002	0.058
	239	ham luncheon meat	1	0.006	0.006	0.006
	241	chicken nuggets, fast-food	4	0.0888	0.012	0.271
	242	chicken, fried fast-food	3	0.034	0.008	0.06
	258	French fries, fast-food	1	0.028	0.028	0.028
	260	tomato, stewed, canned	1	0.026	0.026	0.026
	271	chili con carne with beans	10	0.0817	0.008	0.196
	273	salisbury steak, frozen meal	6	0.0088	0.003	0.021
	275	cheeseburger, fast-food	1	0.009	0.009	0.009
	277	frankfurter, fast-food	7	0.1126	0.004	0.291
	278	egg/cheese/ham, fast-food	1	0.005	0.005	0.005
	279	taco or tostada, carry-out	9	0.1241	0.007	0.669
	280	cheese pizza, carry-out	10	0.034	0.007	0.067
	281	pepperoni pizza, carry-out	15	0.0649	0.007	0.323
	298	yellow mustard	17	0.2917	0.008	0.833
	302	French salad dressing	14	0.4849	0.006	1.345
	303	Ital. salad dressing, low-cal	4	0.0668	0.003	0.245
			166			

2-chloroethyl myristate

	019	pork sausage, pan-cooked	2	0.0265	0.007	0.046
	028	frankfurters, beef, boiled	3	0.005	0.003	0.007
	029	bologna, sliced	1	0.045	0.045	0.045
	030	salami, sliced	3	0.023	0.015	0.035
	148	meatloaf, homemade	1	0.002	0.002	0.002
	186	pumpkin pie	16	0.026	0.004	0.085
	241	chicken nuggets, fast-food	1	0.003	0.003	0.003
	277	frankfurter, fast-food	1	0.011	0.011	0.011
	279	taco or tostada, carry-out	3	0.0147	0.002	0.026
	280	cheese pizza, carry-out	4	0.0073	0.004	0.011
	281	pepperoni pizza, carry-out	5	0.0074	0.002	0.016
	290	cake doughnuts with icing	4	0.0108	0.006	0.017
	292	sugar cookies, commercial	5	0.033	0.021	0.05
	298	yellow mustard	9	0.0119	0.002	0.03
	302	French salad dressing	10	0.0113	0.002	0.022
			68			

2-chloroethyl palmitate

	019	pork sausage, pan-cooked	8	0.0554	0.003	0.136
	028	frankfurters, beef, boiled	7	0.0434	0.003	0.111
	029	bologna, sliced	2	0.009	0.006	0.012
	030	salami, sliced	3	0.0163	0.004	0.029
	064	rye bread	1	0.004	0.004	0.004
	111	coleslaw with dressing	2	0.002	0.0009	0.003
	119	tomato sauce, bottled	2	0.002	0.002	0.002
	134	French fries, frozen, heated	1	0.006	0.006	0.006
	148	meatloaf, homemade	2	0.0055	0.003	0.008
	151	lasagna with meat	1	0.004	0.004	0.004
	173	tomato catsup	2	0.0055	0.004	0.007
	182	sweet roll or Danish	1	0.002	0.002	0.002
	186	pumpkin pie	10	0.0044	0.002	0.009
	241	chicken nuggets, fast-food	2	0.025	0.007	0.043
	242	chicken, fried fast-food	2	0.006	0.004	0.008
	251	graham crackers	1	0.006	0.006	0.006
	258	French fries, fast-food	1	0.005	0.005	0.005
	260	tomato, stewed, canned	1	0.007	0.007	0.007
	271	chili con carne with beans	9	0.0084	0.002	0.021
	273	salisbury steak, frozen meal	1	0.003	0.003	0.003
	275	cheeseburger, fast-food	1	0.002	0.002	0.002
	277	frankfurter, fast-food	5	0.0152	0.008	0.021
	279	taco or tostada, carry-out	6	0.0348	0.007	0.1
	280	cheese pizza, carry-out	7	0.01	0.004	0.021

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	281	pepperoni pizza, carry-out	14	0.0116	0.002	0.05
	290	cake doughnuts with icing	1	0.002	0.002	0.002
	295	chocolate syrup	1	0.043	0.043	0.043
	298	yellow mustard	15	0.0475	0.001	0.215
	302	French salad dressing	12	0.1	0.004	0.239
	303	Ital. salad dressing, low-cal	2	0.029	0.004	0.054
			123			
2-chloroethyl stearate						
	119	tomato sauce, bottled	2	0.02	0.016	0.024
	271	chili con carne with beans	2	0.0195	0.011	0.028
	273	salisbury steak, frozen meal	1	0.008	0.008	0.008
	277	frankfurter, fast-food	1	0.015	0.015	0.015
	280	cheese pizza, carry-out	1	0.01	0.01	0.01
	281	pepperoni pizza, carry-out	1	0.023	0.023	0.023
			8			
acephate						
	042	lima beans, boiled	15	0.0135	0.002	0.039
	056	cream style corn, canned	1	0.001	0.001	0.001
	081	watermelon, raw	1	0.001	0.001	0.001
	084	applesauce, bottled	1	0.003	0.003	0.003
	089	cantaloupe, raw	1	0.005	0.005	0.005
	099	apple juice, bottled	1	0.0006	0.0006	0.0006
	107	spinach, boiled	1	0.006	0.006	0.006
	109	iceberg lettuce, raw	11	0.0059	0.001	0.022
	110	cabbage, fresh, boiled	2	0.016	0.014	0.018
	114	celery, raw	14	0.0932	0.003	0.529
	117	tomato, red, raw	1	0.029	0.029	0.029
	119	tomato sauce, bottled	1	0.004	0.004	0.004
	121	green beans, boiled	14	0.0576	0.002	0.357
	123	cucumber, raw	2	0.0035	0.003	0.004
	124	summer squash, boiled	2	0.0035	0.001	0.006
	125	green pepper, raw	17	0.2764	0.008	1.34
	126	winter squash, baked	1	0.001	0.001	0.001
	161	dill cucumber pickles	3	0.0133	0.001	0.037
	173	tomato catsup	3	0.002	0.001	0.004
	219	green beans, strained/junior	13	0.0051	0.001	0.013
	220	mixed vegetables, strained/junior	1	0.001	0.001	0.001
	246	peas, mature, dry, boiled	2	0.003	0.002	0.004
	254	peach, canned	1	0.002	0.002	0.002
	262	beets, boiled	1	0.001	0.001	0.001
	265	eggplant, fresh, boiled	5	0.0266	0.002	0.094
	267	okra, boiled	1	0.002	0.002	0.002
	268	mixed vegetables, boiled	10	0.0095	0.002	0.031
	312	rice cereal, strained/junior	1	0.001	0.001	0.001
			127			
aldoxycarb						
	197	tea, from tea bag	1	0.007	0.007	0.007
			1			
anilazine						
	086	strawberries, raw	2	0.6075	0.205	1.01
			2			
azinphos-methyl						
	078	apple, red, raw	16	0.0407	0.004	0.12
	083	peach, raw	8	0.0383	0.004	0.126
	085	pear, raw	18	0.0573	0.013	0.227
	086	strawberries, raw	2	0.0085	0.008	0.009
	088	grapes, seedless, raw	1	0.007	0.007	0.007
	094	sweet cherries, raw	8	0.0576	0.007	0.141
	096	prunes, dried	1	0.007	0.007	0.007

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	114	celery, raw	2	0.019	0.018	0.02
	227	pears, strained/junior	9	0.0094	0.005	0.015
	253	apricot, raw	7	0.148	0.034	0.312
			72			
benomyl						
	078	apple, red, raw	3	0.098	0.08	0.132
	083	peach, raw	7	0.2213	0.059	0.575
	084	applesauce, bottled	1	0.044	0.044	0.044
	085	pear, raw	1	0.04	0.04	0.04
	086	strawberries, raw	6	0.1783	0.041	0.563
	088	grapes, seedless, raw	3	0.0917	0.032	0.146
	089	cantaloupe, raw	1	0.035	0.035	0.035
	091	plums, raw	5	0.076	0.03	0.139
	094	sweet cherries, raw	2	0.0405	0.037	0.044
	121	green beans, boiled	1	0.167	0.167	0.167
	225	applesauce, strained/junior	4	0.0565	0.033	0.113
	253	apricot, raw	4	0.1803	0.094	0.277
	264	mushrooms, raw	10	0.1207	0.039	0.231
			48			
benzene						
	013	ground beef, pan-cooked	5	0.051	0.011	0.19
	014	beef chuck roast, baked	5	0.0462	0.016	0.078
	020	pork bacon, pan-cooked	1	0.017	0.017	0.017
	021	pork roast, baked	2	0.039	0.03	0.048
	026	turkey breast, roasted	1	0.034	0.034	0.034
	029	bologna, sliced	2	0.031	0.012	0.05
	030	salami, sliced	3	0.0183	0.018	0.019
	032	tuna, canned in oil	2	0.0085	0.005	0.012
	034	fish sticks, frozen, heated	1	0.021	0.021	0.021
	035	eggs, scrambled	2	0.028	0.016	0.04
	047	peanut butter, smooth	1	0.003	0.003	0.003
	053	corngrits, regular, cooked	1	0.018	0.018	0.018
	058	white bread	1	0.025	0.025	0.025
	060	cornbread, homemade	1	0.022	0.022	0.022
	064	rye bread	1	0.021	0.021	0.021
	067	corn chips	2	0.019	0.013	0.025
	068	pancake from mix	1	0.011	0.011	0.011
	071	corn flakes	1	0.012	0.012	0.012
	072	fruit-flavored cereal	3	0.04	0.011	0.088
	078	apple, red, raw	2	0.02	0.012	0.028
	080	banana, raw	5	0.0816	0.016	0.132
	083	peach, raw	1	0.027	0.027	0.027
	085	pear, raw	1	0.018	0.018	0.018
	088	grapes, seedless, raw	1	0.01	0.01	0.01
	089	cantaloupe, raw	1	0.013	0.013	0.013
	091	plums, raw	1	0.013	0.013	0.013
	094	sweet cherries, raw	1	0.016	0.016	0.016
	095	raisins, dried	2	0.016	0.014	0.018
	097	avocado, raw	4	0.0218	0.011	0.034
	099	apple juice, bottled	1	0.016	0.016	0.016
	100	grapefruit juice, from conc.	1	0.019	0.019	0.019
	103	prune juice, bottled	1	0.011	0.011	0.011
	111	coleslaw with dressing	6	0.05	0.018	0.102
	112	sauerkraut, canned	1	0.019	0.019	0.019
	117	tomato, red, raw	1	0.024	0.024	0.024
	119	tomato sauce, bottled	1	0.022	0.022	0.022
	123	cucumber, raw	1	0.013	0.013	0.013
	124	summer squash, boiled	1	0.014	0.014	0.014
	132	radish, raw	1	0.023	0.023	0.023
	134	French fries, frozen, heated	1	0.01	0.01	0.01
	137	white potato, baked, skin	1	0.014	0.014	0.014
	138	potato chips	1	0.011	0.011	0.011

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	142	spaghetti and meatballs	2	0.0175	0.013	0.022
	147	hamburger, fast-food	5	0.0238	0.011	0.047
	148	meatloaf, homemade	2	0.039	0.022	0.056
	151	lasagna with meat	1	0.019	0.019	0.019
	166	mayonnaise	1	0.028	0.028	0.028
	184	sandwich cookies creme fill	1	0.019	0.019	0.019
	193	fruit drink, from powder	1	0.095	0.095	0.095
	194	low-calorie cola carbonated	3	0.0257	0.018	0.037
	216	turkey and rice, strained/junior	1	0.012	0.012	0.012
	230	apple juice, strained	2	0.018	0.012	0.024
	236	Swiss cheese	1	0.02	0.02	0.02
	240	chicken breast, roasted	1	0.036	0.036	0.036
	241	chicken nuggets, fast-food	1	0.1	0.1	0.1
	242	chicken, fried fast-food	1	0.014	0.014	0.014
	260	tomato, stewed, canned	1	0.01	0.01	0.01
	269	beef stroganoff	1	0.026	0.026	0.026
	275	cheeseburger, fast-food	4	0.0315	0.013	0.054
	281	pepperoni pizza, carry-out	1	0.01	0.01	0.01
	285	clam chowder, canned	1	0.013	0.013	0.013
	287	fruit flavor sherbet	1	0.061	0.061	0.061
	293	suckers, any flavor	1	0.012	0.012	0.012
	296	jelly, any flavor	1	0.023	0.023	0.023
	297	sweet cucumber pickles	2	0.0185	0.011	0.026
	302	French salad dressing	1	0.01	0.01	0.01
	304	olive or safflower oil	1	0.011	0.011	0.011
	316	split peas with veg., ham	1	0.024	0.024	0.024
			112			

BHC, alpha

008	evaporated milk, canned	1	0.0004	0.0004	0.0004
013	ground beef, pan-cooked	1	0.0004	0.0004	0.0004
019	pork sausage, pan-cooked	3	0.0006	0.0003	0.001
032	tuna, canned in oil	1	0.001	0.001	0.001
064	rye bread	2	0.0005	0.0004	0.0005
111	coleslaw with dressing	9	0.0014	0.0003	0.005
147	hamburger, fast-food	1	0.0006	0.0006	0.0006
164	butter, regular (salted)	6	0.0008	0.0004	0.002
183	chocolate chip cookies	8	0.0007	0.0002	0.002
186	pumpkin pie	2	0.0004	0.0002	0.0006
187	milk chocolate candy bar	17	0.0013	0.0002	0.005
243	haddock, pan-cooked	1	0.0003	0.0003	0.0003
244	shrimp, boiled	2	0.0003	0.0002	0.0003
247	mixed nuts, no peanuts	13	0.0036	0.0005	0.012
270	green peppers, stuffed	4	0.0003	0.0002	0.0005
275	cheeseburger, fast-food	1	0.0002	0.0002	0.0002
276	fish sandwich, fast-food	1	0.0002	0.0002	0.0002
277	frankfurter, fast-food	1	0.0001	0.0001	0.0001
297	sweet cucumber pickles	1	0.0002	0.0002	0.0002
298	yellow mustard	17	0.0021	0.0005	0.009
304	olive or safflower oil	2	0.0012	0.0004	0.002
		94			

BHC, beta

047	peanut butter, smooth	1	0.001	0.001	0.001
048	peanuts, dry roasted	1	0.001	0.001	0.001
086	strawberries, raw	1	0.0009	0.0009	0.0009
123	cucumber, raw	1	0.0007	0.0007	0.0007
147	hamburger, fast-food	1	0.0003	0.0003	0.0003
244	shrimp, boiled	1	0.0008	0.0008	0.0008
247	mixed nuts, no peanuts	5	0.0012	0.0005	0.003
276	fish sandwich, fast-food	1	0.0002	0.0002	0.0002
298	yellow mustard	5	0.0008	0.0003	0.002
		17			

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
BHC, delta						
	247	mixed nuts, no peanuts	6	0.0016	0.0005	0.004
	298	yellow mustard	4	0.0004	0.0001	0.001
			10			
bromodichloromethane						
	029	bologna, sliced	1	0.016	0.016	0.016
	036	eggs, fried	1	0.013	0.013	0.013
	039	pork and beans, canned	1	0.011	0.011	0.011
	047	peanut butter, smooth	1	0.01	0.01	0.01
	060	cornbread, homemade	1	0.013	0.013	0.013
	079	orange, raw	1	0.014	0.014	0.014
	093	pineapple, canned in juice	1	0.014	0.014	0.014
	099	apple juice, bottled	1	0.033	0.033	0.033
	108	collards, boiled	1	0.014	0.014	0.014
	117	tomato, red, raw	1	0.011	0.011	0.011
	125	green pepper, raw	1	0.014	0.014	0.014
	147	hamburger, fast-food	1	0.037	0.037	0.037
	201	tap water	2	0.0225	0.015	0.03
			14			
bromophos-ethyl						
	064	rye bread	1	0.002	0.002	0.002
			1			
butylbenzene, n-						
	021	pork roast, baked	1	0.169	0.169	0.169
	028	frankfurters, beef, boiled	1	0.012	0.012	0.012
	034	fish sticks, frozen, heated	1	0.034	0.034	0.034
	123	cucumber, raw	1	0.029	0.029	0.029
	147	hamburger, fast-food	1	0.078	0.078	0.078
	178	chocolate cake and icing	1	0.014	0.014	0.014
	185	apple pie	1	0.011	0.011	0.011
	223	peas, strained/junior	1	0.016	0.016	0.016
	291	brownies, commercial	1	0.006	0.006	0.006
	292	sugar cookies, commercial	1	0.019	0.019	0.019
	317	teething biscuits	2	0.0165	0.014	0.019
			12			
butylbenzene, sec-						
	057	popcorn, popped in oil	1	0.01	0.01	0.01
			1			
captan						
	074	raisin bran cereal	2	0.004	0.001	0.007
	078	apple, red, raw	4	0.0115	0.002	0.04
	079	orange, raw	1	0.002	0.002	0.002
	083	peach, raw	5	0.0434	0.002	0.176
	085	pear, raw	3	0.0087	0.003	0.016
	086	strawberries, raw	11	0.1797	0.002	1.33
	088	grapes, seedless, raw	8	0.0294	0.005	0.104
	091	plums, raw	1	0.005	0.005	0.005
	094	sweet cherries, raw	1	0.053	0.053	0.053
	114	celery, raw	1	0.032	0.032	0.032
	253	apricot, raw	4	0.0874	0.0007	0.247
	257	grape juice, conc.	3	0.0073	0.003	0.015
	287	fruit flavor sherbet	2	0.1985	0.037	0.36
			46			
carbaryl						
	078	apple, red, raw	11	0.0401	0.005	0.15
	079	orange, raw	7	0.0121	0.004	0.044
	081	watermelon, raw	1	0.019	0.019	0.019
	083	peach, raw	6	0.0488	0.002	0.163

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	084	applesauce, bottled	7	0.0133	0.004	0.052
	085	pear, raw	2	0.0045	0.004	0.005
	086	strawberries, raw	13	0.1162	0.004	0.53
	087	fruit cocktail, canned	9	0.0132	0.005	0.035
	088	grapes, seedless, raw	1	0.101	0.101	0.101
	089	cantaloupe, raw	2	0.04	0.003	0.077
	091	plums, raw	2	0.0125	0.008	0.017
	094	sweet cherries, raw	7	0.0616	0.007	0.24
	095	raisins, dried	8	0.0581	0.008	0.2
	096	prunes, dried	2	0.015	0.008	0.022
	098	orange juice, from conc.	1	0.009	0.009	0.009
	099	apple juice, bottled	10	0.0183	0.003	0.035
	110	cabbage, fresh, boiled	1	0.005	0.005	0.005
	121	green beans, boiled	3	0.0053	0.004	0.008
	125	green pepper, raw	2	0.0445	0.005	0.084
	161	dill cucumber pickles	4	0.008	0.004	0.012
	197	tea, from tea bag	1	0.003	0.003	0.003
	199	dry table wine	17	0.0322	0.006	0.11
	225	applesauce, strained/junior	6	0.0145	0.005	0.047
	226	peaches, strained/junior	8	0.0183	0.003	0.049
	227	pears, strained/junior	1	0.01	0.01	0.01
	230	apple juice, strained	8	0.0083	0.003	0.013
	231	orange juice, strained	1	0.004	0.004	0.004
	253	apricot, raw	5	0.4156	0.014	1.95
	254	peach, canned	12	0.0363	0.008	0.106
	257	grape juice, conc.	13	0.0141	0.005	0.025
	261	tomato juice, bottled	1	0.003	0.003	0.003
	265	eggplant, fresh, boiled	1	0.03	0.03	0.03
	268	mixed vegetables, boiled	2	0.0035	0.003	0.004
	288	popsicle, any flavor	1	0.033	0.033	0.033
	296	jelly, any flavor	12	0.029	0.004	0.091
	305	coffee, from ground	1	0.009	0.009	0.009
	306	fruit-flavored carbonated	2	0.008	0.005	0.011
	307	fruit drink, canned	3	0.0073	0.005	0.011
			194			
carbofuran	086	strawberries, raw	1	0.008	0.008	0.008
			1			
carbon tetrachloride	028	frankfurters, beef, boiled	1	0.011	0.011	0.011
	029	bologna, sliced	1	0.011	0.011	0.011
	047	peanut butter, smooth	1	0.031	0.031	0.031
	048	peanuts, dry roasted	1	0.017	0.017	0.017
	067	corn chips	1	0.026	0.026	0.026
	184	sandwich cookies creme fill	1	0.011	0.011	0.011
	304	olive or safflower oil	1	0.01	0.01	0.01
			7			
chlordane	057	popcorn, popped in oil	2	0.054	0.021	0.087
	126	winter squash, baked	1	0.058	0.058	0.058
	164	butter, regular (salted)	1	0.013	0.013	0.013
	297	sweet cucumber pickles	1	0.0009	0.0009	0.0009
			5			
chlordane, cis	008	evaporated milk, canned	1	0.0009	0.0009	0.0009
	018	pork chop, pan-cooked	1	0.0008	0.0008	0.0008
	057	popcorn, popped in oil	4	0.0013	0.001	0.002
	107	spinach, boiled	1	0.0005	0.0005	0.0005
	123	cucumber, raw	3	0.0011	0.0004	0.002
	124	summer squash, boiled	2	0.0006	0.0001	0.001

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	126	winter squash, baked	4	0.0043	0.002	0.007
	132	radish, raw	1	0.0005	0.0005	0.0005
	138	potato chips	1	0.0004	0.0004	0.0004
	161	dill cucumber pickles	2	0.0013	0.0006	0.002
	186	pumpkin pie	1	0.0002	0.0002	0.0002
	258	French fries, fast-food	1	0.0007	0.0007	0.0007
	297	sweet cucumber pickles	5	0.0006	0.0002	0.001
	317	teething biscuits	1	0.0008	0.0008	0.0008
			28			
chlordan, trans						
	018	pork chop, pan-cooked	1	0.0008	0.0008	0.0008
	057	popcorn, popped in oil	4	0.0023	0.002	0.003
	107	spinach, boiled	1	0.0006	0.0006	0.0006
	123	cucumber, raw	2	0.0015	0.0009	0.002
	124	summer squash, boiled	2	0.0003	0.0002	0.0004
	126	winter squash, baked	4	0.0025	0.0008	0.005
	132	radish, raw	2	0.0004	0.0003	0.0004
	161	dill cucumber pickles	2	0.0007	0.0003	0.001
	297	sweet cucumber pickles	5	0.0004	0.0003	0.0006
	317	teething biscuits	1	0.0008	0.0008	0.0008
			24			
chlorobenzene						
	193	fruit drink, from powder	1	0.015	0.015	0.015
	236	Swiss cheese	1	0.011	0.011	0.011
	241	chicken nuggets, fast-food	1	0.01	0.01	0.01
	252	butter-type crackers	1	0.016	0.016	0.016
			4			
chloroform						
	001	whole milk, fluid	2	0.0185	0.015	0.022
	010	American cheese	6	0.0287	0.012	0.054
	012	cheddar cheese	5	0.0244	0.013	0.037
	013	ground beef, pan-cooked	1	0.017	0.017	0.017
	014	beef chuck roast, baked	2	0.013	0.013	0.013
	016	beef steak, pan-cooked	1	0.013	0.013	0.013
	020	pork bacon, pan-cooked	1	0.012	0.012	0.012
	021	pork roast, baked	1	0.03	0.03	0.03
	022	lamb chop, pan-cooked	1	0.017	0.017	0.017
	024	chicken, fried homemade	1	0.028	0.028	0.028
	026	turkey breast, roasted	1	0.02	0.02	0.02
	027	liver, beef, fried	1	0.015	0.015	0.015
	028	frankfurters, beef, boiled	1	0.01	0.01	0.01
	029	bologna, sliced	2	0.016	0.01	0.022
	030	salami, sliced	1	0.016	0.016	0.016
	032	tuna, canned in oil	1	0.021	0.021	0.021
	034	fish sticks, frozen, heated	4	0.0173	0.012	0.025
	035	eggs, scrambled	1	0.013	0.013	0.013
	036	eggs, fried	1	0.021	0.021	0.021
	037	eggs, boiled	1	0.023	0.023	0.023
	039	pork and beans, canned	1	0.016	0.016	0.016
	042	lima beans, boiled	1	0.018	0.018	0.018
	046	green peas, boiled	1	0.011	0.011	0.011
	047	peanut butter, smooth	1	0.081	0.081	0.081
	048	peanuts, dry roasted	1	0.011	0.011	0.011
	052	wheat cereal, farina, cooked	1	0.012	0.012	0.012
	054	corn, boiled	1	0.029	0.029	0.029
	056	cream style corn, canned	1	0.024	0.024	0.024
	057	popcorn, popped in oil	1	0.015	0.015	0.015
	061	biscuit, baked	1	0.014	0.014	0.014
	065	blueberry muffin	1	0.015	0.015	0.015
	084	applesauce, bottled	1	0.011	0.011	0.011
	085	pear, raw	1	0.01	0.01	0.01

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	094	sweet cherries, raw	1	0.011	0.011	0.011
	097	avocado, raw	3	0.0197	0.014	0.03
	099	apple juice, bottled	1	0.012	0.012	0.012
	105	lemonade, from conc.	1	0.01	0.01	0.01
	107	spinach, boiled	2	0.0185	0.01	0.027
	108	collards, boiled	1	0.025	0.025	0.025
	111	coleslaw with dressing	1	0.025	0.025	0.025
	112	sauerkraut, canned	1	0.016	0.016	0.016
	113	broccoli, boiled	1	0.014	0.014	0.014
	116	cauliflower, boiled	1	0.015	0.015	0.015
	117	tomato, red, raw	1	0.03	0.03	0.03
	121	green beans, boiled	1	0.011	0.011	0.011
	126	winter squash, baked	1	0.03	0.03	0.03
	137	white potato, baked, skin	1	0.012	0.012	0.012
	138	potato chips	1	0.047	0.047	0.047
	140	sweet potato, fresh, baked	1	0.027	0.027	0.027
	147	hamburger, fast-food	1	0.014	0.014	0.014
	162	margarine, stick (salted)	1	0.014	0.014	0.014
	164	butter, regular (salted)	6	0.0437	0.015	0.064
	167	half & half cream	1	0.012	0.012	0.012
	170	pancake syrup	1	0.011	0.011	0.011
	177	vanilla light ice cream	3	0.033	0.011	0.05
	184	sandwich cookies creme fill	1	0.028	0.028	0.028
	185	apple pie	1	0.019	0.019	0.019
	186	pumpkin pie	1	0.017	0.017	0.017
	187	milk chocolate candy bar	2	0.024	0.012	0.036
	188	caramel candy	2	0.041	0.018	0.064
	190	gelatin dessert, any flavor	1	0.059	0.059	0.059
	191	cola carbonated	4	0.019	0.01	0.039
	193	fruit drink, from powder	1	0.022	0.022	0.022
	196	coffee, decaff., instant	1	0.037	0.037	0.037
	197	tea, from tea bag	1	0.015	0.015	0.015
	201	tap water	3	0.0437	0.037	0.047
	203	milk-based formula, low iron	1	0.025	0.025	0.025
	205	beef, strained/junior	1	0.01	0.01	0.01
	216	turkey and rice, strained/junior	1	0.01	0.01	0.01
	226	peaches, strained/junior	1	0.017	0.017	0.017
	236	Swiss cheese	4	0.029	0.01	0.046
	237	cream cheese	4	0.068	0.043	0.088
	242	chicken, fried fast-food	1	0.01	0.01	0.01
	267	okra, boiled	1	0.011	0.011	0.011
	273	salisbury steak, frozen meal	1	0.011	0.011	0.011
	274	turkey, frozen meal	1	0.014	0.014	0.014
	280	cheese pizza, carry-out	1	0.011	0.011	0.011
	286	vanilla ice cream	3	0.0177	0.013	0.024
	287	fruit flavor sherbet	1	0.01	0.01	0.01
	288	popsicle, any flavor	1	0.016	0.016	0.016
	299	black olives	1	0.011	0.011	0.011
	300	sour cream	4	0.026	0.013	0.047
	302	French salad dressing	1	0.021	0.021	0.021
	303	Ital. salad dressing, low-cal	1	0.02	0.02	0.02
	306	fruit-flavored carbonated	3	0.018	0.011	0.023
	309	soy-based formula	1	0.013	0.013	0.013
	317	teething biscuits	1	0.334	0.334	0.334
			132			
chlorothalonil						
	114	celery, raw	5	0.0114	0.003	0.018
	117	tomato, red, raw	1	0.013	0.013	0.013
			6			
chlorotoluene, o-						
	072	fruit-flavored cereal	1	0.011	0.011	0.011
	241	chicken nuggets, fast-food	1	0.013	0.013	0.013
	290	cake doughnuts with icing	1	0.011	0.011	0.011
			3			

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
chlorotoluene, p- (4-chlorotoluene)						
	272	tuna noodle casserole	1	0.03	0.03	0.03
	290	cake doughnuts with icing	1	0.01	0.01	0.01
			2			
chlorpropham						
	014	beef chuck roast, baked	1	0.007	0.007	0.007
	035	eggs, scrambled	1	0.011	0.011	0.011
	048	peanuts, dry roasted	1	0.004	0.004	0.004
	058	white bread	3	0.0037	0.002	0.006
	068	pancake from mix	1	0.005	0.005	0.005
	111	coleslaw with dressing	1	0.022	0.022	0.022
	114	celery, raw	1	0.002	0.002	0.002
	125	green pepper, raw	3	0.0033	0.001	0.007
	134	French fries, frozen, heated	16	0.285	0.035	0.658
	135	mashed potatoes, flakes	18	0.0503	0.002	0.114
	136	white potato, boiled, no skin	13	0.1427	0.0006	0.704
	137	white potato, baked, skin	16	0.7099	0.001	3.85
	138	potato chips	13	1.0672	0.002	2.929
	139	scalloped potatoes	12	0.0933	0.003	0.28
	143	beef stew	11	0.0415	0.002	0.072
	148	meatloaf, homemade	1	0.017	0.017	0.017
	151	lasagna with meat	1	0.001	0.001	0.001
	152	chicken potpie, frozen	13	0.0092	0.002	0.023
	157	vegetable beef soup, canned	8	0.0138	0.008	0.028
	175	instant chocolate pudding	1	0.007	0.007	0.007
	211	vegetables and beef, strained/junior	9	0.0143	0.003	0.059
	212	vegetables and chicken, strained/junior	12	0.0097	0.002	0.03
	213	vegetables and ham, strained/junior	11	0.0099	0.001	0.028
	214	chicken noodle dinner, strained/junior	11	0.0062	0.001	0.015
	215	macaroni, tomatoes, beef, strained/junior	2	0.012	0.011	0.013
	216	turkey and rice, strained/junior	7	0.0039	0.001	0.006
	220	mixed vegetables, strained/junior	12	0.0108	0.001	0.028
	225	applesauce, strained/junior	1	0.002	0.002	0.002
	240	chicken breast, roasted	2	0.005	0.004	0.006
	241	chicken nuggets, fast-food	5	0.004	0.002	0.006
	244	shrimp, boiled	1	0.014	0.014	0.014
	258	French fries, fast-food	12	0.3795	0.002	0.933
	264	mushrooms, raw	1	0.002	0.002	0.002
	270	green peppers, stuffed	2	0.0015	0.001	0.002
	272	tuna noodle casserole	2	0.0023	0.0005	0.004
	273	salisbury steak, frozen meal	17	0.0201	0.002	0.058
	274	turkey, frozen meal	16	0.0171	0.002	0.034
	276	fish sandwich, fast-food	1	0.0008	0.0008	0.0008
	283	bean soup, canned	1	0.002	0.002	0.002
	284	mushroom soup, canned	1	0.01	0.01	0.01
	285	clam chowder, canned	11	0.0325	0.004	0.085
	290	cake doughnuts with icing	1	0.002	0.002	0.002
	294	pretzels, hard, salted	1	0.003	0.003	0.003
	297	sweet cucumber pickles	1	0.002	0.002	0.002
	298	yellow mustard	1	0.002	0.002	0.002
	301	brown gravy, homemade	4	0.0108	0.006	0.016
	316	split peas with veg., ham	8	0.0075	0.002	0.015
			288			
chlorpyrifos						
	007	choc. milk shake, fast-food	1	0.002	0.002	0.002
	018	pork chop, pan-cooked	1	0.002	0.002	0.002
	022	lamb chop, pan-cooked	1	0.006	0.006	0.006
	034	fish sticks, frozen, heated	2	0.001	0.0009	0.001
	047	peanut butter, smooth	17	0.0047	0.003	0.007
	048	peanuts, dry roasted	17	0.0045	0.002	0.011
	051	oatmeal, cooked	4	0.0063	0.002	0.014

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	057	popcorn, popped in oil	2	0.01	0.002	0.018
	058	white bread	4	0.0011	0.0005	0.002
	059	white roll	5	0.0014	0.0009	0.003
	060	cornbread, homemade	2	0.0004	0.0002	0.0005
	061	biscuit, baked	3	0.0009	0.0007	0.001
	062	whole wheat bread	9	0.0014	0.0006	0.002
	063	tortilla, flour	4	0.0007	0.0005	0.001
	064	rye bread	6	0.001	0.001	0.001
	065	blueberry muffin	2	0.0055	0.001	0.01
	066	saltine crackers	5	0.001	0.0006	0.002
	067	corn chips	1	0.003	0.003	0.003
	068	pancake from mix	3	0.0008	0.0005	0.001
	069	egg noodles, boiled	6	0.002	0.001	0.005
	070	macaroni, boiled	2	0.001	0.001	0.001
	072	fruit-flavored cereal	5	0.0014	0.001	0.002
	073	shredded wheat cereal	6	0.0014	0.0006	0.004
	074	raisin bran cereal	4	0.0015	0.0009	0.002
	076	granola cereal	8	0.0013	0.0003	0.002
	077	oat ring cereal	4	0.0685	0.001	0.128
	078	apple, red, raw	14	0.012	0.001	0.103
	079	orange, raw	7	0.002	0.0009	0.003
	083	peach, raw	9	0.0056	0.0007	0.018
	084	applesauce, bottled	3	0.0008	0.0007	0.001
	085	pear, raw	1	0.001	0.001	0.001
	087	fruit cocktail, canned	1	0.001	0.001	0.001
	088	grapes, seedless, raw	5	0.0115	0.0007	0.053
	089	cantaloupe, raw	1	0.001	0.001	0.001
	091	plums, raw	9	0.0015	0.0004	0.004
	094	sweet cherries, raw	2	0.002	0.0009	0.003
	095	raisins, dried	4	0.0013	0.001	0.002
	096	prunes, dried	3	0.001	0.001	0.001
	098	orange juice, from conc.	2	0.001	0.001	0.001
	107	spinach, boiled	10	0.0019	0.0009	0.004
	108	collards, boiled	3	0.0033	0.001	0.007
	111	coleslaw with dressing	1	0.0004	0.0004	0.0004
	113	broccoli, boiled	5	0.0035	0.0006	0.011
	115	asparagus, boiled	1	0.001	0.001	0.001
	117	tomato, red, raw	8	0.0036	0.001	0.007
	125	green pepper, raw	5	0.0154	0.001	0.041
	126	winter squash, baked	1	0.002	0.002	0.002
	132	radish, raw	3	0.004	0.003	0.005
	135	mashed potatoes, flakes	1	0.001	0.001	0.001
	138	potato chips	1	0.001	0.001	0.001
	139	scalloped potatoes	1	0.001	0.001	0.001
	146	macaroni and cheese, box	1	0.0007	0.0007	0.0007
	147	hamburger, fast-food	4	0.0011	0.0006	0.002
	148	meatloaf, homemade	4	0.0009	0.0007	0.001
	149	spaghetti, canned	1	0.001	0.001	0.001
	151	lasagna with meat	3	0.0008	0.0006	0.001
	152	chicken potpie, frozen	1	0.0006	0.0006	0.0006
	157	vegetable beef soup, canned	1	0.001	0.001	0.001
	160	white sauce, homemade	1	0.001	0.001	0.001
	173	tomato catsup	1	0.001	0.001	0.001
	178	chocolate cake and icing	5	0.0011	0.0007	0.002
	182	sweet roll or Danish	6	0.0016	0.0007	0.004
	183	chocolate chip cookies	2	0.0013	0.0006	0.002
	185	apple pie	1	0.002	0.002	0.002
	187	milk chocolate candy bar	1	0.003	0.003	0.003
	225	applesauce, strained/junior	15	0.0041	0.001	0.01
	226	peaches, strained/junior	6	0.0012	0.001	0.002
	227	pears, strained/junior	2	0.001	0.001	0.001
	233	fruit dessert/pudding, strained/junior	5	0.0034	0.001	0.008
	241	chicken nuggets, fast-food	1	0.001	0.001	0.001
	247	mixed nuts, no peanuts	2	0.002	0.001	0.003

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	248	cracked wheat bread	6	0.0015	0.0009	0.003
	249	bagel, plain	4	0.0013	0.001	0.002
	250	English muffin, toasted	1	0.001	0.001	0.001
	251	graham crackers	4	0.0007	0.0004	0.001
	253	apricot, raw	3	0.0033	0.001	0.006
	258	French fries, fast-food	4	0.0011	0.0007	0.002
	263	Brussels sprouts, boiled	15	0.0152	0.001	0.148
	266	turnip, boiled	9	0.0459	0.003	0.126
	269	beef stroganoff	4	0.0011	0.0005	0.002
	270	green peppers, stuffed	4	0.0055	0.002	0.013
	272	tuna noodle casserole	4	0.001	0.0006	0.002
	274	turkey, frozen meal	2	0.0006	0.0005	0.0006
	275	cheeseburger, fast-food	6	0.0008	0.0006	0.001
	276	fish sandwich, fast-food	7	0.0014	0.0007	0.003
	277	frankfurter, fast-food	6	0.001	0.0006	0.002
	278	egg/cheese/ham, fast-food	1	0.001	0.001	0.001
	279	taco or tostada, carry-out	8	0.0016	0.0001	0.005
	280	cheese pizza, carry-out	13	0.0013	0.0006	0.004
	281	pepperoni pizza, carry-out	12	0.0015	0.0005	0.005
	282	beef chow mein, carry-out	7	0.0019	0.0006	0.003
	290	cake doughnuts with icing	9	0.002	0.0005	0.003
	291	brownies, commercial	1	0.0009	0.0009	0.0009
	292	sugar cookies, commercial	3	0.0008	0.0004	0.001
	293	suckers, any flavor	1	0.002	0.002	0.002
	294	pretzels, hard, salted	6	0.001	0.0006	0.002
	295	chocolate syrup	1	0.0006	0.0006	0.0006
	297	sweet cucumber pickles	6	0.0043	0.001	0.015
	299	black olives	17	0.0022	0.0006	0.006
	301	brown gravy, homemade	1	0.001	0.001	0.001
	304	olive or safflower oil	1	0.001	0.001	0.001
	312	rice cereal, strained/junior	11	0.0013	0.0006	0.003
	317	teething biscuits	3	0.0017	0.001	0.003
			468			
chlorpyrifos-methyl						
	034	fish sticks, frozen, heated	18	0.0021	0.0006	0.006
	051	oatmeal, cooked	7	0.0015	0.0004	0.004
	052	wheat cereal, farina, cooked	2	0.001	0.001	0.001
	058	white bread	17	0.0081	0.001	0.029
	059	white roll	18	0.0084	0.001	0.024
	060	cornbread, homemade	10	0.0023	0.0006	0.005
	061	biscuit, baked	15	0.0032	0.001	0.009
	062	whole wheat bread	18	0.0322	0.008	0.14
	063	tortilla, flour	18	0.006	0.0008	0.025
	064	rye bread	18	0.0113	0.001	0.073
	065	blueberry muffin	16	0.0066	0.0007	0.025
	066	saltine crackers	17	0.0166	0.001	0.047
	068	pancake from mix	15	0.0076	0.001	0.024
	069	egg noodles, boiled	16	0.0034	0.001	0.009
	070	macaroni, boiled	11	0.0024	0.001	0.006
	072	fruit-flavored cereal	4	0.0012	0.0009	0.002
	073	shredded wheat cereal	8	0.0141	0.001	0.033
	074	raisin bran cereal	11	0.0054	0.001	0.015
	076	granola cereal	13	0.0322	0.0006	0.137
	077	oat ring cereal	3	0.0103	0.001	0.018
	142	spaghetti and meatballs	3	0.002	0.002	0.002
	146	macaroni and cheese, box	14	0.0022	0.0007	0.006
	147	hamburger, fast-food	16	0.0026	0.0004	0.007
	149	spaghetti, canned	4	0.0015	0.001	0.002
	151	lasagna with meat	3	0.0011	0.0004	0.002
	152	chicken potpie, frozen	16	0.006	0.0006	0.018
	156	tomato soup, canned	4	0.0012	0.0009	0.002
	160	white sauce, homemade	3	0.0026	0.0008	0.004
	178	chocolate cake and icing	11	0.0024	0.001	0.005

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	179	yellow cake with white icing	11	0.0023	0.0007	0.005
	182	sweet roll or Danish	15	0.0047	0.001	0.018
	183	chocolate chip cookies	11	0.009	0.0008	0.03
	184	sandwich cookies creme fill	14	0.0069	0.0006	0.018
	185	apple pie	17	0.0085	0.003	0.018
	186	pumpkin pie	17	0.0044	0.001	0.013
	241	chicken nuggets, fast-food	5	0.0016	0.0005	0.005
	242	chicken, fried fast-food	1	0.0009	0.0009	0.0009
	247	mixed nuts, no peanuts	1	0.002	0.002	0.002
	248	cracked wheat bread	18	0.0178	0.007	0.039
	249	bagel, plain	17	0.0094	0.001	0.037
	250	English muffin, toasted	18	0.0064	0.001	0.019
	251	graham crackers	17	0.0122	0.002	0.052
	252	butter-type crackers	18	0.0099	0.001	0.056
	269	beef stroganoff	14	0.0017	0.0005	0.005
	272	tuna noodle casserole	12	0.0011	0.0005	0.002
	273	salisbury steak, frozen meal	4	0.0012	0.0009	0.002
	274	turkey, frozen meal	1	0.001	0.001	0.001
	275	cheeseburger, fast-food	16	0.0031	0.0006	0.008
	276	fish sandwich, fast-food	18	0.0034	0.0008	0.007
	277	frankfurter, fast-food	15	0.0035	0.0009	0.011
	278	egg/cheese/ham, fast-food	16	0.0037	0.0008	0.017
	279	taco or tostada, carry-out	6	0.0011	0.0005	0.002
	280	cheese pizza, carry-out	17	0.0062	0.001	0.02
	281	pepperoni pizza, carry-out	17	0.0052	0.001	0.019
	282	beef chow mein, carry-out	3	0.0027	0.002	0.004
	284	mushroom soup, canned	1	0.001	0.001	0.001
	285	clam chowder, canned	2	0.0009	0.0008	0.001
	289	chocolate snack cake	12	0.0034	0.001	0.006
	290	cake doughnuts with icing	17	0.0066	0.001	0.032
	291	brownies, commercial	13	0.0055	0.0008	0.016
	292	sugar cookies, commercial	15	0.0129	0.001	0.045
	294	pretzels, hard, salted	18	0.0236	0.0004	0.08
	301	brown gravy, homemade	5	0.0018	0.0009	0.003
	317	teething biscuits	18	0.0272	0.001	0.265
			749			
cumene (isopropyl benzene)						
	111	coleslaw with dressing	1	0.015	0.015	0.015
	183	chocolate chip cookies	1	0.015	0.015	0.015
	241	chicken nuggets, fast-food	1	0.016	0.016	0.016
	279	taco or tostada, carry-out	1	0.015	0.015	0.015
	281	pepperoni pizza, carry-out	1	0.011	0.011	0.011
	287	fruit flavor sherbet	1	0.039	0.039	0.039
	288	popsicle, any flavor	3	0.0247	0.012	0.045
	290	cake doughnuts with icing	1	0.027	0.027	0.027
	292	sugar cookies, commercial	1	0.014	0.014	0.014
			11			
cyfluthrin						
	282	beef chow mein, carry-out	1	0.004	0.004	0.004
			1			
cypermethrin						
	109	iceberg lettuce, raw	1	0.013	0.013	0.013
			1			
DCPA						
	042	lima beans, boiled	1	0.0008	0.0008	0.0008
	089	cantaloupe, raw	1	0.001	0.001	0.001
	107	spinach, boiled	4	0.0125	0.002	0.037
	108	collards, boiled	7	0.0203	0.003	0.064
	113	broccoli, boiled	4	0.0035	0.0009	0.008
	114	celery, raw	1	0.0007	0.0007	0.0007

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	116	cauliflower, boiled	1	0.001	0.001	0.001
	121	green beans, boiled	1	0.032	0.032	0.032
	124	summer squash, boiled	1	0.002	0.002	0.002
	125	green pepper, raw	1	0.006	0.006	0.006
	132	radish, raw	5	0.012	0.004	0.038
	148	meatloaf, homemade	2	0.003	0.002	0.004
	173	tomato catsup	1	0.003	0.003	0.003
	262	beets, boiled	2	0.0006	0.0005	0.0007
	266	turnip, boiled	7	0.013	0.001	0.023
	270	green peppers, stuffed	1	0.002	0.002	0.002
	271	chili con carne with beans	1	0.001	0.001	0.001
	299	black olives	5	0.0009	0.0007	0.001
	303	Ital. salad dressing, low-cal	1	0.001	0.001	0.001
	320	squash, strained/junior	1	0.001	0.001	0.001
			48			
DDE, p,p'						
	001	whole milk, fluid	13	0.0019	0.0001	0.011
	002	lowfat (2% fat) milk, fluid	10	0.0013	0.0002	0.005
	003	chocolate milk, fluid	5	0.0014	0.0004	0.004
	004	skim milk, fluid	3	0.0002	0.0002	0.0002
	006	plain yogurt, lowfat	2	0.0005	0.0004	0.0006
	007	choc. milk shake, fast-food	5	0.0009	0.0003	0.002
	008	evaporated milk, canned	14	0.0011	0.0003	0.002
	010	American cheese	18	0.007	0.0009	0.048
	011	cottage cheese, 4%	8	0.0017	0.0003	0.005
	012	cheddar cheese	15	0.0063	0.0007	0.03
	013	ground beef, pan-cooked	16	0.0025	0.0005	0.007
	014	beef chuck roast, baked	8	0.0016	0.0005	0.004
	016	beef steak, pan-cooked	13	0.0016	0.0003	0.004
	017	ham, baked	1	0.0007	0.0007	0.0007
	018	pork chop, pan-cooked	4	0.0039	0.0005	0.012
	019	pork sausage, pan-cooked	15	0.0049	0.0007	0.03
	020	pork bacon, pan-cooked	9	0.0014	0.0004	0.002
	021	pork roast, baked	2	0.0021	0.0002	0.004
	022	lamb chop, pan-cooked	17	0.0084	0.0004	0.03
	024	chicken, fried homemade	5	0.0007	0.0004	0.001
	026	turkey breast, roasted	3	0.0007	0.0005	0.0008
	027	liver, beef, fried	3	0.0006	0.0004	0.0007
	028	frankfurters, beef, boiled	16	0.0039	0.001	0.017
	029	bologna, sliced	10	0.0013	0.0004	0.003
	030	salami, sliced	12	0.0009	0.0005	0.002
	032	tuna, canned in oil	7	0.001	0.0003	0.003
	034	fish sticks, frozen, heated	1	0.0002	0.0002	0.0002
	035	eggs, scrambled	6	0.001	0.0004	0.002
	036	eggs, fried	6	0.0009	0.0004	0.002
	037	eggs, boiled	8	0.0009	0.0002	0.003
	042	lima beans, boiled	1	0.0003	0.0003	0.0003
	046	green peas, boiled	1	0.001	0.001	0.001
	047	peanut butter, smooth	14	0.0029	0.001	0.004
	048	peanuts, dry roasted	11	0.0031	0.001	0.007
	060	cornbread, homemade	4	0.0008	0.0006	0.001
	065	blueberry muffin	1	0.0004	0.0004	0.0004
	068	pancake from mix	4	0.0018	0.0005	0.004
	074	raisin bran cereal	1	0.0008	0.0008	0.0008
	076	granola cereal	1	0.0004	0.0004	0.0004
	078	apple, red, raw	1	0.0004	0.0004	0.0004
	083	peach, raw	1	0.0005	0.0005	0.0005
	086	strawberries, raw	1	0.001	0.001	0.001
	088	grapes, seedless, raw	2	0.0006	0.0004	0.0007
	089	cantaloupe, raw	1	0.0006	0.0006	0.0006
	094	sweet cherries, raw	1	0.0003	0.0003	0.0003
	095	raisins, dried	15	0.0012	0.0007	0.002
	096	prunes, dried	2	0.0003	0.0002	0.0003

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food</u>		<u>n</u>	<u>Level Found, ppm</u>		
	<u>Item#</u>	<u>Description</u>		<u>Mean</u>	<u>Min</u>	<u>Max</u>
	107	spinach, boiled	18	0.0122	0.002	0.037
	108	collards, boiled	17	0.0063	0.0007	0.029
	109	iceberg lettuce, raw	1	0.002	0.002	0.002
	113	broccoli, boiled	7	0.0009	0.0002	0.002
	114	celery, raw	11	0.0025	0.0006	0.005
	115	asparagus, boiled	2	0.0005	0.0004	0.0005
	119	tomato sauce, bottled	1	0.0006	0.0006	0.0006
	121	green beans, boiled	1	0.003	0.003	0.003
	123	cucumber, raw	1	0.003	0.003	0.003
	124	summer squash, boiled	3	0.0013	0.001	0.002
	125	green pepper, raw	6	0.0014	0.0006	0.003
	126	winter squash, baked	1	0.006	0.006	0.006
	132	radish, raw	9	0.0025	0.0002	0.008
	134	French fries, frozen, heated	3	0.0009	0.0003	0.002
	135	mashed potatoes, flakes	5	0.0013	0.0005	0.002
	136	white potato, boiled, no skin	2	0.0005	0.0004	0.0005
	137	white potato, baked, skin	13	0.0018	0.0003	0.005
	138	potato chips	7	0.0018	0.0005	0.004
	139	scalloped potatoes	5	0.0009	0.0003	0.002
	142	spaghetti and meatballs	7	0.0007	0.0004	0.001
	143	beef stew	5	0.0011	0.0006	0.002
	146	macaroni and cheese, box	7	0.001	0.0004	0.002
	147	hamburger, fast-food	17	0.0024	0.0004	0.007
	148	meatloaf, homemade	18	0.003	0.0006	0.01
	151	lasagna with meat	13	0.0015	0.0003	0.007
	152	chicken potpie, frozen	1	0.0003	0.0003	0.0003
	160	white sauce, homemade	5	0.0025	0.0006	0.007
	161	dill cucumber pickles	1	0.0003	0.0003	0.0003
	164	butter, regular (salted)	18	0.0281	0.003	0.102
	167	half & half cream	16	0.0036	0.0004	0.021
	173	tomato catsup	3	0.0009	0.0002	0.002
	175	instant chocolate pudding	5	0.0021	0.0007	0.004
	177	vanilla light ice cream	7	0.0016	0.0005	0.003
	178	chocolate cake and icing	1	0.0005	0.0005	0.0005
	186	pumpkin pie	1	0.0002	0.0002	0.0002
	187	milk chocolate candy bar	15	0.0014	0.0007	0.003
	205	beef, strained/junior	10	0.0027	0.0003	0.017
	207	chicken, strained/junior	4	0.0004	0.0002	0.0005
	209	beef with vegetables, strained/junior	1	0.002	0.002	0.002
	211	vegetables and beef, strained/junior	4	0.0007	0.0004	0.0008
	215	macaroni, tomatoes, beef, strained/junior	2	0.0005	0.0003	0.0007
	216	turkey and rice, strained/junior	1	0.0004	0.0004	0.0004
	218	carrots, strained/junior	1	0.0001	0.0001	0.0001
	220	mixed vegetables, strained/junior	1	0.0002	0.0002	0.0002
	224	creamed spinach, strained/junior	8	0.0008	0.0004	0.002
	235	yogurt, lowfat, fruit	5	0.0007	0.0003	0.001
	236	Swiss cheese	15	0.0014	0.0004	0.003
	237	cream cheese	18	0.0037	0.0007	0.009
	240	chicken breast, roasted	3	0.0007	0.0007	0.0008
	242	chicken, fried fast-food	4	0.0004	0.0003	0.0006
	243	haddock, pan-cooked	3	0.0008	0.0005	0.001
	244	shrimp, boiled	9	0.0013	0.0003	0.005
	247	mixed nuts, no peanuts	1	0.0008	0.0008	0.0008
	258	French fries, fast-food	5	0.001	0.0002	0.002
	259	carrot, fresh, boiled	7	0.0026	0.0007	0.007
	262	beets, boiled	6	0.0012	0.0007	0.002
	263	Brussels sprouts, boiled	9	0.0006	0.0002	0.002
	266	turnip, boiled	10	0.0031	0.0004	0.015
	269	beef stroganoff	6	0.0012	0.0005	0.002
	270	green peppers, stuffed	9	0.0008	0.0004	0.001
	271	chili con carne with beans	12	0.001	0.0003	0.003
	272	tuna noodle casserole	10	0.0011	0.0004	0.003
	273	salisbury steak, frozen meal	10	0.0008	0.0005	0.001
	275	cheeseburger, fast-food	17	0.0056	0.002	0.015

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	276	fish sandwich, fast-food	15	0.0013	0.0006	0.002
	277	frankfurter, fast-food	15	0.0008	0.0003	0.002
	278	egg/cheese/ham, fast-food	15	0.0037	0.001	0.006
	279	taco or tostada, carry-out	15	0.0017	0.0006	0.004
	280	cheese pizza, carry-out	17	0.0019	0.0005	0.007
	281	pepperoni pizza, carry-out	17	0.0016	0.0004	0.005
	282	beef chow mein, carry-out	2	0.0005	0.0003	0.0006
	284	mushroom soup, canned	1	0.002	0.002	0.002
	285	clam chowder, canned	2	0.0035	0.002	0.005
	286	vanilla ice cream	14	0.003	0.0005	0.012
	287	fruit flavor sherbet	6	0.0015	0.0005	0.003
	289	chocolate snack cake	1	0.004	0.004	0.004
	292	sugar cookies, commercial	2	0.0017	0.0004	0.003
	297	sweet cucumber pickles	1	0.001	0.001	0.001
	299	black olives	8	0.0004	0.0002	0.0006
	300	sour cream	16	0.0038	0.0004	0.017
	301	brown gravy, homemade	4	0.0017	0.0009	0.004
	304	olive or safflower oil	6	0.001	0.0006	0.002
	310	egg yolk, strained/junior	1	0.0006	0.0006	0.0006
	311	rice infant cereal, instant, with whole milk	5	0.0011	0.0004	0.003
	320	squash, strained/junior	2	0.001	0.0009	0.001
			926			
DDT, o,p'						
	018	pork chop, pan-cooked	1	0.002	0.002	0.002
	107	spinach, boiled	3	0.0012	0.0005	0.002
	111	coleslaw with dressing	1	0.002	0.002	0.002
	114	celery, raw	1	0.0004	0.0004	0.0004
	132	radish, raw	1	0.0005	0.0005	0.0005
	137	white potato, baked, skin	1	0.0003	0.0003	0.0003
	247	mixed nuts, no peanuts	4	0.0014	0.0007	0.002
			12			
DDT, p,p'						
	013	ground beef, pan-cooked	2	0.0003	0.0003	0.0003
	016	beef steak, pan-cooked	1	0.0002	0.0002	0.0002
	018	pork chop, pan-cooked	4	0.0037	0.0007	0.007
	019	pork sausage, pan-cooked	8	0.0049	0.0006	0.019
	020	pork bacon, pan-cooked	6	0.0018	0.001	0.003
	034	fish sticks, frozen, heated	1	0.0003	0.0003	0.0003
	095	raisins, dried	1	0.0007	0.0007	0.0007
	107	spinach, boiled	12	0.0022	0.0003	0.008
	108	collards, boiled	2	0.0015	0.0009	0.002
	111	coleslaw with dressing	9	0.0012	0.0003	0.003
	114	celery, raw	9	0.0012	0.0003	0.003
	132	radish, raw	5	0.0012	0.0002	0.002
	137	white potato, baked, skin	7	0.0019	0.0006	0.005
	138	potato chips	3	0.001	0.0009	0.001
	183	chocolate chip cookies	4	0.0008	0.0003	0.001
	187	milk chocolate candy bar	14	0.0028	0.001	0.009
	239	ham luncheon meat	1	0.0005	0.0005	0.0005
	247	mixed nuts, no peanuts	13	0.0032	0.001	0.009
	258	French fries, fast-food	1	0.0004	0.0004	0.0004
	259	carrot, fresh, boiled	1	0.0007	0.0007	0.0007
	269	beef stroganoff	1	0.0009	0.0009	0.0009
	270	green peppers, stuffed	1	0.0005	0.0005	0.0005
	277	frankfurter, fast-food	3	0.0007	0.0003	0.001
	292	sugar cookies, commercial	1	0.0007	0.0007	0.0007
	298	yellow mustard	2	0.0006	0.0002	0.001
			112			
demeton-S sulfone						
	108	collards, boiled	1	0.001	0.001	0.001
	109	iceberg lettuce, raw	1	0.003	0.003	0.003

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	110	cabbage, fresh, boiled	3	0.008	0.001	0.021
	121	green beans, boiled	1	0.006	0.006	0.006
	136	white potato, boiled, no skin	1	0.003	0.003	0.003
	137	white potato, baked, skin	3	0.0023	0.001	0.005
	219	green beans, strained/junior	1	0.001	0.001	0.001
	263	Brussels sprouts, boiled	2	0.0045	0.004	0.005
			13			
diazinon						
	016	beef steak, pan-cooked	1	0.0009	0.0009	0.0009
	018	pork chop, pan-cooked	1	0.0008	0.0008	0.0008
	022	lamb chop, pan-cooked	2	0.0055	0.002	0.009
	046	green peas, boiled	2	0.002	0.001	0.003
	054	corn, boiled	2	0.0007	0.0003	0.001
	057	popcorn, popped in oil	2	0.008	0.001	0.015
	058	white bread	2	0.0025	0.001	0.004
	059	white roll	2	0.002	0.002	0.002
	060	cornbread, homemade	3	0.0007	0.0006	0.001
	061	biscuit, baked	3	0.0016	0.0008	0.002
	062	whole wheat bread	1	0.003	0.003	0.003
	064	rye bread	1	0.003	0.003	0.003
	065	blueberry muffin	1	0.004	0.004	0.004
	066	saltine crackers	1	0.005	0.005	0.005
	068	pancake from mix	1	0.003	0.003	0.003
	069	egg noodles, boiled	1	0.001	0.001	0.001
	072	fruit-flavored cereal	1	0.001	0.001	0.001
	073	shredded wheat cereal	1	0.001	0.001	0.001
	076	granola cereal	4	0.0011	0.0005	0.002
	078	apple, red, raw	3	0.0012	0.0005	0.002
	083	peach, raw	7	0.003	0.0009	0.009
	085	pear, raw	4	0.001	0.001	0.001
	086	strawberries, raw	2	0.0035	0.003	0.004
	091	plums, raw	1	0.002	0.002	0.002
	092	grapefruit, raw	1	0.006	0.006	0.006
	094	sweet cherries, raw	2	0.003	0.001	0.005
	095	raisins, dried	1	0.0004	0.0004	0.0004
	107	spinach, boiled	3	0.0013	0.001	0.002
	108	collards, boiled	1	0.001	0.001	0.001
	111	coleslaw with dressing	1	0.001	0.001	0.001
	113	broccoli, boiled	2	0.0015	0.001	0.002
	114	celery, raw	8	0.0339	0.001	0.226
	116	cauliflower, boiled	2	0.01	0.001	0.019
	121	green beans, boiled	1	0.001	0.001	0.001
	125	green pepper, raw	1	0.026	0.026	0.026
	126	winter squash, baked	2	0.0007	0.0003	0.001
	147	hamburger, fast-food	1	0.0005	0.0005	0.0005
	151	lasagna with meat	1	0.003	0.003	0.003
	152	chicken potpie, frozen	1	0.0005	0.0005	0.0005
	182	sweet roll or Danish	2	0.003	0.003	0.003
	183	chocolate chip cookies	1	0.004	0.004	0.004
	186	pumpkin pie	1	0.001	0.001	0.001
	225	applesauce, strained/junior	1	0.003	0.003	0.003
	241	chicken nuggets, fast-food	1	0.001	0.001	0.001
	242	chicken, fried fast-food	1	0.002	0.002	0.002
	246	peas, mature, dry, boiled	1	0.014	0.014	0.014
	247	mixed nuts, no peanuts	1	0.001	0.001	0.001
	248	cracked wheat bread	2	0.0025	0.001	0.004
	249	bagel, plain	1	0.001	0.001	0.001
	250	English muffin, toasted	1	0.009	0.009	0.009
	251	graham crackers	1	0.001	0.001	0.001
	252	butter-type crackers	1	0.006	0.006	0.006
	253	apricot, raw	3	0.0017	0.001	0.003
	258	French fries, fast-food	1	0.002	0.002	0.002
	259	carrot, fresh, boiled	1	0.01	0.01	0.01

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	263	Brussels sprouts, boiled	5	0.0044	0.001	0.016
	264	mushrooms, raw	10	0.0056	0.001	0.028
	269	beef stroganoff	5	0.0018	0.0003	0.006
	270	green peppers, stuffed	1	0.002	0.002	0.002
	272	tuna noodle casserole	3	0.0026	0.0008	0.006
	274	turkey, frozen meal	1	0.0007	0.0007	0.0007
	275	cheeseburger, fast-food	1	0.0009	0.0009	0.0009
	276	fish sandwich, fast-food	2	0.0013	0.0005	0.002
	277	frankfurter, fast-food	4	0.0007	0.0004	0.001
	278	egg/cheese/ham, fast-food	1	0.0005	0.0005	0.0005
	279	taco or tostada, carry-out	2	0.0008	0.0006	0.001
	280	cheese pizza, carry-out	4	0.0017	0.0006	0.003
	281	pepperoni pizza, carry-out	3	0.0023	0.0008	0.004
	282	beef chow mein, carry-out	5	0.0023	0.0006	0.004
	284	mushroom soup, canned	2	0.002	0.001	0.003
	289	chocolate snack cake	2	0.0025	0.001	0.004
	290	cake doughnuts with icing	4	0.003	0.002	0.004
	291	brownies, commercial	4	0.0022	0.0006	0.004
	292	sugar cookies, commercial	1	0.004	0.004	0.004
	301	brown gravy, homemade	1	0.002	0.002	0.002
	316	split peas with veg., ham	1	0.0002	0.0002	0.0002
	317	teething biscuits	1	0.001	0.001	0.001
			160			
dicamba	058	white bread	2	0.0065	0.004	0.009
	072	fruit-flavored cereal	1	0.002	0.002	0.002
	077	oat ring cereal	6	0.009	0.005	0.013
	248	cracked wheat bread	1	0.003	0.003	0.003
			10			
dichlorobenzene, p-	162	margarine, stick (salted)	1	0.011	0.011	0.011
	178	chocolate cake and icing	2	0.026	0.02	0.032
	183	chocolate chip cookies	1	0.027	0.027	0.027
	185	apple pie	2	0.023	0.011	0.035
	187	milk chocolate candy bar	1	0.012	0.012	0.012
			7			
dichlorooctadecanoic acid	242	chicken, fried fast-food	1	0.5	0.5	0.5
			1			
dichlorooctadecenoic acids	241	chicken nuggets, fast-food	1	0.62	0.62	0.62
	242	chicken, fried fast-food	1	0.18	0.18	0.18
			2			
dicloran	021	pork roast, baked	3	0.0027	0.002	0.004
	026	turkey breast, roasted	2	0.0014	0.0007	0.002
	047	peanut butter, smooth	1	0.001	0.001	0.001
	052	wheat cereal, farina, cooked	1	0.005	0.005	0.005
	053	corngrits, regular, cooked	1	0.001	0.001	0.001
	078	apple, red, raw	1	0.0009	0.0009	0.0009
	079	orange, raw	1	0.001	0.001	0.001
	081	watermelon, raw	1	0.003	0.003	0.003
	083	peach, raw	14	0.4791	0.002	2.33
	085	pear, raw	4	0.0013	0.0004	0.003
	088	grapes, seedless, raw	4	0.0817	0.0008	0.313
	091	plums, raw	15	0.1369	0.002	1.02
	096	prunes, dried	1	0.016	0.016	0.016
	103	prune juice, bottled	2	0.0018	0.0005	0.003
	107	spinach, boiled	4	0.0033	0.0003	0.01

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	108	collards, boiled	2	0.003	0.002	0.004
	109	iceberg lettuce, raw	2	0.0005	0.0004	0.0005
	111	coleslaw with dressing	2	0.0015	0.001	0.002
	112	sauerkraut, canned	2	0.0045	0.001	0.008
	114	celery, raw	14	0.057	0.005	0.148
	117	tomato, red, raw	3	0.0053	0.001	0.009
	121	green beans, boiled	1	0.003	0.003	0.003
	123	cucumber, raw	2	0.0014	0.0008	0.002
	132	radish, raw	1	0.001	0.001	0.001
	134	French fries, frozen, heated	1	0.006	0.006	0.006
	135	mashed potatoes, flakes	1	0.0008	0.0008	0.0008
	136	white potato, boiled, no skin	1	0.002	0.002	0.002
	137	white potato, baked, skin	1	0.002	0.002	0.002
	140	sweet potato, fresh, baked	15	0.1339	0.022	0.58
	152	chicken potpie, frozen	1	0.001	0.001	0.001
	172	honey	1	0.002	0.002	0.002
	199	dry table wine	1	0.001	0.001	0.001
	218	carrots, strained/junior	1	0.004	0.004	0.004
	219	green beans, strained/junior	2	0.137	0.002	0.272
	221	sweet potatoes, strained/junior	17	0.0135	0.002	0.041
	225	applesauce, strained/junior	1	0.001	0.001	0.001
	226	peaches, strained/junior	1	0.012	0.012	0.012
	233	fruit dessert/pudding, strained/junior	5	0.0176	0.001	0.029
	235	yogurt, lowfat, fruit	1	0.01	0.01	0.01
	254	peach, canned	1	0.001	0.001	0.001
	258	French fries, fast-food	4	0.0035	0.001	0.006
	259	carrot, fresh, boiled	2	0.0035	0.003	0.004
	267	okra, boiled	1	0.008	0.008	0.008
	272	tuna noodle casserole	12	0.0076	0.001	0.028
	282	beef chow mein, carry-out	8	0.021	0.001	0.124
			162			
dicofol, o,p'-						
	078	apple, red, raw	1	0.001	0.001	0.001
	085	pear, raw	3	0.0107	0.001	0.028
	088	grapes, seedless, raw	1	0.044	0.044	0.044
	095	raisins, dried	3	0.029	0.002	0.079
	125	green pepper, raw	2	0.024	0.007	0.041
	270	green peppers, stuffed	4	0.0083	0.003	0.016
			14			
dicofol, p,p'-						
	042	lima beans, boiled	1	0.004	0.004	0.004
	072	fruit-flavored cereal	2	0.0045	0.004	0.005
	074	raisin bran cereal	6	0.0347	0.002	0.086
	076	granola cereal	5	0.004	0.002	0.007
	078	apple, red, raw	5	0.039	0.008	0.082
	079	orange, raw	2	0.0055	0.004	0.007
	083	peach, raw	2	0.0495	0.03	0.069
	085	pear, raw	5	0.2012	0.039	0.618
	086	strawberries, raw	2	0.0715	0.036	0.107
	087	fruit cocktail, canned	4	0.0088	0.008	0.01
	088	grapes, seedless, raw	5	0.0478	0.002	0.14
	089	cantaloupe, raw	2	0.007	0.005	0.009
	091	plums, raw	1	0.011	0.011	0.011
	092	grapefruit, raw	2	0.0135	0.008	0.019
	095	raisins, dried	12	0.0798	0.004	0.483
	096	prunes, dried	7	0.0038	0.0008	0.006
	098	orange juice, from conc.	4	0.0017	0.0007	0.003
	100	grapefruit juice, from conc.	1	0.001	0.001	0.001
	117	tomato, red, raw	1	0.001	0.001	0.001
	125	green pepper, raw	4	0.212	0.015	0.681
	225	applesauce, strained/junior	1	0.002	0.002	0.002
	227	pears, strained/junior	1	0.006	0.006	0.006

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	270	green peppers, stuffed	4	0.1065	0.071	0.172
	272	tuna noodle casserole	1	0.011	0.011	0.011
	288	popsicle, any flavor	5	0.0042	0.001	0.007
	296	jelly, any flavor	1	0.003	0.003	0.003
	297	sweet cucumber pickles	1	0.007	0.007	0.007
	299	black olives	6	0.0032	0.001	0.005
			93			
dieldrin						
	001	whole milk, fluid	6	0.0002	0.0001	0.0002
	002	lowfat (2% fat) milk, fluid	3	0.0001	0.0001	0.0002
	008	evaporated milk, canned	4	0.001	0.0004	0.002
	010	American cheese	14	0.0009	0.0006	0.002
	011	cottage cheese, 4%	2	0.0005	0.0004	0.0005
	012	cheddar cheese	15	0.0015	0.0006	0.005
	013	ground beef, pan-cooked	11	0.0006	0.0004	0.0009
	014	beef chuck roast, baked	3	0.0006	0.0003	0.001
	016	beef steak, pan-cooked	4	0.001	0.0003	0.002
	018	pork chop, pan-cooked	1	0.0003	0.0003	0.0003
	019	pork sausage, pan-cooked	1	0.0004	0.0004	0.0004
	020	pork bacon, pan-cooked	2	0.0005	0.0003	0.0007
	022	lamb chop, pan-cooked	3	0.0012	0.0007	0.002
	024	chicken, fried homemade	1	0.0002	0.0002	0.0002
	026	turkey breast, roasted	1	0.001	0.001	0.001
	027	liver, beef, fried	6	0.0008	0.0003	0.002
	028	frankfurters, beef, boiled	8	0.0011	0.0006	0.002
	029	bologna, sliced	2	0.0008	0.0005	0.001
	030	salami, sliced	2	0.0008	0.0007	0.0008
	032	tuna, canned in oil	2	0.0005	0.0004	0.0005
	035	eggs, scrambled	1	0.0002	0.0002	0.0002
	036	eggs, fried	3	0.0004	0.0002	0.0007
	037	eggs, boiled	3	0.0003	0.0002	0.0005
	042	lima beans, boiled	1	0.0003	0.0003	0.0003
	047	peanut butter, smooth	15	0.0015	0.0006	0.003
	048	peanuts, dry roasted	11	0.0018	0.0007	0.005
	057	popcorn, popped in oil	2	0.002	0.002	0.002
	060	cornbread, homemade	1	0.001	0.001	0.001
	083	peach, raw	1	0.0002	0.0002	0.0002
	086	strawberries, raw	1	0.001	0.001	0.001
	089	cantaloupe, raw	3	0.0012	0.0002	0.003
	107	spinach, boiled	6	0.0028	0.0004	0.01
	108	collards, boiled	8	0.0016	0.0004	0.004
	109	iceberg lettuce, raw	1	0.0007	0.0007	0.0007
	111	coleslaw with dressing	3	0.0005	0.0003	0.0008
	112	sauerkraut, canned	2	0.0004	0.0003	0.0005
	113	broccoli, boiled	1	0.0003	0.0003	0.0003
	114	celery, raw	1	0.0007	0.0007	0.0007
	119	tomato sauce, bottled	1	0.0003	0.0003	0.0003
	121	green beans, boiled	1	0.0002	0.0002	0.0002
	123	cucumber, raw	13	0.0051	0.0006	0.026
	124	summer squash, boiled	14	0.0175	0.0003	0.076
	126	winter squash, baked	13	0.0099	0.0009	0.025
	132	radish, raw	6	0.0014	0.0004	0.004
	134	French fries, frozen, heated	6	0.0009	0.0004	0.002
	135	mashed potatoes, flakes	1	0.0003	0.0003	0.0003
	136	white potato, boiled, no skin	1	0.0005	0.0005	0.0005
	137	white potato, baked, skin	3	0.0016	0.0003	0.004
	138	potato chips	5	0.0014	0.0006	0.004
	140	sweet potato, fresh, baked	1	0.0005	0.0005	0.0005
	143	beef stew	2	0.0004	0.0003	0.0004
	147	hamburger, fast-food	8	0.0005	0.0003	0.0009
	148	meatloaf, homemade	12	0.0006	0.0004	0.0009
	151	lasagna with meat	2	0.0006	0.0005	0.0006
	161	dill cucumber pickles	16	0.0077	0.0007	0.018

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	164	butter, regular (salted)	18	0.0028	0.001	0.008
	166	mayonnaise	12	0.0013	0.0005	0.003
	167	half & half cream	3	0.0004	0.0002	0.0006
	177	vanilla light ice cream	1	0.0003	0.0003	0.0003
	186	pumpkin pie	16	0.0035	0.0006	0.009
	188	caramel candy	1	0.0002	0.0002	0.0002
	211	vegetables and beef, strained/junior	2	0.0005	0.0003	0.0006
	212	vegetables and chicken, strained/junior	2	0.0007	0.0005	0.0008
	213	vegetables and ham, strained/junior	1	0.0004	0.0004	0.0004
	215	macaroni, tomatoes, beef, strained/junior	3	0.0004	0.0003	0.0005
	216	turkey and rice, strained/junior	3	0.0003	0.0002	0.0003
	236	Swiss cheese	13	0.0013	0.0004	0.003
	237	cream cheese	18	0.0013	0.0004	0.003
	242	chicken, fried fast-food	4	0.0006	0.0003	0.0008
	243	haddock, pan-cooked	2	0.0003	0.0002	0.0003
	247	mixed nuts, no peanuts	1	0.0005	0.0005	0.0005
	258	French fries, fast-food	1	0.0004	0.0004	0.0004
	262	beets, boiled	8	0.0014	0.0002	0.006
	266	turnip, boiled	3	0.0016	0.0003	0.004
	268	mixed vegetables, boiled	1	0.002	0.002	0.002
	269	beef stroganoff	2	0.0003	0.0002	0.0003
	270	green peppers, stuffed	2	0.0006	0.0003	0.0008
	271	chili con carne with beans	2	0.0002	0.0002	0.0002
	272	tuna noodle casserole	2	0.0003	0.0002	0.0004
	273	salisbury steak, frozen meal	2	0.0003	0.0002	0.0003
	275	cheeseburger, fast-food	13	0.0008	0.0004	0.003
	276	fish sandwich, fast-food	8	0.001	0.0003	0.002
	277	frankfurter, fast-food	2	0.0006	0.0005	0.0006
	279	taco or tostada, carry-out	4	0.0015	0.0005	0.004
	280	cheese pizza, carry-out	4	0.001	0.0003	0.003
	281	pepperoni pizza, carry-out	5	0.0005	0.0003	0.0008
	282	beef chow mein, carry-out	1	0.0002	0.0002	0.0002
	284	mushroom soup, canned	1	0.002	0.002	0.002
	286	vanilla ice cream	5	0.0004	0.0003	0.0006
	287	fruit flavor sherbet	1	0.0003	0.0003	0.0003
	297	sweet cucumber pickles	18	0.0046	0.0009	0.009
	300	sour cream	12	0.0007	0.0003	0.002
	301	brown gravy, homemade	2	0.0004	0.0003	0.0004
	302	French salad dressing	2	0.0005	0.0004	0.0005
	310	egg yolk, strained/junior	5	0.0004	0.0003	0.0006
	316	split peas with veg., ham	1	0.0003	0.0003	0.0003
	320	squash, strained/junior	10	0.0029	0.0003	0.01
			477			
dimethoate						
	042	lima beans, boiled	5	0.0032	0.001	0.011
	046	green peas, boiled	10	0.0024	0.0009	0.005
	056	cream style corn, canned	1	0.002	0.002	0.002
	074	raisin bran cereal	1	0.002	0.002	0.002
	078	apple, red, raw	6	0.0085	0.002	0.015
	081	watermelon, raw	1	0.0008	0.0008	0.0008
	083	peach, raw	3	0.0023	0.002	0.003
	084	applesauce, bottled	12	0.0047	0.001	0.01
	086	strawberries, raw	1	0.492	0.492	0.492
	088	grapes, seedless, raw	6	0.017	0.001	0.065
	094	sweet cherries, raw	1	0.001	0.001	0.001
	095	raisins, dried	1	0.001	0.001	0.001
	099	apple juice, bottled	10	0.003	0.0005	0.01
	107	spinach, boiled	1	0.001	0.001	0.001
	109	iceberg lettuce, raw	8	0.0024	0.001	0.004
	113	broccoli, boiled	1	0.002	0.002	0.002
	116	cauliflower, boiled	1	0.002	0.002	0.002
	121	green beans, boiled	4	0.004	0.001	0.012
	125	green pepper, raw	8	0.0185	0.0008	0.074

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	199	dry table wine	18	0.0108	0.002	0.025
	225	applesauce, strained/junior	15	0.008	0.001	0.016
	227	pears, strained/junior	4	0.013	0.001	0.03
	230	apple juice, strained	17	0.0116	0.001	0.037
	233	fruit dessert/pudding, strained/junior	4	0.0023	0.001	0.003
	255	pear, canned in light syrup	1	0.001	0.001	0.001
	257	grape juice, conc.	5	0.0015	0.0007	0.003
	265	eggplant, fresh, boiled	1	0.001	0.001	0.001
	268	mixed vegetables, boiled	2	0.0009	0.0008	0.001
	296	jelly, any flavor	1	0.001	0.001	0.001
	308	martini	1	0.0007	0.0007	0.0007
	312	rice cereal, strained/junior	3	0.0017	0.001	0.002
			153			
diphenyl 2-ethylhexyl phosphate						
	058	white bread	4	0.1815	0.094	0.289
	062	whole wheat bread	3	0.1023	0.052	0.193
	063	tortilla, flour	2	0.112	0.059	0.165
	135	mashed potatoes, flakes	3	0.1037	0.05	0.177
	139	scalloped potatoes	2	0.0885	0.022	0.155
	146	macaroni and cheese, box	1	0.147	0.147	0.147
	160	white sauce, homemade	5	0.086	0.057	0.11
	162	margarine, stick (salted)	6	1.3852	0.128	4.36
	166	mayonnaise	1	0.36	0.36	0.36
	187	milk chocolate candy bar	1	0.763	0.763	0.763
	188	caramel candy	16	4.2358	0.354	23.5
	248	cracked wheat bread	1	0.09	0.09	0.09
	249	bagel, plain	1	0.047	0.047	0.047
	250	English muffin, toasted	1	0.032	0.032	0.032
	265	eggplant, fresh, boiled	1	0.036	0.036	0.036
	293	suckers, any flavor	1	0.022	0.022	0.022
	296	jelly, any flavor	1	0.02	0.02	0.02
			50			
disulfoton sulfone						
	110	cabbage, fresh, boiled	1	0.003	0.003	0.003
	114	celery, raw	1	0.002	0.002	0.002
			2			
endosulfan I						
	074	raisin bran cereal	1	0.003	0.003	0.003
	078	apple, red, raw	10	0.0016	0.0006	0.005
	079	orange, raw	1	0.004	0.004	0.004
	083	peach, raw	6	0.0027	0.0002	0.011
	084	applesauce, bottled	1	0.0002	0.0002	0.0002
	085	pear, raw	3	0.0126	0.0009	0.022
	086	strawberries, raw	4	0.008	0.001	0.026
	088	grapes, seedless, raw	2	0.0014	0.0007	0.002
	089	cantaloupe, raw	5	0.0003	0.0002	0.0006
	091	plums, raw	3	0.0006	0.0005	0.0007
	093	pineapple, canned in juice	1	0.0003	0.0003	0.0003
	094	sweet cherries, raw	2	0.0007	0.0003	0.001
	095	raisins, dried	6	0.0027	0.0005	0.009
	096	prunes, dried	4	0.0005	0.0003	0.0009
	107	spinach, boiled	4	0.0032	0.0008	0.01
	108	collards, boiled	3	0.0053	0.002	0.011
	109	iceberg lettuce, raw	5	0.0015	0.0005	0.003
	113	broccoli, boiled	2	0.0013	0.0006	0.002
	114	celery, raw	1	0.0002	0.0002	0.0002
	117	tomato, red, raw	11	0.0024	0.0006	0.008
	119	tomato sauce, bottled	3	0.0009	0.0004	0.002
	121	green beans, boiled	5	0.0074	0.0003	0.027
	123	cucumber, raw	14	0.0047	0.0006	0.014
	124	summer squash, boiled	12	0.0085	0.001	0.028

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	125	green pepper, raw	15	0.013	0.0002	0.13
	132	radish, raw	1	0.0009	0.0009	0.0009
	147	hamburger, fast-food	1	0.0001	0.0001	0.0001
	161	dill cucumber pickles	15	0.0038	0.0009	0.022
	173	tomato catsup	3	0.0011	0.0002	0.002
	219	green beans, strained/junior	3	0.0079	0.0006	0.02
	225	applesauce, strained/junior	2	0.0019	0.0008	0.003
	226	peaches, strained/junior	1	0.0006	0.0006	0.0006
	227	pears, strained/junior	7	0.0015	0.0003	0.003
	233	fruit dessert/pudding, strained/junior	1	0.003	0.003	0.003
	235	yogurt, lowfat, fruit	1	0.0003	0.0003	0.0003
	241	chicken nuggets, fast-food	1	0.001	0.001	0.001
	253	apricot, raw	5	0.0013	0.0004	0.003
	254	peach, canned	1	0.0005	0.0005	0.0005
	262	beets, boiled	1	0.0008	0.0008	0.0008
	263	Brussels sprouts, boiled	1	0.006	0.006	0.006
	267	okra, boiled	2	0.002	0.001	0.003
	268	mixed vegetables, boiled	1	0.0004	0.0004	0.0004
	270	green peppers, stuffed	8	0.0048	0.0003	0.014
	272	tuna noodle casserole	3	0.0005	0.0003	0.0007
	276	fish sandwich, fast-food	2	0.0013	0.0005	0.002
	279	taco or tostada, carry-out	3	0.0008	0.0003	0.001
	280	cheese pizza, carry-out	1	0.0005	0.0005	0.0005
	281	pepperoni pizza, carry-out	1	0.0005	0.0005	0.0005
	296	jelly, any flavor	1	0.006	0.006	0.006
	297	sweet cucumber pickles	17	0.0024	0.0004	0.006
	299	black olives	15	0.0008	0.0002	0.002
	304	olive or safflower oil	1	0.0007	0.0007	0.0007
	312	rice cereal, strained/junior	3	0.0011	0.0006	0.002
	313	bananas with tapioca, strained/junior	1	0.0001	0.0001	0.0001
	320	squash, strained/junior	2	0.0015	0.001	0.002
			229			
endosulfan II						
	074	raisin bran cereal	7	0.0019	0.0004	0.008
	078	apple, red, raw	12	0.0023	0.0005	0.005
	081	watermelon, raw	1	0.0004	0.0004	0.0004
	083	peach, raw	4	0.0125	0.0004	0.044
	084	applesauce, bottled	1	0.0001	0.0001	0.0001
	085	pear, raw	6	0.0125	0.0008	0.039
	086	strawberries, raw	4	0.0133	0.003	0.038
	087	fruit cocktail, canned	1	0.0005	0.0005	0.0005
	088	grapes, seedless, raw	4	0.006	0.0009	0.016
	089	cantaloupe, raw	9	0.0006	0.0003	0.001
	094	sweet cherries, raw	4	0.0019	0.0006	0.004
	095	raisins, dried	11	0.0062	0.0005	0.026
	096	prunes, dried	7	0.0007	0.0004	0.001
	107	spinach, boiled	4	0.006	0.001	0.02
	108	collards, boiled	3	0.0025	0.0006	0.004
	109	iceberg lettuce, raw	6	0.0011	0.0004	0.002
	113	broccoli, boiled	2	0.0008	0.0005	0.001
	114	celery, raw	1	0.001	0.001	0.001
	117	tomato, red, raw	13	0.0039	0.0004	0.013
	119	tomato sauce, bottled	4	0.0012	0.0004	0.003
	121	green beans, boiled	3	0.0093	0.002	0.021
	123	cucumber, raw	16	0.002	0.0004	0.007
	124	summer squash, boiled	10	0.0025	0.0005	0.007
	125	green pepper, raw	15	0.0152	0.0004	0.129
	126	winter squash, baked	1	0	0	0
	132	radish, raw	1	0.001	0.001	0.001
	134	French fries, frozen, heated	1	0.001	0.001	0.001
	137	white potato, baked, skin	2	0.0005	0.0005	0.0005
	138	potato chips	1	0.0006	0.0006	0.0006
	147	hamburger, fast-food	1	0.0003	0.0003	0.0003

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	149	spaghetti, canned	1	0.0009	0.0009	0.0009
	151	lasagna with meat	1	0.001	0.001	0.001
	161	dill cucumber pickles	14	0.0028	0.0008	0.016
	173	tomato catsup	5	0.0019	0.0007	0.004
	219	green beans, strained/junior	2	0.005	0.0009	0.009
	225	applesauce, strained/junior	6	0.0014	0.0004	0.004
	226	peaches, strained/junior	2	0.0006	0.0004	0.0008
	227	pears, strained/junior	9	0.0046	0.0005	0.013
	233	fruit dessert/pudding, strained/junior	3	0.0017	0.0002	0.003
	235	yogurt, lowfat, fruit	1	0.0004	0.0004	0.0004
	253	apricot, raw	6	0.0043	0.0007	0.007
	260	tomato, stewed, canned	1	0.0006	0.0006	0.0006
	261	tomato juice, bottled	1	0.0005	0.0005	0.0005
	262	beets, boiled	1	0.0007	0.0007	0.0007
	263	Brussels sprouts, boiled	2	0.0035	0.001	0.006
	266	turnip, boiled	2	0.0005	0.0005	0.0005
	267	okra, boiled	3	0.0058	0.0003	0.014
	268	mixed vegetables, boiled	1	0.0005	0.0005	0.0005
	270	green peppers, stuffed	9	0.007	0.0004	0.025
	272	tuna noodle casserole	3	0.0009	0.0003	0.002
	276	fish sandwich, fast-food	3	0.0007	0.0004	0.001
	279	taco or tostada, carry-out	3	0.0032	0.0007	0.007
	280	cheese pizza, carry-out	1	0.0007	0.0007	0.0007
	281	pepperoni pizza, carry-out	1	0.0007	0.0007	0.0007
	296	jelly, any flavor	1	0.009	0.009	0.009
	297	sweet cucumber pickles	16	0.0022	0.0004	0.007
	299	black olives	6	0.0005	0.0003	0.001
	304	olive or safflower oil	2	0.0007	0.0004	0.0009
	312	rice cereal, strained/junior	3	0.002	0.0009	0.003
	313	bananas with tapioca, strained/junior	1	0.0005	0.0005	0.0005
	320	squash, strained/junior	1	0.0008	0.0008	0.0008
			266			
endosulfan sulfate						
	001	whole milk, fluid	1	0.0004	0.0004	0.0004
	002	lowfat (2% fat) milk, fluid	1	0.0003	0.0003	0.0003
	010	American cheese	2	0.0009	0.0007	0.001
	012	cheddar cheese	1	0.002	0.002	0.002
	042	lima beans, boiled	1	0.002	0.002	0.002
	047	peanut butter, smooth	4	0.0007	0.0005	0.001
	048	peanuts, dry roasted	4	0.0015	0.0009	0.002
	074	raisin bran cereal	3	0.0006	0.0002	0.001
	078	apple, red, raw	12	0.0038	0.0007	0.016
	079	orange, raw	3	0.0004	0.0004	0.0005
	081	watermelon, raw	4	0.0006	0.0004	0.0009
	083	peach, raw	3	0.0063	0.001	0.01
	084	applesauce, bottled	5	0.001	0.0005	0.002
	085	pear, raw	7	0.0062	0.0005	0.022
	086	strawberries, raw	5	0.0114	0.002	0.041
	087	fruit cocktail, canned	1	0.0004	0.0004	0.0004
	088	grapes, seedless, raw	4	0.0019	0.0006	0.005
	089	cantaloupe, raw	16	0.0164	0.0009	0.039
	091	plums, raw	5	0.0007	0.0003	0.001
	094	sweet cherries, raw	5	0.002	0.0004	0.004
	095	raisins, dried	8	0.0029	0.0006	0.014
	096	prunes, dried	11	0.0014	0.0008	0.003
	107	spinach, boiled	9	0.0308	0.0002	0.187
	108	collards, boiled	8	0.0052	0.0005	0.02
	109	iceberg lettuce, raw	8	0.0038	0.0005	0.01
	110	cabbage, fresh, boiled	8	0.0018	0.0005	0.004
	111	coleslaw with dressing	7	0.0018	0.0004	0.004
	112	sauerkraut, canned	2	0.0009	0.0007	0.001
	113	broccoli, boiled	2	0.002	0.001	0.003
	114	celery, raw	1	0.001	0.001	0.001

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	117	tomato, red, raw	13	0.0039	0.0005	0.012
	119	tomato sauce, bottled	4	0.0006	0.0004	0.0009
	121	green beans, boiled	6	0.0238	0.001	0.101
	123	cucumber, raw	18	0.0097	0.001	0.024
	124	summer squash, boiled	14	0.0221	0.005	0.052
	125	green pepper, raw	14	0.0122	0.0003	0.091
	126	winter squash, baked	10	0.0037	0.002	0.009
	132	radish, raw	5	0.0029	0.0003	0.006
	134	French fries, frozen, heated	14	0.0038	0.0006	0.01
	135	mashed potatoes, flakes	3	0.0006	0.0004	0.001
	136	white potato, boiled, no skin	8	0.0012	0.0002	0.002
	137	white potato, baked, skin	12	0.0033	0.0004	0.014
	138	potato chips	8	0.0033	0.001	0.009
	139	scalloped potatoes	9	0.0009	0.0004	0.002
	143	beef stew	5	0.0009	0.0004	0.002
	147	hamburger, fast-food	2	0.0006	0.0005	0.0007
	149	spaghetti, canned	1	0.0004	0.0004	0.0004
	161	dill cucumber pickles	18	0.0061	0.0006	0.024
	164	butter, regular (salted)	9	0.0032	0.001	0.01
	166	mayonnaise	2	0.0008	0.0007	0.0009
	173	tomato catsup	4	0.0006	0.0003	0.0009
	185	apple pie	3	0.0006	0.0003	0.001
	186	pumpkin pie	2	0.0006	0.0003	0.0009
	187	milk chocolate candy bar	1	0.001	0.001	0.001
	219	green beans, strained/junior	3	0.0063	0.0009	0.014
	225	applesauce, strained/junior	8	0.0015	0.0002	0.005
	226	peaches, strained/junior	2	0.0009	0.0007	0.001
	227	pears, strained/junior	11	0.008	0.0009	0.024
	233	fruit dessert/pudding, strained/junior	5	0.0013	0.0001	0.002
	235	yogurt, lowfat, fruit	1	0.0003	0.0003	0.0003
	237	cream cheese	1	0.0007	0.0007	0.0007
	253	apricot, raw	6	0.0125	0.001	0.027
	255	pear, canned in light syrup	2	0.002	0.002	0.002
	256	pineapple juice, conc.	5	0.0008	0.0004	0.002
	258	French fries, fast-food	13	0.0026	0.0007	0.009
	261	tomato juice, bottled	1	0.001	0.001	0.001
	262	beets, boiled	6	0.0015	0.0004	0.003
	263	Brussels sprouts, boiled	3	0.0018	0.0005	0.004
	265	eggplant, fresh, boiled	1	0.0006	0.0006	0.0006
	266	turnip, boiled	5	0.0012	0.0004	0.002
	267	okra, boiled	3	0.0071	0.0003	0.018
	268	mixed vegetables, boiled	1	0.004	0.004	0.004
	270	green peppers, stuffed	8	0.0051	0.0004	0.015
	272	tuna noodle casserole	2	0.0006	0.0005	0.0007
	273	salisbury steak, frozen meal	2	0.0005	0.0005	0.0005
	275	cheeseburger, fast-food	3	0.0005	0.0003	0.0007
	276	fish sandwich, fast-food	4	0.0018	0.0006	0.003
	279	taco or tostada, carry-out	4	0.0055	0.002	0.014
	280	cheese pizza, carry-out	1	0.0006	0.0006	0.0006
	287	fruit flavor sherbet	1	0.0003	0.0003	0.0003
	296	jelly, any flavor	1	0.004	0.004	0.004
	297	sweet cucumber pickles	18	0.0059	0.0008	0.019
	299	black olives	18	0.0046	0.0006	0.012
	300	sour cream	4	0.0006	0.0003	0.0009
	304	olive or safflower oil	11	0.0049	0.001	0.019
	312	rice cereal, strained/junior	3	0.0019	0.0008	0.003
	313	bananas with tapioca, strained/junior	1	0.0002	0.0002	0.0002
	320	squash, strained/junior	2	0.0025	0.002	0.003
			496			
endrin	008	evaporated milk, canned	1	0.001	0.001	0.001
	124	summer squash, boiled	1	0.0004	0.0004	0.0004
	132	radish, raw	2	0.0013	0.0006	0.002
			4			

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
endrin ketone						
	137	white potato, baked, skin	1	0.0004	0.0004	0.0004
			1			
esfenvalerate						
	108	collards, boiled	4	0.0535	0.021	0.099
	117	tomato, red, raw	4	0.017	0.013	0.02
	125	green pepper, raw	2	0.0165	0.009	0.024
	173	tomato catsup	1	0.002	0.002	0.002
	226	peaches, strained/junior	2	0.0065	0.005	0.008
	233	fruit dessert/pudding, strained/junior	2	0.0025	0.002	0.003
	253	apricot, raw	1	0.06	0.06	0.06
	264	mushrooms, raw	1	0.019	0.019	0.019
	270	green peppers, stuffed	1	0.007	0.007	0.007
			18			
ethion						
	072	fruit-flavored cereal	3	0.0019	0.0006	0.004
	078	apple, red, raw	2	0.08	0.065	0.095
	079	orange, raw	2	0.0035	0.001	0.006
	092	grapefruit, raw	5	0.0028	0.001	0.008
	098	orange juice, from conc.	15	0.0016	0.0009	0.003
	100	grapefruit juice, from conc.	18	0.0018	0.0009	0.004
	105	lemonade, from conc.	3	0.0006	0.0004	0.0009
	193	fruit drink, from powder	1	0.001	0.001	0.001
	225	applesauce, strained/junior	1	0.005	0.005	0.005
	231	orange juice, strained	14	0.0016	0.001	0.004
	271	chili con carne with beans	1	0.0004	0.0004	0.0004
	279	taco or tostada, carry-out	1	0.0008	0.0008	0.0008
	281	pepperoni pizza, carry-out	1	0.001	0.001	0.001
	287	fruit flavor sherbet	5	0.0018	0.001	0.003
	288	popsicle, any flavor	2	0.0015	0.001	0.002
	293	suckers, any flavor	2	0.0014	0.0008	0.002
	306	fruit-flavored carbonated	1	0.0005	0.0005	0.0005
	307	fruit drink, canned	2	0.001	0.001	0.001
			79			
ethion oxygen analog						
	072	fruit-flavored cereal	1	0.001	0.001	0.001
	078	apple, red, raw	2	0.0025	0.002	0.003
	098	orange juice, from conc.	3	0.0009	0.0006	0.001
	100	grapefruit juice, from conc.	6	0.0008	0.0005	0.001
	231	orange juice, strained	3	0.0004	0.0003	0.0004
	293	suckers, any flavor	1	0.0007	0.0007	0.0007
			16			
ethyl benzene						
	014	beef chuck roast, baked	1	0.014	0.014	0.014
	020	pork bacon, pan-cooked	1	0.016	0.016	0.016
	027	liver, beef, fried	1	0.021	0.021	0.021
	029	bologna, sliced	1	0.02	0.02	0.02
	034	fish sticks, frozen, heated	2	0.016	0.013	0.019
	047	peanut butter, smooth	1	0.01	0.01	0.01
	065	blueberry muffin	2	0.0125	0.011	0.014
	138	potato chips	1	0.011	0.011	0.011
	146	macaroni and cheese, box	1	0.015	0.015	0.015
	147	hamburger, fast-food	1	0.038	0.038	0.038
	164	butter, regular (salted)	3	0.012	0.01	0.014
	185	apple pie	1	0.014	0.014	0.014
	186	pumpkin pie	1	0.029	0.029	0.029
	187	milk chocolate candy bar	1	0.012	0.012	0.012
	251	graham crackers	1	0.023	0.023	0.023
	258	French fries, fast-food	1	0.011	0.011	0.011

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	276	fish sandwich, fast-food	1	0.01	0.01	0.01
	280	cheese pizza, carry-out	1	0.015	0.015	0.015
	290	cake doughnuts with icing	1	0.016	0.016	0.016
	291	brownies, commercial	2	0.011	0.011	0.011
	304	olive or safflower oil	1	0.023	0.023	0.023
	305	coffee, from ground	1	0.017	0.017	0.017
			27			
ethylene dibromide						
	297	sweet cucumber pickles	1	0.013	0.013	0.013
			1			
ethylene dichloride						
	072	fruit-flavored cereal	3	0.0403	0.016	0.069
	298	yellow mustard	1	0.027	0.027	0.027
			4			
ethylenethiourea						
	058	white bread	1	0.003	0.003	0.003
	084	applesauce, bottled	1	0.003	0.003	0.003
	099	apple juice, bottled	1	0.012	0.012	0.012
	107	spinach, boiled	6	0.0612	0.004	0.276
	108	collards, boiled	3	0.0997	0.009	0.207
	134	French fries, frozen, heated	7	0.0084	0.003	0.021
	136	white potato, boiled, no skin	3	0.0113	0.008	0.013
	137	white potato, baked, skin	5	0.0138	0.005	0.021
	173	tomato catsup	1	0.004	0.004	0.004
	199	dry table wine	2	0.004	0.003	0.005
	225	applesauce, strained/junior	2	0.005	0.004	0.006
	227	pears, strained/junior	9	0.0069	0.004	0.013
	260	tomato, stewed, canned	1	0.003	0.003	0.003
	320	squash, strained/junior	1	0.005	0.005	0.005
			43			
fenarimol						
	088	grapes, seedless, raw	2	0.0015	0.0009	0.002
	094	sweet cherries, raw	7	0.0247	0.003	0.059
	095	raisins, dried	1	0.002	0.002	0.002
			10			
fenitrothion						
	047	peanut butter, smooth	1	0.007	0.007	0.007
	059	white roll	1	0.0005	0.0005	0.0005
	248	cracked wheat bread	1	0.004	0.004	0.004
	249	bagel, plain	1	0.003	0.003	0.003
			4			
fenvalerate						
	083	peach, raw	1	0.007	0.007	0.007
	088	grapes, seedless, raw	1	0.006	0.006	0.006
	108	collards, boiled	7	0.1173	0.015	0.366
	117	tomato, red, raw	4	0.0418	0.004	0.134
	121	green beans, boiled	2	0.017	0.015	0.019
	226	peaches, strained/junior	1	0.011	0.011	0.011
	253	apricot, raw	1	0.024	0.024	0.024
	267	okra, boiled	1	0.032	0.032	0.032
			18			
folpet						
	086	strawberries, raw	5	0.0586	0.002	0.167
	088	grapes, seedless, raw	4	0.0123	0.006	0.017
	257	grape juice, conc.	2	0.009	0.004	0.014
			11			

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
fonofos	048	peanuts, dry roasted	1	0.065	0.065	0.065
			1			
heptachlor	060	cornbread, homemade	1	0.002	0.002	0.002
	248	cracked wheat bread	1	0.0005	0.0005	0.0005
	249	bagel, plain	1	0.0006	0.0006	0.0006
	250	English muffin, toasted	1	0.0007	0.0007	0.0007
	280	cheese pizza, carry-out	1	0.0004	0.0004	0.0004
			5			
heptachlor epoxide	008	evaporated milk, canned	1	0.0006	0.0006	0.0006
	010	American cheese	5	0.0006	0.0002	0.0009
	012	cheddar cheese	8	0.0008	0.0004	0.002
	013	ground beef, pan-cooked	5	0.0004	0.0002	0.0009
	014	beef chuck roast, baked	1	0.0005	0.0005	0.0005
	016	beef steak, pan-cooked	1	0.0002	0.0002	0.0002
	021	pork roast, baked	1	0.0003	0.0003	0.0003
	022	lamb chop, pan-cooked	1	0.0004	0.0004	0.0004
	028	frankfurters, beef, boiled	2	0.0009	0.0007	0.001
	089	cantaloupe, raw	1	0.0005	0.0005	0.0005
	107	spinach, boiled	1	0.002	0.002	0.002
	112	sauerkraut, canned	1	0.0004	0.0004	0.0004
	123	cucumber, raw	1	0.002	0.002	0.002
	124	summer squash, boiled	1	0.002	0.002	0.002
	126	winter squash, baked	7	0.0012	0.0002	0.003
	132	radish, raw	1	0.001	0.001	0.001
	138	potato chips	1	0.0006	0.0006	0.0006
	147	hamburger, fast-food	1	0.0003	0.0003	0.0003
	148	meatloaf, homemade	3	0.0003	0.0002	0.0004
	161	dill cucumber pickles	1	0.002	0.002	0.002
	164	butter, regular (salted)	8	0.0007	0.0003	0.001
	167	half & half cream	1	0.0002	0.0002	0.0002
	236	Swiss cheese	6	0.0008	0.0004	0.001
	237	cream cheese	8	0.001	0.0004	0.002
	270	green peppers, stuffed	1	0.0005	0.0005	0.0005
	273	salisbury steak, frozen meal	1	0.0003	0.0003	0.0003
	275	cheeseburger, fast-food	2	0.0005	0.0003	0.0007
	297	sweet cucumber pickles	3	0.0007	0.0005	0.0009
	300	sour cream	2	0.0003	0.0002	0.0004
	301	brown gravy, homemade	1	0.0002	0.0002	0.0002
	320	squash, strained/junior	2	0.0004	0.0003	0.0005
			79			
hexachlorobenzene	010	American cheese	3	0.0006	0.0005	0.0007
	012	cheddar cheese	4	0.0005	0.0004	0.0006
	013	ground beef, pan-cooked	4	0.0003	0.0002	0.0004
	014	beef chuck roast, baked	1	0.0003	0.0003	0.0003
	022	lamb chop, pan-cooked	12	0.0009	0.0002	0.002
	028	frankfurters, beef, boiled	1	0.0005	0.0005	0.0005
	032	tuna, canned in oil	1	0.0005	0.0005	0.0005
	047	peanut butter, smooth	1	0.0002	0.0002	0.0002
	048	peanuts, dry roasted	1	0.0002	0.0002	0.0002
	064	rye bread	1	0.0003	0.0003	0.0003
	081	watermelon, raw	1	0.0007	0.0007	0.0007
	124	summer squash, boiled	1	0.0007	0.0007	0.0007
	126	winter squash, baked	1	0.0009	0.0009	0.0009
	148	meatloaf, homemade	2	0.0002	0.0001	0.0003
	164	butter, regular (salted)	16	0.0012	0.0005	0.002
	236	Swiss cheese	5	0.0005	0.0004	0.0005
	237	cream cheese	4	0.0004	0.0003	0.0005

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	243	haddock, pan-cooked	5	0.0003	0.0003	0.0003
	276	fish sandwich, fast-food	11	0.0006	0.0001	0.002
	277	frankfurter, fast-food	3	0.0008	0.0001	0.002
	279	taco or tostada, carry-out	1	0.0003	0.0003	0.0003
	300	sour cream	4	0.0003	0.0002	0.0004
	304	olive or safflower oil	1	0.0008	0.0008	0.0008
			84			

iprodione

	042	lima beans, boiled	1	0.0005	0.0005	0.0005
	074	raisin bran cereal	2	0.0045	0.002	0.007
	083	peach, raw	16	0.7078	0.041	5.67
	086	strawberries, raw	12	0.2712	0.0003	1.277
	087	fruit cocktail, canned	6	0.0043	0.002	0.011
	088	grapes, seedless, raw	10	0.0974	0.006	0.267
	091	plums, raw	15	0.1949	0.008	0.706
	093	pineapple, canned in juice	1	0.008	0.008	0.008
	094	sweet cherries, raw	12	0.6742	0.067	1.31
	096	prunes, dried	4	0.0388	0.019	0.064
	103	prune juice, bottled	8	0.0054	0.002	0.01
	108	collards, boiled	1	0.004	0.004	0.004
	113	broccoli, boiled	1	0.026	0.026	0.026
	114	celery, raw	1	0.003	0.003	0.003
	121	green beans, boiled	1	0.005	0.005	0.005
	134	French fries, frozen, heated	1	0.035	0.035	0.035
	138	potato chips	1	0.001	0.001	0.001
	199	dry table wine	14	0.0221	0.002	0.057
	226	peaches, strained/junior	7	0.0146	0.002	0.045
	233	fruit dessert/pudding, strained/junior	11	0.0276	0.002	0.152
	235	yogurt, lowfat, fruit	2	0.01	0.007	0.013
	253	apricot, raw	10	0.1316	0.004	0.595
	254	peach, canned	2	0.004	0.003	0.005
	257	grape juice, conc.	2	0.0015	0.001	0.002
	259	carrot, fresh, boiled	4	0.004	0.002	0.009
	261	tomato juice, bottled	1	0.005	0.005	0.005
	269	beef stroganoff	1	0.003	0.003	0.003
	288	popsicle, any flavor	1	0.01	0.01	0.01
	296	jelly, any flavor	2	0.015	0.009	0.021
			150			

iprodione metabolite isomer

	042	lima beans, boiled	1	0.009	0.009	0.009
	074	raisin bran cereal	1	0.002	0.002	0.002
	083	peach, raw	15	0.0877	0.003	0.31
	086	strawberries, raw	3	0.0077	0.005	0.011
	087	fruit cocktail, canned	4	0.0045	0.002	0.009
	088	grapes, seedless, raw	6	0.0492	0.002	0.112
	091	plums, raw	14	0.0765	0.006	0.322
	094	sweet cherries, raw	10	0.0184	0.005	0.031
	096	prunes, dried	4	0.02	0.012	0.037
	103	prune juice, bottled	6	0.0042	0.0009	0.011
	108	collards, boiled	1	0.046	0.046	0.046
	121	green beans, boiled	1	0.028	0.028	0.028
	128	onion, mature, raw	1	0.004	0.004	0.004
	137	white potato, baked, skin	3	0.0013	0.0002	0.003
	143	beef stew	1	0.014	0.014	0.014
	199	dry table wine	1	0.003	0.003	0.003
	213	vegetables and ham, strained/junior	1	0.006	0.006	0.006
	218	carrots, strained/junior	2	0.002	0.002	0.002
	220	mixed vegetables, strained/junior	1	0.002	0.002	0.002
	226	peaches, strained/junior	5	0.0082	0.002	0.023
	233	fruit dessert/pudding, strained/junior	6	0.007	0.0008	0.016
	235	yogurt, lowfat, fruit	1	0.007	0.007	0.007
	253	apricot, raw	4	0.0047	0.0009	0.01

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	254	peach, canned	1	0.004	0.004	0.004
	259	carrot, fresh, boiled	7	0.0129	0.007	0.02
	262	beets, boiled	1	0.002	0.002	0.002
			101			
isopropyl(3-chloro-4-methoxyphenyl)carbamate						
	134	French fries, frozen, heated	6	0.0082	0.002	0.025
	135	mashed potatoes, flakes	5	0.004	0.002	0.007
	136	white potato, boiled, no skin	5	0.0082	0.0008	0.02
	137	white potato, baked, skin	6	0.018	0.003	0.033
	138	potato chips	6	0.0153	0.003	0.024
	139	scalloped potatoes	6	0.0065	0.002	0.014
	143	beef stew	4	0.0035	0.002	0.006
	258	French fries, fast-food	5	0.0048	0.002	0.006
			43			
lindane						
	008	evaporated milk, canned	1	0.0008	0.0008	0.0008
	013	ground beef, pan-cooked	1	0.0005	0.0005	0.0005
	018	pork chop, pan-cooked	1	0.001	0.001	0.001
	021	pork roast, baked	1	0.002	0.002	0.002
	024	chicken, fried homemade	1	0.0007	0.0007	0.0007
	028	frankfurters, beef, boiled	2	0.001	0.0009	0.001
	029	bologna, sliced	1	0.0007	0.0007	0.0007
	042	lima beans, boiled	1	0.001	0.001	0.001
	048	peanuts, dry roasted	1	0.002	0.002	0.002
	057	popcorn, popped in oil	2	0.0015	0.0009	0.002
	062	whole wheat bread	1	0.005	0.005	0.005
	064	rye bread	1	0.0004	0.0004	0.0004
	111	coleslaw with dressing	5	0.0006	0.0002	0.001
	126	winter squash, baked	1	0.0006	0.0006	0.0006
	147	hamburger, fast-food	2	0.0006	0.0005	0.0007
	161	dill cucumber pickles	5	0.0118	0.003	0.026
	164	butter, regular (salted)	6	0.001	0.0005	0.002
	178	chocolate cake and icing	1	0.0004	0.0004	0.0004
	183	chocolate chip cookies	10	0.0017	0.0002	0.009
	187	milk chocolate candy bar	18	0.0027	0.0009	0.006
	237	cream cheese	1	0.0004	0.0004	0.0004
	247	mixed nuts, no peanuts	6	0.0009	0.0001	0.002
	264	mushrooms, raw	1	0.016	0.016	0.016
	275	cheeseburger, fast-food	1	0.0008	0.0008	0.0008
	277	frankfurter, fast-food	1	0.0004	0.0004	0.0004
	280	cheese pizza, carry-out	1	0.0005	0.0005	0.0005
	281	pepperoni pizza, carry-out	1	0.0003	0.0003	0.0003
	284	mushroom soup, canned	1	0.0007	0.0007	0.0007
	289	chocolate snack cake	1	0.0009	0.0009	0.0009
	290	cake doughnuts with icing	1	0.002	0.002	0.002
	291	brownies, commercial	1	0.002	0.002	0.002
	297	sweet cucumber pickles	4	0.0033	0.0003	0.008
	298	yellow mustard	16	0.0008	0.0002	0.004
	301	brown gravy, homemade	1	0.0004	0.0004	0.0004
	304	olive or safflower oil	3	0.0006	0.0004	0.0009
			102			
linuron						
	143	beef stew	1	0.006	0.006	0.006
	259	carrot, fresh, boiled	2	0.0125	0.011	0.014
			3			
malathion						
	034	fish sticks, frozen, heated	17	0.0037	0.001	0.011
	047	peanut butter, smooth	8	0.0091	0.002	0.024
	048	peanuts, dry roasted	3	0.0027	0.002	0.003
	050	white rice, cooked	1	0.002	0.002	0.002

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	051	oatmeal, cooked	9	0.0023	0.001	0.004
	052	wheat cereal, farina, cooked	1	0.001	0.001	0.001
	053	corngrits, regular, cooked	4	0.002	0.001	0.003
	057	popcorn, popped in oil	7	0.0231	0.001	0.117
	058	white bread	17	0.0175	0.002	0.047
	059	white roll	18	0.0168	0.001	0.072
	060	cornbread, homemade	16	0.0051	0.001	0.018
	061	biscuit, baked	14	0.0031	0.0006	0.008
	062	whole wheat bread	18	0.0297	0.007	0.064
	063	tortilla, flour	18	0.0156	0.002	0.054
	064	rye bread	17	0.0159	0.002	0.032
	065	blueberry muffin	18	0.0099	0.001	0.054
	066	saltine crackers	18	0.0178	0.004	0.05
	067	corn chips	5	0.016	0.0008	0.069
	068	pancake from mix	17	0.0082	0.001	0.024
	069	egg noodles, boiled	12	0.0043	0.001	0.009
	070	macaroni, boiled	9	0.0021	0.0003	0.006
	072	fruit-flavored cereal	11	0.0023	0.001	0.008
	073	shredded wheat cereal	17	0.0231	0.001	0.112
	074	raisin bran cereal	13	0.0122	0.001	0.124
	075	crisped rice cereal	1	0.002	0.002	0.002
	076	granola cereal	12	0.0084	0.0007	0.034
	077	oat ring cereal	3	0.0087	0.003	0.013
	086	strawberries, raw	9	0.0157	0.004	0.042
	094	sweet cherries, raw	9	0.0042	0.001	0.016
	095	raisins, dried	1	0.002	0.002	0.002
	096	prunes, dried	1	0.001	0.001	0.001
	097	avocado, raw	1	0.001	0.001	0.001
	114	celery, raw	1	0.001	0.001	0.001
	134	French fries, frozen, heated	1	0.002	0.002	0.002
	142	spaghetti and meatballs	2	0.002	0.001	0.003
	146	macaroni and cheese, box	12	0.0015	0.0006	0.002
	147	hamburger, fast-food	17	0.0044	0.0008	0.018
	149	spaghetti, canned	2	0.0025	0.002	0.003
	151	lasagna with meat	2	0.0008	0.0005	0.001
	152	chicken potpie, frozen	18	0.0097	0.002	0.052
	155	chicken noodle soup, canned	1	0.002	0.002	0.002
	156	tomato soup, canned	8	0.0016	0.0008	0.003
	160	white sauce, homemade	9	0.0026	0.001	0.005
	178	chocolate cake and icing	8	0.0018	0.001	0.003
	179	yellow cake with white icing	16	0.0025	0.0006	0.008
	182	sweet roll or Danish	18	0.006	0.002	0.012
	183	chocolate chip cookies	18	0.0147	0.002	0.051
	184	sandwich cookies creme fill	17	0.0187	0.003	0.06
	185	apple pie	18	0.0147	0.001	0.083
	186	pumpkin pie	18	0.0074	0.001	0.016
	187	milk chocolate candy bar	1	0.006	0.006	0.006
	235	yogurt, lowfat, fruit	3	0.0017	0.001	0.002
	238	veal cutlet, pan-cooked	1	0.001	0.001	0.001
	241	chicken nuggets, fast-food	11	0.0017	0.001	0.002
	242	chicken, fried fast-food	5	0.0011	0.0004	0.002
	247	mixed nuts, no peanuts	6	0.0052	0.002	0.019
	248	cracked wheat bread	18	0.0244	0.008	0.065
	249	bagel, plain	17	0.0081	0.001	0.02
	250	English muffin, toasted	18	0.0114	0.004	0.021
	251	graham crackers	18	0.0238	0.004	0.051
	252	butter-type crackers	18	0.0186	0.002	0.077
	258	French fries, fast-food	1	0.0006	0.0006	0.0006
	269	beef stroganoff	12	0.0019	0.0007	0.004
	271	chili con carne with beans	1	0.002	0.002	0.002
	272	tuna noodle casserole	9	0.0012	0.0008	0.002
	273	salisbury steak, frozen meal	4	0.0019	0.0007	0.004
	274	turkey, frozen meal	4	0.0015	0.001	0.002
	275	cheeseburger, fast-food	16	0.0042	0.0008	0.017

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	276	fish sandwich, fast-food	18	0.0049	0.001	0.022
	277	frankfurter, fast-food	15	0.0063	0.002	0.013
	278	egg/cheese/ham, fast-food	16	0.0038	0.001	0.011
	279	taco or tostada, carry-out	14	0.0031	0.0007	0.006
	280	cheese pizza, carry-out	16	0.0056	0.001	0.011
	281	pepperoni pizza, carry-out	18	0.0043	0.001	0.01
	282	beef chow mein, carry-out	2	0.0009	0.0008	0.001
	284	mushroom soup, canned	1	0.002	0.002	0.002
	289	chocolate snack cake	7	0.0033	0.002	0.007
	290	cake doughnuts with icing	17	0.0086	0.002	0.038
	291	brownies, commercial	17	0.006	0.002	0.028
	292	sugar cookies, commercial	17	0.0143	0.004	0.045
	294	pretzels, hard, salted	17	0.0311	0.002	0.218
	298	yellow mustard	1	0.001	0.001	0.001
	301	brown gravy, homemade	8	0.002	0.0008	0.004
	312	rice cereal, strained/junior	1	0.001	0.001	0.001
	317	teething biscuits	18	0.0208	0.001	0.277
			877			
mecarbam	072	fruit-flavored cereal	1	0.002	0.002	0.002
			1			
methamidophos	042	lima beans, boiled	15	0.0095	0.002	0.045
	081	watermelon, raw	3	0.024	0.008	0.048
	083	peach, raw	1	0.005	0.005	0.005
	084	applesauce, bottled	1	0.001	0.001	0.001
	086	strawberries, raw	1	0.001	0.001	0.001
	089	cantaloupe, raw	8	0.0484	0.002	0.219
	099	apple juice, bottled	1	0.001	0.001	0.001
	108	collards, boiled	1	0.0006	0.0006	0.0006
	109	iceberg lettuce, raw	8	0.0016	0.001	0.003
	110	cabbage, fresh, boiled	2	0.01	0.005	0.015
	114	celery, raw	9	0.0064	0.001	0.018
	116	cauliflower, boiled	1	0.003	0.003	0.003
	117	tomato, red, raw	15	0.0441	0.005	0.101
	119	tomato sauce, bottled	13	0.0085	0.001	0.072
	121	green beans, boiled	15	0.0213	0.002	0.096
	123	cucumber, raw	6	0.1265	0.022	0.285
	124	summer squash, boiled	4	0.0013	0.001	0.002
	125	green pepper, raw	18	0.0861	0.002	0.295
	126	winter squash, baked	1	0.002	0.002	0.002
	136	white potato, boiled, no skin	1	0.003	0.003	0.003
	137	white potato, baked, skin	1	0.004	0.004	0.004
	149	spaghetti, canned	5	0.0018	0.001	0.003
	155	chicken noodle soup, canned	1	0.001	0.001	0.001
	156	tomato soup, canned	6	0.0018	0.001	0.003
	157	vegetable beef soup, canned	3	0.001	0.001	0.001
	161	dill cucumber pickles	1	0.002	0.002	0.002
	173	tomato catsup	9	0.0055	0.0009	0.014
	197	tea, from tea bag	1	0.001	0.001	0.001
	215	macaroni, tomatoes, beef, strained/junior	1	0.001	0.001	0.001
	219	green beans, strained/junior	16	0.0128	0.003	0.043
	220	mixed vegetables, strained/junior	1	0.001	0.001	0.001
	225	applesauce, strained/junior	1	0.001	0.001	0.001
	246	peas, mature, dry, boiled	1	0.002	0.002	0.002
	254	peach, canned	1	0.002	0.002	0.002
	260	tomato, stewed, canned	7	0.0034	0.001	0.013
	261	tomato juice, bottled	10	0.0037	0.001	0.014
	262	beets, boiled	1	0.001	0.001	0.001
	263	Brussels sprouts, boiled	7	0.0021	0.0009	0.004
	265	eggplant, fresh, boiled	12	0.0276	0.002	0.104
	267	okra, boiled	1	0.004	0.004	0.004
	268	mixed vegetables, boiled	10	0.0028	0.001	0.006
			220			

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
methidathion						
	072	fruit-flavored cereal	3	0.0023	0.001	0.003
	079	orange, raw	7	0.0038	0.0008	0.007
	092	grapefruit, raw	2	0.001	0.001	0.001
	098	orange juice, from conc.	7	0.0015	0.0007	0.002
	105	lemonade, from conc.	1	0.002	0.002	0.002
	287	fruit flavor sherbet	2	0.003	0.003	0.003
	288	popsicle, any flavor	5	0.0014	0.001	0.002
	293	suckers, any flavor	3	0.001	0.001	0.001
	304	olive or safflower oil	2	0.004	0.002	0.006
			32			
methiocarb						
	086	strawberries, raw	1	0.04	0.04	0.04
			1			
methomyl						
	078	apple, red, raw	1	0.008	0.008	0.008
	081	watermelon, raw	2	0.009	0.003	0.015
	086	strawberries, raw	3	0.017	0.013	0.025
	088	grapes, seedless, raw	7	0.067	0.015	0.154
	089	cantaloupe, raw	3	0.016	0.003	0.04
	109	iceberg lettuce, raw	2	0.028	0.01	0.046
	125	green pepper, raw	4	0.049	0.007	0.128
	194	low-calorie cola carbonated	1	0.024	0.024	0.024
	265	eggplant, fresh, boiled	1	0.015	0.015	0.015
			24			
methoxychlor olefin						
	067	corn chips	1	0.001	0.001	0.001
	078	apple, red, raw	1	0.006	0.006	0.006
			2			
methoxychlor, o,p'-						
	067	corn chips	1	0.002	0.002	0.002
	078	apple, red, raw	2	0.003	0.002	0.004
			3			
methoxychlor, p,p'-						
	047	peanut butter, smooth	2	0.003	0.003	0.003
	050	white rice, cooked	1	0.0005	0.0005	0.0005
	057	popcorn, popped in oil	5	0.0202	0.001	0.044
	063	tortilla, flour	3	0.0015	0.0004	0.002
	064	rye bread	1	0.0008	0.0008	0.0008
	065	blueberry muffin	2	0.0314	0.0007	0.062
	066	saltine crackers	6	0.0024	0.0005	0.005
	067	corn chips	3	0.0017	0.001	0.002
	068	pancake from mix	2	0.0013	0.0006	0.002
	070	macaroni, boiled	1	0.001	0.001	0.001
	073	shredded wheat cereal	5	0.0164	0.002	0.04
	076	granola cereal	1	0.002	0.002	0.002
	078	apple, red, raw	12	0.0513	0.002	0.228
	093	pineapple, canned in juice	1	0.003	0.003	0.003
	094	sweet cherries, raw	3	0.0163	0.001	0.046
	152	chicken potpie, frozen	1	0.001	0.001	0.001
	164	butter, regular (salted)	2	0.005	0.001	0.009
	166	mayonnaise	1	0.002	0.002	0.002
	182	sweet roll or Danish	2	0.0008	0.0007	0.0008
	183	chocolate chip cookies	1	0.0008	0.0008	0.0008
	185	apple pie	3	0.0013	0.001	0.002
	225	applesauce, strained/junior	1	0.002	0.002	0.002
	236	Swiss cheese	1	0.001	0.001	0.001
	237	cream cheese	2	0.0025	0.002	0.003

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	251	graham crackers	7	0.0015	0.0008	0.003
	252	butter-type crackers	3	0.0013	0.001	0.002
	268	mixed vegetables, boiled	1	0.011	0.011	0.011
	269	beef stroganoff	1	0.0008	0.0008	0.0008
	272	tuna noodle casserole	1	0.0002	0.0002	0.0002
	279	taco or tostada, carry-out	1	0.001	0.001	0.001
	291	brownies, commercial	1	0.003	0.003	0.003
	294	pretzels, hard, salted	6	0.0015	0.0007	0.003
	300	sour cream	1	0.001	0.001	0.001
	311	rice infant cereal, instant, with whole milk	1	0.0007	0.0007	0.0007
			85			
mevinphos, (e)-						
	086	strawberries, raw	4	0.04	0.001	0.085
	108	collards, boiled	1	0.003	0.003	0.003
			5			
mevinphos, (z)-						
	086	strawberries, raw	4	0.0145	0.003	0.03
	108	collards, boiled	3	0.0047	0.002	0.008
	109	iceberg lettuce, raw	2	0.0018	0.0006	0.003
			9			
neburon						
	115	asparagus, boiled	1	0.012	0.012	0.012
	121	green beans, boiled	2	0.2135	0.057	0.37
	219	green beans, strained/junior	1	0.516	0.516	0.516
	268	mixed vegetables, boiled	1	0.015	0.015	0.015
			5			
nonachlor, cis						
	123	cucumber, raw	1	0.0004	0.0004	0.0004
	124	summer squash, boiled	1	0.001	0.001	0.001
	126	winter squash, baked	1	0.0006	0.0006	0.0006
			3			
nonachlor, trans						
	018	pork chop, pan-cooked	1	0.001	0.001	0.001
	020	pork bacon, pan-cooked	1	0.0006	0.0006	0.0006
	107	spinach, boiled	1	0.0007	0.0007	0.0007
	123	cucumber, raw	2	0.0013	0.0006	0.002
	124	summer squash, boiled	2	0.0022	0.0003	0.004
	126	winter squash, baked	4	0.0017	0.0003	0.003
	161	dill cucumber pickles	1	0.002	0.002	0.002
	164	butter, regular (salted)	2	0.0007	0.0004	0.001
	186	pumpkin pie	1	0.0005	0.0005	0.0005
	297	sweet cucumber pickles	2	0.0007	0.0005	0.0009
			17			
octachlor epoxide						
	013	ground beef, pan-cooked	1	0.0003	0.0003	0.0003
	019	pork sausage, pan-cooked	1	0.0006	0.0006	0.0006
	022	lamb chop, pan-cooked	3	0.0003	0.0003	0.0004
	124	summer squash, boiled	1	0.0004	0.0004	0.0004
	164	butter, regular (salted)	7	0.0008	0.0005	0.001
	236	Swiss cheese	1	0.0003	0.0003	0.0003
	237	cream cheese	2	0.0005	0.0004	0.0005
	320	squash, strained/junior	1	0.0004	0.0004	0.0004
			17			
omethoate						
	042	lima beans, boiled	2	0.0013	0.0005	0.002
	046	green peas, boiled	1	0.001	0.001	0.001
	078	apple, red, raw	6	0.0097	0.002	0.02

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	081	watermelon, raw	1	0.002	0.002	0.002
	084	applesauce, bottled	7	0.0024	0.0009	0.005
	086	strawberries, raw	1	0.026	0.026	0.026
	088	grapes, seedless, raw	7	0.017	0.001	0.062
	094	sweet cherries, raw	3	0.0127	0.008	0.018
	099	apple juice, bottled	4	0.0025	0.001	0.006
	107	spinach, boiled	2	0.0035	0.002	0.005
	109	iceberg lettuce, raw	7	0.0021	0.0007	0.006
	114	celery, raw	1	0.003	0.003	0.003
	117	tomato, red, raw	5	0.0036	0.002	0.005
	121	green beans, boiled	1	0.004	0.004	0.004
	125	green pepper, raw	9	0.0107	0.002	0.024
	199	dry table wine	15	0.0063	0.001	0.013
	225	applesauce, strained/junior	11	0.0041	0.001	0.012
	227	pears, strained/junior	3	0.003	0.002	0.004
	230	apple juice, strained	13	0.0051	0.0004	0.01
	233	fruit dessert/pudding, strained/junior	2	0.0025	0.001	0.004
	257	grape juice, conc.	1	0.001	0.001	0.001
	263	Brussels sprouts, boiled	1	0.008	0.008	0.008
	265	eggplant, fresh, boiled	1	0.001	0.001	0.001
			104			
oxamyl						
	114	celery, raw	1	0.106	0.106	0.106
			1			
oxydemeton-methyl						
	125	green pepper, raw	1	0.032	0.032	0.032
			1			
parathion						
	046	green peas, boiled	1	0.001	0.001	0.001
	064	rye bread	1	0.001	0.001	0.001
	078	apple, red, raw	1	0.001	0.001	0.001
	083	peach, raw	1	0.002	0.002	0.002
	084	applesauce, bottled	1	0.0006	0.0006	0.0006
	121	green beans, boiled	1	0.008	0.008	0.008
	225	applesauce, strained/junior	1	0.003	0.003	0.003
	253	apricot, raw	1	0.001	0.001	0.001
	260	tomato, stewed, canned	1	0.001	0.001	0.001
	267	okra, boiled	1	0.004	0.004	0.004
			10			
parathion-methyl						
	078	apple, red, raw	3	0.0043	0.002	0.006
	083	peach, raw	10	0.0329	0.002	0.077
	084	applesauce, bottled	2	0.003	0.001	0.005
	085	pear, raw	7	0.0037	0.001	0.011
	086	strawberries, raw	1	0.002	0.002	0.002
	091	plums, raw	7	0.003	0.001	0.006
	094	sweet cherries, raw	2	0.0025	0.002	0.003
	095	raisins, dried	1	0.005	0.005	0.005
	114	celery, raw	2	0.016	0.006	0.026
	225	applesauce, strained/junior	1	0.002	0.002	0.002
	226	peaches, strained/junior	5	0.0014	0.0008	0.002
	227	pears, strained/junior	7	0.0048	0.0007	0.02
	233	fruit dessert/pudding, strained/junior	1	0.0009	0.0009	0.0009
	253	apricot, raw	4	0.0156	0.0005	0.06
	268	mixed vegetables, boiled	1	0.0006	0.0006	0.0006
	272	tuna noodle casserole	2	0.002	0.001	0.003
	296	jelly, any flavor	1	0.0009	0.0009	0.0009
			57			

Total Diet Study Summary by Pesticide

Residue	Food Item# Description	n	Level Found, ppm		
			Mean	Min	Max
pentachloroaniline					
	047 peanut butter, smooth	17	0.0049	0.0005	0.023
	048 peanuts, dry roasted	14	0.0039	0.0005	0.011
	081 watermelon, raw	1	0.001	0.001	0.001
	107 spinach, boiled	1	0.002	0.002	0.002
	108 collards, boiled	2	0.0006	0.0004	0.0008
	121 green beans, boiled	3	0.0007	0.0003	0.001
	124 summer squash, boiled	4	0.0028	0.002	0.004
	137 white potato, baked, skin	1	0.001	0.001	0.001
	138 potato chips	4	0.001	0.001	0.001
	140 sweet potato, fresh, baked	1	0.0007	0.0007	0.0007
	143 beef stew	1	0.0005	0.0005	0.0005
	247 mixed nuts, no peanuts	1	0.0007	0.0007	0.0007
	259 carrot, fresh, boiled	2	0.0013	0.0005	0.002
	263 Brussels sprouts, boiled	2	0.0006	0.0004	0.0008
	266 turnip, boiled	2	0.0013	0.0005	0.002
	276 fish sandwich, fast-food	3	0.0004	0.0002	0.0006
		59			
pentachlorobenzene					
	047 peanut butter, smooth	15	0.0019	0.0004	0.007
	048 peanuts, dry roasted	15	0.0017	0.0003	0.006
	138 potato chips	1	0.0006	0.0006	0.0006
	247 mixed nuts, no peanuts	1	0.0003	0.0003	0.0003
		32			
pentachlorophenol					
	017 ham, baked	1	0.029	0.029	0.029
	240 chicken breast, roasted	1	0.01	0.01	0.01
		2			
pentachlorophenyl methyl ether					
	047 peanut butter, smooth	12	0.0021	0.0005	0.008
	048 peanuts, dry roasted	10	0.0017	0.0007	0.005
	085 pear, raw	1	0.0003	0.0003	0.0003
		23			
pentachlorophenyl methyl sulfide					
	047 peanut butter, smooth	10	0.0015	0.0006	0.004
	048 peanuts, dry roasted	10	0.0014	0.0005	0.004
	138 potato chips	2	0.0015	0.001	0.002
	276 fish sandwich, fast-food	1	0.0002	0.0002	0.0002
		23			
permethrin, cis					
	017 ham, baked	1	0.001	0.001	0.001
	036 eggs, fried	1	0.001	0.001	0.001
	048 peanuts, dry roasted	1	0.006	0.006	0.006
	064 rye bread	2	0.0099	0.0008	0.019
	083 peach, raw	2	0.012	0.006	0.018
	089 cantaloupe, raw	1	0.005	0.005	0.005
	096 prunes, dried	1	0.002	0.002	0.002
	107 spinach, boiled	14	0.6384	0.022	2.31
	108 collards, boiled	15	0.3075	0.002	1.33
	109 iceberg lettuce, raw	2	0.019	0.002	0.036
	112 sauerkraut, canned	1	0.0005	0.0005	0.0005
	113 broccoli, boiled	4	0.0058	0.002	0.014
	114 celery, raw	14	0.0124	0.003	0.031
	115 asparagus, boiled	1	0.172	0.172	0.172
	117 tomato, red, raw	11	0.0067	0.0006	0.015
	121 green beans, boiled	1	0.005	0.005	0.005
	125 green pepper, raw	11	0.0332	0.005	0.081
	148 meatloaf, homemade	1	0.0005	0.0005	0.0005
	186 pumpkin pie	4	0.0025	0.001	0.006

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	219	green beans, strained/junior	2	0.0035	0.002	0.005
	224	creamed spinach, strained/junior	3	0.0349	0.0006	0.087
	226	peaches, strained/junior	8	0.02	0.0006	0.078
	233	fruit dessert/pudding, strained/junior	12	0.0049	0.0006	0.013
	248	cracked wheat bread	1	0.0009	0.0009	0.0009
	260	tomato, stewed, canned	1	0.0004	0.0004	0.0004
	263	Brussels sprouts, boiled	7	0.0047	0.002	0.009
	264	mushrooms, raw	3	0.056	0.002	0.159
	267	okra, boiled	1	0.002	0.002	0.002
	269	beef stroganoff	1	0.018	0.018	0.018
	270	green peppers, stuffed	8	0.0148	0.0005	0.074
	272	tuna noodle casserole	2	0.0015	0.001	0.002
	279	taco or tostada, carry-out	2	0.002	0.001	0.003
	282	beef chow mein, carry-out	3	0.0017	0.001	0.002
	320	squash, strained/junior	1	0.0008	0.0008	0.0008
			143			
permethrin, trans						
	017	ham, baked	1	0.001	0.001	0.001
	036	eggs, fried	1	0.0006	0.0006	0.0006
	048	peanuts, dry roasted	1	0.009	0.009	0.009
	064	rye bread	2	0.0109	0.0007	0.021
	083	peach, raw	2	0.0165	0.007	0.026
	096	prunes, dried	1	0.002	0.002	0.002
	107	spinach, boiled	14	0.6559	0.02	2.74
	108	collards, boiled	15	0.2651	0.002	0.853
	109	iceberg lettuce, raw	2	0.018	0.002	0.034
	112	sauerkraut, canned	1	0.0004	0.0004	0.0004
	113	broccoli, boiled	4	0.0037	0.0007	0.009
	114	celery, raw	14	0.0109	0.003	0.023
	115	asparagus, boiled	1	0.217	0.217	0.217
	117	tomato, red, raw	11	0.0066	0.0005	0.015
	121	green beans, boiled	1	0.003	0.003	0.003
	125	green pepper, raw	11	0.0411	0.006	0.079
	148	meatloaf, homemade	1	0.0005	0.0005	0.0005
	186	pumpkin pie	4	0.0033	0.001	0.008
	219	green beans, strained/junior	2	0.0035	0.002	0.005
	224	creamed spinach, strained/junior	3	0.0346	0.0007	0.095
	226	peaches, strained/junior	8	0.0233	0.0007	0.099
	233	fruit dessert/pudding, strained/junior	12	0.0061	0.0006	0.019
	248	cracked wheat bread	1	0.0009	0.0009	0.0009
	260	tomato, stewed, canned	1	0.0007	0.0007	0.0007
	263	Brussels sprouts, boiled	7	0.0039	0.002	0.007
	264	mushrooms, raw	3	0.0433	0.0009	0.125
	267	okra, boiled	1	0.002	0.002	0.002
	269	beef stroganoff	1	0.01	0.01	0.01
	270	green peppers, stuffed	8	0.0183	0.0007	0.093
	272	tuna noodle casserole	2	0.002	0.001	0.003
	279	taco or tostada, carry-out	2	0.0025	0.001	0.004
	282	beef chow mein, carry-out	3	0.0009	0.0008	0.001
	320	squash, strained/junior	1	0.0009	0.0009	0.0009
			142			
phorate sulfone						
	137	white potato, baked, skin	1	0.005	0.005	0.005
	258	French fries, fast-food	1	0.005	0.005	0.005
			2			
phorate sulfoxide						
	137	white potato, baked, skin	1	0.004	0.004	0.004
			1			

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
phosalone						
	078	apple, red, raw	2	0.039	0.027	0.051
	083	peach, raw	1	0.005	0.005	0.005
	249	bagel, plain	1	0.007	0.007	0.007
			4			
phosmet						
	078	apple, red, raw	4	0.0123	0.004	0.033
	083	peach, raw	7	0.0207	0.012	0.03
	085	pear, raw	13	0.0225	0.003	0.069
	088	grapes, seedless, raw	1	0.026	0.026	0.026
	091	plums, raw	1	0.008	0.008	0.008
	225	applesauce, strained/junior	1	0.004	0.004	0.004
	227	pears, strained/junior	5	0.0116	0.004	0.02
	253	apricot, raw	7	0.2737	0.006	0.662
			39			
phosphamidon						
	078	apple, red, raw	11	0.0079	0.003	0.024
	084	applesauce, bottled	1	0.012	0.012	0.012
	099	apple juice, bottled	1	0.006	0.006	0.006
			13			
pirimiphos-methyl						
	047	peanut butter, smooth	2	0.006	0.001	0.011
	048	peanuts, dry roasted	1	0.017	0.017	0.017
	053	corngrits, regular, cooked	1	0.004	0.004	0.004
	057	popcorn, popped in oil	8	0.1046	0.001	0.243
	058	white bread	2	0.002	0.001	0.003
	059	white roll	3	0.0053	0.002	0.008
	060	cornbread, homemade	3	0.0417	0.001	0.123
	061	biscuit, baked	2	0.004	0.001	0.007
	062	whole wheat bread	8	0.0055	0.002	0.011
	063	tortilla, flour	1	0.0009	0.0009	0.0009
	064	rye bread	7	0.0033	0.001	0.008
	065	blueberry muffin	2	0.004	0.001	0.007
	067	corn chips	4	0.0745	0.003	0.136
	070	macaroni, boiled	1	0.003	0.003	0.003
	074	raisin bran cereal	2	0.001	0.001	0.001
	147	hamburger, fast-food	1	0.004	0.004	0.004
	182	sweet roll or Danish	1	0.001	0.001	0.001
	183	chocolate chip cookies	1	0.0008	0.0008	0.0008
	184	sandwich cookies creme fill	2	0.005	0.002	0.008
	245	kidney beans, dry, boiled	1	0.005	0.005	0.005
	248	cracked wheat bread	2	0.0045	0.001	0.008
	249	bagel, plain	2	0.002	0.001	0.003
	250	English muffin, toasted	1	0.003	0.003	0.003
	251	graham crackers	2	0.0007	0.0004	0.001
	275	cheeseburger, fast-food	2	0.0015	0.001	0.002
	276	fish sandwich, fast-food	1	0.001	0.001	0.001
	278	egg/cheese/ham, fast-food	1	0.0008	0.0008	0.0008
	289	chocolate snack cake	1	0.001	0.001	0.001
	290	cake doughnuts with icing	2	0.0025	0.002	0.003
	292	sugar cookies, commercial	1	0.009	0.009	0.009
	294	pretzels, hard, salted	1	0.001	0.001	0.001
			69			
polychlorinated biphenyls						
	014	beef chuck roast, baked	1	0.01	0.01	0.01
	016	beef steak, pan-cooked	1	0.022	0.022	0.022
	018	pork chop, pan-cooked	1	0.021	0.021	0.021
	021	pork roast, baked	1	0.018	0.018	0.018
	022	lamb chop, pan-cooked	1	0.018	0.018	0.018
	024	chicken, fried homemade	1	0.009	0.009	0.009

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	032	tuna, canned in oil	1	0.045	0.045	0.045
	053	corngrits, regular, cooked	1	0.016	0.016	0.016
	060	cornbread, homemade	1	0.011	0.011	0.011
	061	biscuit, baked	1	0.016	0.016	0.016
	068	pancake from mix	1	0.024	0.024	0.024
	148	meatloaf, homemade	1	0.023	0.023	0.023
	188	caramel candy	1	0.006	0.006	0.006
	212	vegetables and chicken, strained/junior	1	0.03	0.03	0.03
	238	veal cutlet, pan-cooked	1	0.013	0.013	0.013
	240	chicken breast, roasted	2	0.0315	0.03	0.033
	301	brown gravy, homemade	1	0.03	0.03	0.03
			18			
procymidone						
	199	dry table wine	1	0.002	0.002	0.002
	272	tuna noodle casserole	1	0.006	0.006	0.006
			2			
propargite						
	074	raisin bran cereal	10	0.0638	0.012	0.215
	078	apple, red, raw	11	0.2189	0.047	0.616
	083	peach, raw	6	0.2012	0.082	0.579
	084	applesauce, bottled	1	0.01	0.01	0.01
	087	fruit cocktail, canned	1	0.01	0.01	0.01
	088	grapes, seedless, raw	2	1.0125	0.361	1.664
	091	plums, raw	5	0.0408	0.008	0.069
	095	raisins, dried	18	0.2782	0.02	0.772
	096	prunes, dried	13	0.1099	0.021	0.569
	103	prune juice, bottled	1	0.009	0.009	0.009
	225	applesauce, strained/junior	4	0.0623	0.039	0.11
	226	peaches, strained/junior	2	0.057	0.015	0.099
	233	fruit dessert/pudding, strained/junior	2	0.038	0.024	0.052
	253	apricot, raw	1	0.822	0.822	0.822
			77			
propetamphos						
	022	lamb chop, pan-cooked	1	0.021	0.021	0.021
			1			
propylbenzene, n-						
	030	salami, sliced	1	0.011	0.011	0.011
	114	celery, raw	1	0.015	0.015	0.015
			2			
quintozene						
	047	peanut butter, smooth	10	0.0017	0.0006	0.006
	048	peanuts, dry roasted	9	0.0016	0.0003	0.006
	138	potato chips	1	0.003	0.003	0.003
	275	cheeseburger, fast-food	1	0.001	0.001	0.001
			21			
styrene						
	014	beef chuck roast, baked	1	0.011	0.011	0.011
	019	pork sausage, pan-cooked	1	0.018	0.018	0.018
	020	pork bacon, pan-cooked	2	0.0155	0.014	0.017
	022	lamb chop, pan-cooked	1	0.01	0.01	0.01
	026	turkey breast, roasted	1	0.013	0.013	0.013
	029	bologna, sliced	1	0.078	0.078	0.078
	030	salami, sliced	1	0.013	0.013	0.013
	034	fish sticks, frozen, heated	1	0.014	0.014	0.014
	047	peanut butter, smooth	5	0.0162	0.011	0.02
	048	peanuts, dry roasted	1	0.011	0.011	0.011
	065	blueberry muffin	3	0.029	0.018	0.038
	076	granola cereal	1	0.021	0.021	0.021

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	086	strawberries, raw	4	0.229	0.186	0.35
	097	avocado, raw	4	0.1765	0.011	0.55
	147	hamburger, fast-food	2	0.0125	0.012	0.013
	162	margarine, stick (salted)	3	0.0137	0.01	0.02
	164	butter, regular (salted)	4	0.0185	0.011	0.024
	178	chocolate cake and icing	5	0.0222	0.011	0.041
	182	sweet roll or Danish	5	0.0398	0.025	0.052
	183	chocolate chip cookies	6	0.0498	0.015	0.085
	184	sandwich cookies creme fill	5	0.0612	0.016	0.11
	185	apple pie	3	0.0263	0.011	0.049
	186	pumpkin pie	2	0.0285	0.02	0.037
	187	milk chocolate candy bar	3	0.0357	0.01	0.076
	241	chicken nuggets, fast-food	2	0.013	0.01	0.016
	242	chicken, fried fast-food	1	0.053	0.053	0.053
	247	mixed nuts, no peanuts	5	0.0506	0.021	0.082
	258	French fries, fast-food	4	0.041	0.011	0.094
	275	cheeseburger, fast-food	2	0.0145	0.011	0.018
	276	fish sandwich, fast-food	1	0.016	0.016	0.016
	277	frankfurter, fast-food	1	0.011	0.011	0.011
	279	taco or tostada, carry-out	2	0.016	0.011	0.021
	280	cheese pizza, carry-out	3	0.0173	0.011	0.025
	281	pepperoni pizza, carry-out	3	0.0143	0.011	0.02
	282	beef chow mein, carry-out	1	0.041	0.041	0.041
	289	chocolate snack cake	1	0.017	0.017	0.017
	290	cake doughnuts with icing	3	0.0203	0.011	0.034
	291	brownies, commercial	3	0.0193	0.012	0.025
	292	sugar cookies, commercial	5	0.0558	0.025	0.129
	304	olive or safflower oil	2	0.048	0.042	0.054
	317	teething biscuits	1	0.08	0.08	0.08
			105			
TDE, p,p'						
	018	pork chop, pan-cooked	1	0.006	0.006	0.006
	019	pork sausage, pan-cooked	3	0.0022	0.0007	0.004
	020	pork bacon, pan-cooked	1	0.0004	0.0004	0.0004
	022	lamb chop, pan-cooked	1	0.0004	0.0004	0.0004
	107	spinach, boiled	4	0.0013	0.0005	0.003
	108	collards, boiled	2	0.0013	0.0006	0.002
	114	celery, raw	2	0.0008	0.0005	0.001
	132	radish, raw	1	0.0007	0.0007	0.0007
	183	chocolate chip cookies	1	0.0009	0.0009	0.0009
	187	milk chocolate candy bar	12	0.0012	0.0007	0.003
	266	turnip, boiled	2	0.0005	0.0004	0.0006
	268	mixed vegetables, boiled	1	0.001	0.001	0.001
	297	sweet cucumber pickles	1	0.0005	0.0005	0.0005
	304	olive or safflower oil	1	0.0009	0.0009	0.0009
			33			
tecnazene						
	076	granola cereal	1	0.0008	0.0008	0.0008
			1			
tetrachloroethylene						
	020	pork bacon, pan-cooked	1	0.022	0.022	0.022
	028	frankfurters, beef, boiled	1	0.06	0.06	0.06
	029	bologna, sliced	2	0.0175	0.017	0.018
	030	salami, sliced	2	0.038	0.01	0.066
	164	butter, regular (salted)	2	0.0385	0.03	0.047
	178	chocolate cake and icing	1	0.021	0.021	0.021
	182	sweet roll or Danish	1	0.024	0.024	0.024
	185	apple pie	1	0.037	0.037	0.037
	186	pumpkin pie	1	0.107	0.107	0.107
	187	milk chocolate candy bar	4	0.0305	0.01	0.07
	236	Swiss cheese	1	0.051	0.051	0.051

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	237	cream cheese	1	0.023	0.023	0.023
	247	mixed nuts, no peanuts	1	0.036	0.036	0.036
	269	beef stroganoff	1	0.036	0.036	0.036
	290	cake doughnuts with icing	1	0.04	0.04	0.04
	291	brownies, commercial	1	0.013	0.013	0.013
			22			
thiabendazole						
	078	apple, red, raw	18	0.5364	0.024	1.288
	079	orange, raw	17	0.2225	0.037	0.581
	080	banana, raw	16	0.0549	0.018	0.095
	084	applesauce, bottled	4	0.0575	0.018	0.115
	085	pear, raw	16	0.4324	0.059	1.045
	089	cantaloupe, raw	4	0.063	0.038	0.09
	091	plums, raw	1	0.069	0.069	0.069
	092	grapefruit, raw	17	0.2047	0.026	0.713
	099	apple juice, bottled	7	0.1546	0.029	0.271
	100	grapefruit juice, from conc.	5	0.0302	0.016	0.046
	136	white potato, boiled, no skin	2	0.061	0.004	0.118
	137	white potato, baked, skin	10	0.2297	0.043	0.674
	199	dry table wine	1	0.053	0.053	0.053
	225	applesauce, strained/junior	4	0.1155	0.047	0.188
	227	pears, strained/junior	2	0.061	0.061	0.061
	230	apple juice, strained	11	0.0965	0.022	0.258
	231	orange juice, strained	1	0.021	0.021	0.021
	264	mushrooms, raw	15	0.4495	0.019	1.356
	284	mushroom soup, canned	6	0.0277	0.011	0.079
	296	jelly, any flavor	1	0.017	0.017	0.017
	307	fruit drink, canned	1	0.042	0.042	0.042
	312	rice cereal, strained/junior	2	0.043	0.026	0.06
			161			
toluene						
	008	evaporated milk, canned	2	0.0115	0.01	0.013
	010	American cheese	5	0.038	0.013	0.094
	012	cheddar cheese	6	0.4867	0.013	1.73
	013	ground beef, pan-cooked	6	0.0187	0.012	0.026
	014	beef chuck roast, baked	5	0.0398	0.013	0.077
	016	beef steak, pan-cooked	2	0.017	0.01	0.024
	017	ham, baked	2	0.012	0.012	0.012
	018	pork chop, pan-cooked	2	0.0185	0.011	0.026
	019	pork sausage, pan-cooked	2	0.0405	0.03	0.051
	020	pork bacon, pan-cooked	6	0.1225	0.015	0.23
	021	pork roast, baked	2	0.037	0.034	0.04
	022	lamb chop, pan-cooked	2	0.0115	0.011	0.012
	024	chicken, fried homemade	1	0.012	0.012	0.012
	026	turkey breast, roasted	2	0.0205	0.02	0.021
	027	liver, beef, fried	2	0.0125	0.01	0.015
	028	frankfurters, beef, boiled	6	0.0445	0.012	0.082
	029	bologna, sliced	5	0.0348	0.01	0.075
	030	salami, sliced	6	0.0388	0.016	0.077
	032	tuna, canned in oil	5	0.3108	0.028	0.79
	034	fish sticks, frozen, heated	5	0.022	0.014	0.034
	035	eggs, scrambled	2	0.0125	0.012	0.013
	037	eggs, boiled	1	0.01	0.01	0.01
	039	pork and beans, canned	1	0.09	0.09	0.09
	047	peanut butter, smooth	6	0.0515	0.028	0.097
	048	peanuts, dry roasted	2	0.035	0.029	0.041
	056	cream style corn, canned	4	0.0263	0.011	0.055
	057	popcorn, popped in oil	4	0.0355	0.016	0.074
	058	white bread	1	0.041	0.041	0.041
	059	white roll	1	0.025	0.025	0.025
	060	cornbread, homemade	1	0.061	0.061	0.061
	061	biscuit, baked	1	0.017	0.017	0.017

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	062	whole wheat bread	1	0.014	0.014	0.014
	063	tortilla, flour	2	0.012	0.01	0.014
	064	rye bread	2	0.0175	0.016	0.019
	065	blueberry muffin	6	0.0222	0.01	0.041
	066	saltine crackers	1	0.019	0.019	0.019
	067	corn chips	5	0.0514	0.014	0.098
	068	pancake from mix	2	0.1185	0.019	0.218
	069	egg noodles, boiled	1	0.013	0.013	0.013
	072	fruit-flavored cereal	3	0.072	0.014	0.14
	073	shredded wheat cereal	2	0.043	0.013	0.073
	075	crisped rice cereal	1	0.016	0.016	0.016
	076	granola cereal	2	0.029	0.017	0.041
	077	oat ring cereal	1	0.09	0.09	0.09
	078	apple, red, raw	1	0.021	0.021	0.021
	079	orange, raw	2	0.045	0.019	0.071
	080	banana, raw	2	0.026	0.016	0.036
	083	peach, raw	1	0.026	0.026	0.026
	085	pear, raw	1	0.012	0.012	0.012
	087	fruit cocktail, canned	1	0.038	0.038	0.038
	093	pineapple, canned in juice	1	0.017	0.017	0.017
	094	sweet cherries, raw	1	0.015	0.015	0.015
	095	raisins, dried	2	0.0205	0.011	0.03
	096	prunes, dried	1	0.012	0.012	0.012
	097	avocado, raw	1	0.016	0.016	0.016
	098	orange juice, from conc.	2	0.0535	0.017	0.09
	099	apple juice, bottled	1	0.036	0.036	0.036
	100	grapefruit juice, from conc.	1	0.021	0.021	0.021
	103	prune juice, bottled	1	0.018	0.018	0.018
	105	lemonade, from conc.	1	0.049	0.049	0.049
	108	collards, boiled	1	0.011	0.011	0.011
	111	coleslaw with dressing	2	0.0165	0.014	0.019
	114	celery, raw	1	0.014	0.014	0.014
	115	asparagus, boiled	1	0.03	0.03	0.03
	119	tomato sauce, bottled	1	0.218	0.218	0.218
	126	winter squash, baked	1	0.074	0.074	0.074
	138	potato chips	5	0.084	0.016	0.2
	139	scalloped potatoes	1	0.012	0.012	0.012
	140	sweet potato, fresh, baked	1	0.01	0.01	0.01
	142	spaghetti and meatballs	2	0.023	0.014	0.032
	143	beef stew	1	0.017	0.017	0.017
	147	hamburger, fast-food	6	0.0462	0.01	0.18
	148	meatloaf, homemade	1	0.01	0.01	0.01
	160	white sauce, homemade	1	0.027	0.027	0.027
	161	dill cucumber pickles	2	0.014	0.013	0.015
	162	margarine, stick (salted)	6	0.0612	0.011	0.2
	164	butter, regular (salted)	6	0.0695	0.035	0.13
	175	instant chocolate pudding	1	0.012	0.012	0.012
	178	chocolate cake and icing	6	0.0252	0.01	0.044
	182	sweet roll or Danish	3	0.0417	0.01	0.099
	183	chocolate chip cookies	5	0.033	0.012	0.071
	184	sandwich cookies creme fill	1	0.13	0.13	0.13
	185	apple pie	3	0.0163	0.01	0.021
	186	pumpkin pie	2	0.0305	0.013	0.048
	187	milk chocolate candy bar	4	0.0275	0.019	0.038
	188	caramel candy	2	0.0225	0.01	0.035
	190	gelatin dessert, any flavor	1	0.015	0.015	0.015
	191	cola carbonated	1	0.019	0.019	0.019
	193	fruit drink, from powder	1	0.027	0.027	0.027
	205	beef, strained/junior	4	0.018	0.011	0.03
	207	chicken, strained/junior	1	0.011	0.011	0.011
	218	carrots, strained/junior	1	0.012	0.012	0.012
	225	applesauce, strained/junior	1	0.013	0.013	0.013
	226	peaches, strained/junior	1	0.019	0.019	0.019
	227	pears, strained/junior	1	0.012	0.012	0.012

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	236	Swiss cheese	2	0.0485	0.011	0.086
	237	cream cheese	2	0.032	0.022	0.042
	240	chicken breast, roasted	1	0.02	0.02	0.02
	241	chicken nuggets, fast-food	5	0.0646	0.01	0.23
	242	chicken, fried fast-food	5	0.029	0.016	0.052
	246	peas, mature, dry, boiled	1	0.01	0.01	0.01
	247	mixed nuts, no peanuts	6	0.0688	0.038	0.098
	251	graham crackers	3	0.027	0.012	0.044
	252	butter-type crackers	3	0.011	0.01	0.012
	254	peach, canned	2	0.0285	0.021	0.036
	255	pear, canned in light syrup	1	0.013	0.013	0.013
	258	French fries, fast-food	4	0.099	0.012	0.165
	260	tomato, stewed, canned	1	0.018	0.018	0.018
	271	chili con carne with beans	1	0.016	0.016	0.016
	272	tuna noodle casserole	2	0.0355	0.021	0.05
	273	salisbury steak, frozen meal	1	0.014	0.014	0.014
	275	cheeseburger, fast-food	5	0.0516	0.012	0.19
	276	fish sandwich, fast-food	1	0.011	0.011	0.011
	277	frankfurter, fast-food	1	0.062	0.062	0.062
	279	taco or tostada, carry-out	4	0.021	0.009	0.032
	280	cheese pizza, carry-out	5	0.02	0.012	0.036
	281	pepperoni pizza, carry-out	4	0.045	0.015	0.12
	282	beef chow mein, carry-out	1	0.017	0.017	0.017
	287	fruit flavor sherbet	3	0.018	0.009	0.031
	288	popsicle, any flavor	3	0.0627	0.036	0.1
	289	chocolate snack cake	5	0.0212	0.01	0.048
	290	cake doughnuts with icing	6	0.0508	0.013	0.08
	291	brownies, commercial	5	0.0292	0.013	0.047
	292	sugar cookies, commercial	5	0.0186	0.009	0.037
	293	suckers, any flavor	2	0.0325	0.032	0.033
	298	yellow mustard	2	0.0465	0.021	0.072
	299	black olives	2	0.032	0.011	0.053
	300	sour cream	1	0.028	0.028	0.028
	301	brown gravy, homemade	1	0.013	0.013	0.013
	304	olive or safflower oil	2	0.021	0.014	0.028
	305	coffee, from ground	1	0.012	0.012	0.012
	306	fruit-flavored carbonated	1	0.018	0.018	0.018
	307	fruit drink, canned	1	0.013	0.013	0.013
	317	teething biscuits	2	0.0245	0.013	0.036
			328			
toxaphene						
	047	peanut butter, smooth	13	0.0401	0.003	0.07
	048	peanuts, dry roasted	17	0.0443	0.003	0.105
	086	strawberries, raw	1	0.015	0.015	0.015
	089	cantaloupe, raw	4	0.0435	0.025	0.075
	107	spinach, boiled	1	0.006	0.006	0.006
	108	collards, boiled	2	0.0115	0.007	0.016
	123	cucumber, raw	7	0.0277	0.003	0.056
	124	summer squash, boiled	2	0.026	0.021	0.031
	126	winter squash, baked	2	0.024	0.01	0.038
	132	radish, raw	1	0.021	0.021	0.021
	161	dill cucumber pickles	6	0.0245	0.003	0.049
	297	sweet cucumber pickles	6	0.025	0.014	0.034
			62			
tribufos						
	138	potato chips	1	0.002	0.002	0.002
			1			
tributyl phosphate						
	050	white rice, cooked	1	0.005	0.005	0.005
	051	oatmeal, cooked	1	0.006	0.006	0.006
	052	wheat cereal, farina, cooked	5	0.0186	0.008	0.032

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	072	fruit-flavored cereal	1	0.008	0.008	0.008
	084	applesauce, bottled	8	0.016	0.009	0.026
	098	orange juice, from conc.	1	0.028	0.028	0.028
	100	grapefruit juice, from conc.	1	0.043	0.043	0.043
	103	prune juice, bottled	1	0.033	0.033	0.033
	261	tomato juice, bottled	1	0.008	0.008	0.008
			20			
trichloroethylene						
	028	frankfurters, beef, boiled	1	0.01	0.01	0.01
	029	bologna, sliced	1	0.02	0.02	0.02
	047	peanut butter, smooth	1	0.07	0.07	0.07
	097	avocado, raw	4	0.1068	0.023	0.3
			7			
triphenyl phosphate						
	162	margarine, stick (salted)	3	0.09	0.065	0.14
	188	caramel candy	11	0.0888	0.012	0.215
	297	sweet cucumber pickles	1	0.019	0.019	0.019
			15			
tris(2-butoxyethyl)phosphate						
	051	oatmeal, cooked	1	0.116	0.116	0.116
	188	caramel candy	1	0.035	0.035	0.035
			2			
tris(beta-chloroethyl) phosphate						
	051	oatmeal, cooked	1	0.001	0.001	0.001
	059	white roll	1	0.003	0.003	0.003
	223	peas, strained/junior	1	0.001	0.001	0.001
	248	cracked wheat bread	1	0.001	0.001	0.001
	293	suckers, any flavor	1	0.001	0.001	0.001
	297	sweet cucumber pickles	1	0.002	0.002	0.002
	317	teething biscuits	2	0.0013	0.0006	0.002
			8			
tris(chloropropyl) phosphate						
	078	apple, red, raw	4	0.009	0.002	0.02
	085	pear, raw	1	0.004	0.004	0.004
	096	prunes, dried	2	0.003	0.002	0.004
	099	apple juice, bottled	1	0.002	0.002	0.002
	173	tomato catsup	2	0.0065	0.004	0.009
	261	tomato juice, bottled	2	0.0095	0.004	0.015
			12			
vinclozolin						
	086	strawberries, raw	8	0.2945	0.022	0.97
	088	grapes, seedless, raw	5	0.0828	0.001	0.187
	121	green beans, boiled	5	0.007	0.003	0.01
	219	green beans, strained/junior	1	0.002	0.002	0.002
	227	pears, strained/junior	1	0.002	0.002	0.002
	235	yogurt, lowfat, fruit	1	0.001	0.001	0.001
	253	apricot, raw	1	0.054	0.054	0.054
	268	mixed vegetables, boiled	1	0.002	0.002	0.002
	273	salisbury steak, frozen meal	1	0.002	0.002	0.002
			24			
xylene, m- and/or p-						
	010	American cheese	2	0.0225	0.016	0.029
	012	cheddar cheese	3	0.025	0.016	0.036
	013	ground beef, pan-cooked	1	0.011	0.011	0.011
	014	beef chuck roast, baked	2	0.042	0.023	0.061
	019	pork sausage, pan-cooked	1	0.013	0.013	0.013
	020	pork bacon, pan-cooked	3	0.0273	0.022	0.035

Total Diet Study Summary by Pesticide

Residue	Food Item#	Description	n	Level Found, ppm		
				Mean	Min	Max
	024	chicken, fried homemade	1	0.01	0.01	0.01
	027	liver, beef, fried	1	0.065	0.065	0.065
	028	frankfurters, beef, boiled	2	0.0135	0.011	0.016
	029	bologna, sliced	1	0.061	0.061	0.061
	030	salami, sliced	3	0.0283	0.023	0.034
	032	tuna, canned in oil	1	0.017	0.017	0.017
	034	fish sticks, frozen, heated	3	0.0463	0.025	0.081
	039	pork and beans, canned	1	0.013	0.013	0.013
	047	peanut butter, smooth	2	0.0245	0.021	0.028
	048	peanuts, dry roasted	1	0.017	0.017	0.017
	051	oatmeal, cooked	1	0.03	0.03	0.03
	057	popcorn, popped in oil	1	0.033	0.033	0.033
	058	white bread	1	0.016	0.016	0.016
	060	cornbread, homemade	1	0.01	0.01	0.01
	062	whole wheat bread	1	0.022	0.022	0.022
	063	tortilla, flour	1	0.02	0.02	0.02
	064	rye bread	1	0.016	0.016	0.016
	065	blueberry muffin	2	0.0495	0.033	0.066
	066	saltine crackers	1	0.024	0.024	0.024
	067	corn chips	2	0.022	0.018	0.026
	068	pancake from mix	1	0.014	0.014	0.014
	069	egg noodles, boiled	1	0.015	0.015	0.015
	071	corn flakes	1	0.011	0.011	0.011
	072	fruit-flavored cereal	1	0.02	0.02	0.02
	073	shredded wheat cereal	1	0.017	0.017	0.017
	076	granola cereal	2	0.017	0.013	0.021
	078	apple, red, raw	4	0.028	0.016	0.048
	079	orange, raw	1	0.014	0.014	0.014
	083	peach, raw	1	0.015	0.015	0.015
	084	applesauce, bottled	1	0.012	0.012	0.012
	085	pear, raw	1	0.029	0.029	0.029
	087	fruit cocktail, canned	1	0.02	0.02	0.02
	098	orange juice, from conc.	1	0.016	0.016	0.016
	103	prune juice, bottled	1	0.018	0.018	0.018
	114	celery, raw	1	0.014	0.014	0.014
	117	tomato, red, raw	1	0.01	0.01	0.01
	119	tomato sauce, bottled	1	0.026	0.026	0.026
	138	potato chips	2	0.044	0.023	0.065
	139	scalloped potatoes	1	0.023	0.023	0.023
	142	spaghetti and meatballs	1	0.012	0.012	0.012
	146	macaroni and cheese, box	2	0.014	0.011	0.017
	147	hamburger, fast-food	2	0.0355	0.018	0.053
	148	meatloaf, homemade	1	0.013	0.013	0.013
	149	spaghetti, canned	2	0.0145	0.012	0.017
	151	lasagna with meat	1	0.011	0.011	0.011
	152	chicken potpie, frozen	1	0.023	0.023	0.023
	162	margarine, stick (salted)	3	0.023	0.017	0.031
	164	butter, regular (salted)	5	0.0344	0.014	0.059
	167	half & half cream	1	0.012	0.012	0.012
	178	chocolate cake and icing	4	0.028	0.022	0.038
	179	yellow cake with white icing	1	0.02	0.02	0.02
	182	sweet roll or Danish	2	0.0195	0.017	0.022
	183	chocolate chip cookies	2	0.018	0.011	0.025
	184	sandwich cookies creme fill	2	0.0265	0.016	0.037
	185	apple pie	2	0.0495	0.022	0.077
	186	pumpkin pie	2	0.0125	0.01	0.015
	187	milk chocolate candy bar	4	0.03	0.017	0.038
	188	caramel candy	1	0.014	0.014	0.014
	211	vegetables and beef, strained/junior	1	0.016	0.016	0.016
	216	turkey and rice, strained/junior	1	0.015	0.015	0.015
	220	mixed vegetables, strained/junior	1	0.01	0.01	0.01
	223	peas, strained/junior	1	0.017	0.017	0.017
	224	creamed spinach, strained/junior	1	0.015	0.015	0.015
	225	applesauce, strained/junior	1	0.02	0.02	0.02

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food Item#</u>	<u>Description</u>	<u>n</u>	<u>Level Found, ppm</u>		
				<u>Mean</u>	<u>Min</u>	<u>Max</u>
	226	peaches, strained/junior	1	0.025	0.025	0.025
	227	pears, strained/junior	1	0.012	0.012	0.012
	231	orange juice, strained	1	0.017	0.017	0.017
	237	cream cheese	1	0.02	0.02	0.02
	241	chicken nuggets, fast-food	1	0.022	0.022	0.022
	242	chicken, fried fast-food	2	0.014	0.012	0.016
	247	mixed nuts, no peanuts	2	0.032	0.03	0.034
	251	graham crackers	3	0.0327	0.011	0.05
	252	butter-type crackers	1	0.037	0.037	0.037
	258	French fries, fast-food	2	0.0215	0.015	0.028
	271	chili con carne with beans	1	0.01	0.01	0.01
	273	salisbury steak, frozen meal	1	0.012	0.012	0.012
	274	turkey, frozen meal	1	0.012	0.012	0.012
	275	cheeseburger, fast-food	2	0.0145	0.014	0.015
	276	fish sandwich, fast-food	2	0.0325	0.029	0.036
	277	frankfurter, fast-food	1	0.025	0.025	0.025
	278	egg/cheese/ham, fast-food	2	0.0105	0.01	0.011
	279	taco or tostada, carry-out	2	0.02	0.017	0.023
	280	cheese pizza, carry-out	2	0.016	0.011	0.021
	281	pepperoni pizza, carry-out	4	0.0213	0.017	0.032
	287	fruit flavor sherbet	4	0.045	0.023	0.065
	288	popsicle, any flavor	1	0.017	0.017	0.017
	289	chocolate snack cake	1	0.015	0.015	0.015
	290	cake doughnuts with icing	3	0.0263	0.022	0.033
	291	brownies, commercial	4	0.0245	0.014	0.034
	292	sugar cookies, commercial	3	0.022	0.011	0.034
	293	suckers, any flavor	1	0.016	0.016	0.016
	302	French salad dressing	1	0.021	0.021	0.021
	304	olive or safflower oil	2	0.065	0.02	0.11
	316	split peas with veg., ham	1	0.013	0.013	0.013
	317	teething biscuits	2	0.0235	0.02	0.027
			165			
xylene, o-	014	beef chuck roast, baked	1	0.026	0.026	0.026
	027	liver, beef, fried	1	0.032	0.032	0.032
	029	bologna, sliced	1	0.019	0.019	0.019
	030	salami, sliced	1	0.01	0.01	0.01
	034	fish sticks, frozen, heated	1	0.016	0.016	0.016
	065	blueberry muffin	1	0.019	0.019	0.019
	138	potato chips	1	0.018	0.018	0.018
	164	butter, regular (salted)	2	0.013	0.012	0.014
	178	chocolate cake and icing	2	0.0125	0.009	0.016
	183	chocolate chip cookies	1	0.012	0.012	0.012
	185	apple pie	1	0.021	0.021	0.021
	187	milk chocolate candy bar	2	0.011	0.01	0.012
	247	mixed nuts, no peanuts	1	0.011	0.011	0.011
	252	butter-type crackers	1	0.017	0.017	0.017
	276	fish sandwich, fast-food	1	0.012	0.012	0.012
	281	pepperoni pizza, carry-out	1	0.011	0.011	0.011
	290	cake doughnuts with icing	2	0.013	0.011	0.015
	291	brownies, commercial	1	0.011	0.011	0.011
	292	sugar cookies, commercial	1	0.011	0.011	0.011
	304	olive or safflower oil	1	0.02	0.02	0.02
			24			

Total Diet Study Summary by Pesticide

<u>Residue</u>	<u>Food</u> <u>Item#</u> <u>Description</u>	<u>n</u>	<u>Level Found, ppm</u> <u>Mean</u> <u>Min</u> <u>Max</u>
----------------	--	----------	--